



SECTION B PART 1 CH0.0M TO 80.0M

SCALE H 1:250 , V 1:250

220KV EIRGRID COMPOUND															
												1			
SISTIN SHED	ICK LAYER OF CO NG OF CLEAN 50r LIMESTONE WIT IROUGHOUT ENT	mm SINGLE	SIZED 1300 DUND	NG MAST	SPEC THICI ANY	300mm 6F2 STONE FILL & COMPACTION IN ACCORDANCE WITH TII SPECIFICATIONS FOR ROAD WORKS SERIES 600 COMPACTED IN 225mm THICK LAYERS WITH 9 PASSES OF A 2300kg/m TO 2900kg/m ROLLER. ANY SOFT SPOTS IDENTIFIED AT FORMATION LEVEL DURING EXCAVATION TO BE REMOVED AND REPLACED WITH 6F2 MATERIAL.							ALISADE FENCE	Ξ	
ROPO	DSED GROUND LI	NE				COM COMPC FL=22.980m					300			CONCRETE POST & RAIL FENCE	
TION	FORMATION LEVEL:19.526m														
19.976	19.976	19.976		19.976 19.976	19.976	19.976	19.976	19.976	19.976	19.976	19.970	19.959			
20.627	20.562	20.500		20.465 20.447	20.431	20.380	20.307	20.242	20.197	20.151	20.088	20.036	20.008		
-0.652	-0.586	-0.524		-0.489	-0.455	-0.405	-0.331	-0.266	-0.222	-0.176	-0.118	-0.076			
19.526	19.526	19.526		19.526 19.526	19.526	19.526	19.526	19.526	19.526	19.526	19.526	19.526			
0.450	0.450	0.450		0.450	0.450	0.450	0.450	0.450	0.450	0.450	0.444	0.434			
100.000	105.000	110.000		- 000.611 120.000	125.000	130.000	135.000 -	140.000	145.000	150.000	155.000	160.000	165.000		

SECTION B PART 2

CH80.0M TO 165.0M SCALE H 1:250 , V 1:250

