



DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS IN ALL CASES. VERIFY DIMENSIONS ON SITE AND REPORT ANY DISCREPANCIES TO THE DESIGNERS IMMEDIATELY.
THIS DRAWING TO BE READ IN CONJUNCTION WITH THE DESIGNERS SPECIFICATION.
© THIS DRAWING IS COPYRIGHT AND MAY ONLY BE REPRODUCED WITH THE DESIGNERS PERMISSION.

NOTES

GENERAL NOTES

1. ALL DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ALL RELEVANT SPECIFICATIONS, BILLS OF QUANTITIES, ARCHITECTURAL, SERVICES AND ENGINEERING DRAWINGS.
2. ANY DISCREPANCIES BETWEEN THESE DOCUMENTS SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER
3. ALL DIMENSIONS ARE IN MM UNLESS NOTED OTHERWISE
4. ALL LEVELS ARE IN METRES RELATED TO ORDNANCE DATUM.
5. DRAWINGS ARE NOT TO BE SCALED

- SITE BOUNDARY
- PROPOSED FOUL DRAIN
- PROPOSED FOUL MANHOLE
- PROPOSED HOLDING TANK

01	29.11.24	ISSUED FOR PLANNING	RH	SH
REV	DATE	DESCRIPTION	BY	APP

PROJECT:				
SCÉIRDE ROCKS OFFSHORE WIND FARM				

TITLE:				
PROPOSED FOUL DRAINAGE				

CLIENT:



FUINNEAMH
SCÉIRDE TEO



H&MV
ENGINEERING
High Voltage Specialists



MWP
ENGINEERING AND ENVIRONMENTAL CONSULTANTS
CORK | TRALEE | LONDON | LIMERICK
mwp.ie

DRAWN: RH	CHECKED: SH	APPROVED: IB
PROJECT NUMBER: 24204	DATE: NOV 2024	SCALE @ A1: 1:500
STATUS DESCRIPTION: FOR PLANNING		STATUS: S4
DRAWING NUMBER: IRE1-HMV-ONS-EL-PD-4045		REV: 02

FOUL STRUCTURE TABLE					FOUL NETWORK					
Name	Easting	Northing	Cover Level	Connected Pipes	Pipe Name	Size	Length	Slope	US IL	DS IL
F1	502336.956	653155.780	21.439	1.000 Inv. 20.550	1.000	150	2.267	1.60	20.550	20.512
F2	502334.690	653155.736	21.418	1.001 Inv. 20.512 1.000 Inv. 20.512	1.001	150	16.216	1.60	20.512	20.242
F3	502315.901	653115.087	21.439	2.000 Inv. 20.650	2.000	150	2.663	1.61	20.650	20.606
F4	502315.919	653117.749	21.440	2.001 Inv. 20.606 2.000 Inv. 20.606	2.001	150	4.861	1.60	20.606	20.525
F5	502315.919	653122.610	21.440	2.002 Inv. 20.525 2.001 Inv. 20.525	2.002	150	2.353	1.60	20.525	20.486
F6	502315.567	653122.657	21.419	2.003 Inv. 20.486 2.002 Inv. 20.486	2.003	150	12.173	1.60	20.486	20.284
F7	502389.267	653129.171	21.373	3.000 Inv. 20.600	3.000	150	2.203	1.60	20.600	20.563
F8	502391.470	653129.148	21.373	3.001 Inv. 20.563 3.000 Inv. 20.563	3.001	150	7.369	1.60	20.563	20.440
FO_F (1)	502334.704	653171.952	20.399	1.001 Inv. 20.242						
FO_F (2)	502313.279	653134.827	20.441	2.003 Inv. 20.284						
FO_F (3)	502396.096	653134.885	20.598	3.001 Inv. 20.440						



NOTE
CONCRETE ENCASMENT REQUIRED WHERE COVER IS LESS THAN:
900mm - FOOTPATHS
1200mm - ROADS
ENCASMENT TO BE IN ACCORDANCE WITH UISCE EIREANN STANDARD DETAILS AND CODE OF PRACTICE