

RECEINED: 03/07/2025

Briskalagh Renewable Energy Development, Co. Kilkenny

Schedule of Figures





Chapter	Figures
EIAR Chapter 1:	Figure 1-1: Site Location Context Figure 2-1: Overall share of energy from renewable sources Figure 2-2: Electricity generation by fuel source:
EIAR Chapter 2:	Figure 2-1: Overall share of energy from renewable sources
	Figure 2-2: Electricity generation by fuel source:
	Figure 2-3: Carbon Budgets and Sectoral Ceilings for 2015-2025 and 2026-2030
	Figure 2-4: Renewable energy capacity and storage connected to the grid in Ireland, 2021-2023
	Figure 2-5: Kilkenny County Council Local Authority Wind Strategy Areas Map – Proposed Briskalagh Wind Farm Location
EIAR Chapter 3:	Figure 3-1: Physical and Environmental Constraints
	Figure 3-2: Proposed Layout Iterations – Option 1
	Figure 3-3: Proposed Layout Iterations – Option 2
	Figure 3-4: Proposed Layout Iterations – Option 3
	Figure 3-5: Proposed Layout Iterations – Option 4
	Figure 3-6: Proposed Grid Connection Underground Cable Route Option
	Figure 3-7: Proposed Grid Connection Underground Cable Route Option 2
	Figure 3-8: Proposed Grid Connection Underground Cable Route Option 3
EIAR Chapter 4:	Figure 4-1: Proposed Project Layout
	Figure 4-2: Proposed Wind Farm Layout
	Figure 4-3: Proposed Grid Connection Layout
	Figure 4-4: Wind Turbine Elevation & Plan
	Figure 4-5: Turbine nacelle and hub components
	Figure 4-6: Gravity Foundation Detail
	Figure 4-7: Bored Pile Foundation Detail
	Figure 4-8: Upgrade of Existing Excavated Access Roads Section
	Figure 4-9: New excavate and replace access road section
	Figure 4-10: 33Kv Cable Trench Sections



	Figure 4-11: Metrological Mast Figure 4-12: Temporary Construction Compound 02 Figure 4-13: Wind Farm Temporary Construction Compound 01 Figure 4-14: Proposed Forestry Felling
	Figure 4-12: Temporary Construction Compound 02
	Figure 4-13: Wind Farm Temporary Construction Compound 01
	Figure 4-14: Proposed Forestry Felling
	Figure 4-15: Borrow Pit
	Figure 4-16: Spoil Management Areas in Agricultural Lands
	Figure 4-17: Spoil Management Areas in Forestry
	Figure 4-18: Substation Compound Layout and Sections
	Figure 4-19: Substation Compound Elevations
	Figure 4-20: Control Building Plan Elevations and Section
	Figure 4-21: Substation Temporary Construction Compound
	Figure 4-22: Standard 38kV Trench Details
	Figure 4-23: Standard 38kV Joint Bay Detail
	Figure 4-24: Standard 38kV Culvert Detail -Flatbed Under Existing Culvert
	Figure 4-25: Standard 38kV Culvert Detail -Flatbed Over Existing Culvert
	Figure 4-26: Standard 38kV Detail – Horizontal Directional Drill
	Figure 4-27: Proposed Turbine Delivery Route
	Figure 4-28: Licensed Quarries within 20km
	Figure 4-29: Schematic of Proposed Site Drainage Management
	Figure 4-30: Drainage Design Measures
	Figure 4-31: Siltbuster
	Figure 4-32: Standard 33kV Culvert Crossing
	Figure 4-33: Standard 33kV Culvert Crossing
Chapter 5	Figure 5-1: Shadow-Prone Area as Function of Time of Day
	Figure 5-2: Turbine Blade Position and Shadow Flicker Impact
	Figure 5-3: Population Study Area
	Figure 5-4: Population Per Age Category
	Figure 5-5: Shadow Flicker Study Area



Chapter 6	Figure 6-1: Site Location
	Figure 6-2: European Designated Sites in relation to the Proposed Project (SAC &SPA)
	Figure 6-3: European Designated Sites in relation to the Proposed Project (NHA & pNHA)
	Figure 6-4: Article 17 Habitats
	Figure 6-5: Habitat Map
	Figure 6-6: Habitat Map with Wind Farm Infrastructure Overlain
	Figure 6-7: Faunal signs and sightings
	Figure 6-8: Mammal Signs and sightings
Chapter 7	Figure 7-1: Vantage Point Survey Location
	Figure 7-2: Viewshed Coverage at 22m
	Figure 7-3: Breeding Walkover Survey Transects
	Figure 7-4: Breeding Raptor Survey Locations
	Figure 7-5: Breeding Woodcock Survey Transects
	Figure 7-6: Breeding Kingfisher Survey Area
	Figure 7-7: Winter Walkover Survey Transects
	Figure 7-8: Waterbird Distribution and Abundance Survey Area
Chapter 8:	Figure 8-1: Subsoils Map
	Figure 8-2: Site Investigation Location - Trial pits and boreholes
	Figure 8-3: PSD Analysis of Subsoils
	Figure 8-4: Bedrock Geology Map
	Figure 8-5: Geological Heritage Sites
Chapter 9	Figure 9-1: Regional Hydrology Map
	Figure 9-2: Local Hydrology Map (Proposed Wind Farm Site)
	Figure 9-3: Local Hydrology Map (Proposed Grid Connection underground cabling route)
	Figure 9-4: EPA Hydrotool Node Flow Duration Curves
	Figure 9-5: Schematic of Existing Forestry Drainage



	Figure 9-6: Proposed Wind Farm site existing drainage network
	Figure 9-7: EPA and HES Water Quality Monitoring Locations Vlap
	Figure 9-8: Continuous Groundwater Level Monitoring Figure 9-9: Monthly Rainfall Values for Oak Park Rainfall Station
	Figure 9-9: Monthly Rainfall Values for Oak Park Rainfall Station
	Figure 9-10: Bedrock and Overburden Aquafers Map
	Figure 9-11: GSI Mapped Karst Feature Map
	Figure 9-12: Designated Sites Map
	Figure 9-13: Hydrological Flowpaths between Sites and Downstream Designated Sites
	Figure 9-14: Groundwater Resources Map
	Figure 9-15: Schematic of Proposed Site Drainage Management
	Figure 9-16: TSS treatment data using Siltbuster systems (with chemical dosing)
	Figure 9-17: Hydrological Cumulative Study Area
Chapter 10	Figure 10-1: Seven Strategic Frameworks for Air Quality, with associated chapters in brackets.
Chapter 11	Figure 11-1: Ireland aSDG Dashboard and Treads
Chapter 12	Figure 12-1: The Level of typical common sounds on the dB(A) scale
	Figure 12-2: Noise Measurement locations
	Figure 12-3: Distributions of Wind Speeds and Directions over the Survey Period
	Figure 12-4: Turbine Directivity Attenuation with Consideration of Wind Direction
Chapter 13	Figure 13-1: Zone of Theoretical Visability
	Figure 13-2: Physical Landscape Features
	Figure 13-3: Disproportional Visual Screening Effect
	Figure 13-4: Route Screening Analysis
	Figure 13-5: Landscape Policy Context
	Figure 13-6: Landscape Policy Context & ZTV
	Figure 13-7:Landscape Character Areas



	Figure 13-8: KCDP Landscape Sensitivity Map Figure 13-9: Wind Energy Strategy
	Figure 13-9: Wind Energy Strategy
	Figure 13-10: Wind Energy Designations in relation to the proposed turbines
	Figure 13-11: Wind Energy Strategy in comparison to landscape
	Figure 13-12 : Wind Energy Strategy with wind speeds figures and maps extracted from the KCDP
	Figure 13-13: Aerial View of the Proposed Wind Farm
	Figure 13-14: Physical Features Map of the Proposed Wind Farm
	Figure 13-15: Landscape Character Areas & ZTV
	Figure 13-16: Visual Receptors
	Figure 13-17: Visual Receptors & ZTV
	Figure 13-18: Cumulative Context
	Figure 13-19: Photomontage Viewpoint Locations & ZTV
	Figure 13-20: Photowire Viewpoint Locations & ZTV
	Figure 13-21:Residential Visual Amenity
	Figure 13-22: Cumulative Comparative ZTV
Chapter 14	Figure 14-1: Site location
	Figure 14-2: Archaeological landscapes identified within the KCDP
	Figure 14-3: National Monuments and those subject to a Preservation Order within 10km of the nearest proposed turbine.
	Figure 14-4: National Monuments and those subject to a Preservation Order within 10km of the nearest proposed turbine with ZTV
	Figure 14-5: Recorded monuments within the Site at the Proposed Wind Farm site
	Figure 14-6: Recorded monuments within 5km of the nearest proposed turbine
	Figure 14-7: Recorded monuments within 5km of the nearest proposed turbine with ZTV
	Figure 14-8: Archaeological landscapes as identified in the KCDP in relation to the Proposed Wind Farm site



Figure 14-9: Protected structures within 5km of the nearest proposed turbine

Figure 14-10: Protected structures within 5km of the nearest proposed turbine with ZTV

Figure 14-11: NIAH structures and historic gardens within 5km of the nearest proposed turbine

Figure 14-12: NIAH structures and historic gardens within 5km of the nearest proposed turbine with ZTV

Figure 14-13: NIAH structures within the Site

Figure 14-14: Cultural heritage features CH1 and CH2 within the Site at the Proposed Wind Farm site

Figure 14-15: National Monument No. 670 at Tullaroan in relation to the Proposed Grid Connection underground cabling route

Figure 14-16: Recorded monuments within 100m of the Proposed Grid Connection underground cabling route

Figure 14-17: Recorded monuments and associated ZoN towards north end of the Proposed Grid Connection underground cabling route

Figure 14-18: Proposed Grid Connection underground cabling route in relation to wayside crosses KK018-008001- and 002- and associated ZoN.

Figure 14-19: Proposed Grid Connection underground cabling route in relation to recorded monuments at Tullaroan and associated ZoN

Figure 14-20: Grid Connection underground cabling route in relation to recorded monuments and associated ZoN at Freshford

Figure 14-21: Proposed Grid Connection underground cabling route in relation to KK013-096001- and 003- and associated ZoN

Figure 14-22: Proposed Grid Connection underground cabling route in relation to KK018-034— and associated ZoN

Figure 14-23: Proposed Grid Connection underground cabling route in relation to KK013-136— and associated ZoN

Figure 14-24: Proposed Grid Connection underground cabling route in relation to KK009-027— and associated ZoN

Figure 14-25: Proposed Grid Connection underground cabling route in relation to KK009-046— and associated ZoN

Figure 14-26: Protected structures within 100m of the Proposed Grid Connection underground cabling route

Figure 14-27: Overview of NIAH structures within 100m of the Proposed Grid Connection underground cabling route



	Figure 14-28: Detail of NIAH structures within 100m of the Proposed Grid Connection underground cabling route to west of Ballyragge.
	Figure 14-29: Detail of NIAH structures within 100m of the Proposed Grid Connection underground cabling route at Freshford
	Figure 14-30: CH features along Proposed Grid Connection underground cabling route
	Figure 14-31: Rectangular structure CH9 as depicted on second edition OS map
Chapter 15	Figure 15-1a: Site location, turbine delivery route, general construction traffic routes and grid connection route
	Figure 15-1b: Location of Wind Farm Access Junctions
	Figure 15-2a: Locations on turbine delivery route for autotrack assessment
	Figure 15-2b: Locations of links included in traffic impact assessment
	Figure 15-3a: Design blade extended arctic profile
	Figure 15-3b: Design tower extended arctic profile
	Figure 15-4a: Proposed Grid Connection Route
	Figure 15-4b: Proposed Grid Connection Route – Diversion Route for Section 1
	Figure 15-4c: Proposed Grid Connection Route – Diversion Route for Section 2
	Figure 15-4d: Proposed Grid Connection Route – Diversion Route for Section 3
	Figure 15-4e: Proposed Grid Connection Route – Diversion Route for Section 5
	Figure 15-4f: Proposed Grid Connection Route – Diversion Route for Section 6
	Figure 15-5a: Observed Traffic Flows, R695/L1009, AM and PM peak hours, year 2024, pcus
	Figure 15-5b: Background Traffic Flows, R695/L1009 junction, AM and PM peak hours, year 2028, pcus
	Figure 15-5c: Development generated Traffic Flows, R695/L1009 junction, AM and PM peak hours, pcus
	Figure 15-5d: With construction Traffic Flows, R695/L1009 junction, AM and PM peak hours, year 2028, pcus



Figure 15-5e: Observed Traffic Flows, N76/R695 junction, AM and PM peak hours, year 2024, pcus

Figure 15-5f: Background Traffic Flows, N76/R695 junction, AM and PM peak hours, year 2028, pcus

Figure 15-5g: Development generated Traffic Flows, N76/R695 junction, AM and PM peak hours, year 2024, pcus

Figure 15-5h: With construction Traffic Flows, N76/R695 junction, AM and PM peak hours, year 2024, pcus

Figure 15-6: Location 1 - N76 / R695, autotrack, blade extended artic

Figure 15-7: Location 1 - N76 / R695, autotrack, tower extended artic

Figure 15-8: Location 2 - Bend on R695 near L-1017, autotrack, blade extended artic

Figure 15-9: Location 2 - Bend on R695 near L-1017, autotrack, tower extended artic

Figure 15-10: Location 3 - Bend on R695 near L10174 and L-10176, autotrack, blade extended artic

Figure 15-11: Location 3 - Bend on R695 near L-10174 and L-10176, autotrack, tower extended artic

Figure 15-12: Location 4 - Bend on R695, autotrack, blade extended artic

Figure 15-13: Location 4 - Bend on R695, autotrack, tower extended artic

Figure 15-14: Location 5 - Bend on R695 at St Molua's Church and L-5032, autotrack, blade extended artic

Figure 15-15: Location 5 - Bend on R695 at St Molua's Church and L-5032, autotrack, tower extended artic

Figure 15-16: Location 6 - S-Bend on R695, autotrack, blade extended artic

Figure 15-17: Location 6 - S-Bend on R695, autotrack, tower extended artic

Figure 15-18: Location 7 - Bend on R695 north of L-5031, autotrack, blade extended artic

Figure 15-19: Location 7 - Bend on R695 north of L-5031, autotrack, tower extended artic

Figure 15-20: Locations 8 and 9 - R695 / L1009 junction and temporary access on L-1009 autotrack assessment, blade extended artic

Figure 15-21: Locations 8 and 9 - R695 / L-1009 junction and temporary access on L-1009 autotrack assessment, tower extended artic

Figure 15-22: Location 9 - Temporary access on L-1009



	Figure 15-23: Location 10 - Construction access on L-5024, junction layout
	Figure 15-24: Location 10 - Construction access on L-5024, visibility splays
	Figure 15-25: Location 10 - Construction access on L-5024, autotrack, large standard articulated HGV layout
	Figure 15-26: Illustrates the magnetic field from overhead AC lines operating
Appendix 4-2	Figure 2-1: Proposed Wind Farm
	Figure 2-2: Proposed Grid Connection
	Figure 2-3: Proposed Project Layout
	Figure 4-1: Proposed Project Organogram
	Figure 6-1: Emergency Response Procedure Chain of Command
	Figure 9-1: Indicative Construction Schedule
Appendix 4-5	Figure 2-1: Proposed Wind Farm
	Figure 2-2: Proposed Grid Connection
	Figure 2-3: Proposed Project Layout
	Figure 5-1: Emergency Response Procedure Chain of Command
	Figure 6-1: Indicative Construction Schedule
Appendix 6-1	Figure 1-1: Relevé/Botanical Survey Locations
Appendix 6-2	Figure 2-1: Site Location
	Figure 3-1: Survey Effort 2023
	Figure 3-2: Static Detector Locations 2023
	Figure 4-1: Ground-Level Tree Assessment
	Figure 4-2: Spring Manual Transect Results 2023
	Figure 4-3: Summer Manual Transect Results 2023
	Figure 4-4: Autumn Manual Transect Results 2023
	Figure 6-1: Proposed Linear Vegetation Removal
Appendix 6-3	Figure 1-1: Proposed Wind Farm Aquatic Survey Locations
	Figure 1-2: Proposed Grid Route Aquatic Survey Locations



Appendix 6-4	Figure 1-1: Woodland and linear vegetation loss associated with Proposed Wind Farm
	Figure 1-2: Proposed Riparian woodland planting and Hedgerow. replanting areas
Confidential Appendix 6-5	Figure 1: Confidential Appendix 6-5
Appendix 7-4	Figure 7 - 4 - 1 – 1: Kingfisher Breeding Walkover Survey Map
	Figure 7 - 4 - 1 – 2: Kingfisher Breeding Kingfisher Survey Map
	Figure 7 - 4 - 1 – 3: Kingfisher Waterbird Distribution and Abundance Survey Map
	Figure 7 - 4 - 2 – 1: Golden Plover Vantage Point Survey Map
	Figure 7 - 4 - 2 – 2: Golden Plover Waterbird Distribution and Abundance Survey Map
	Figure 7 - 4 - 3 – 1: Little Egret Vantage Point Survey Map
	Figure 7 - 4 - 3 – 2: Little Egret Winter Walkover Survey Map
	Figure 7 - 4 - 3 – 3: Little Egret Waterbird Distribution and Abundance Survey Map
	Figure 7 - 4 - 3 – 4: Little Egret Incidental Survey Map
	Figure 7 - 4 - 4 - 1: Peregrine Falcon Vantage Point Survey Map
	Figure 7 - 4 - 4 - 2: Peregrine Falcon Breeding Walkover Survey Map
	Figure 7 - 4 - 4 - 3: Peregrine Falcon Breeding Raptor Survey Map
	Figure 7 - 4 - 5 – 1: Whooper Swan Vantage Point Survey Map
	Figure 7 - 4 - 6 – 1: Kestrel Vantage Point Survey Map
	Figure 7 - 4 - 6 – 2: Kestrel Breeding Walkover Survey Map
	Figure 7 - 4 - 6 – 3: Kestrel Breeding Raptor Survey Map
	Figure 7 - 4 - 6 – 4: Kestrel Winter Walkover Survey Map
	Figure 7 - 4 - 6 – 5: Kestrel Incidental Survey Map
	Figure 7 - 4 - 7 – 1: Snipe Vantage Point Survey Map
	Figure 7 - 4 - 7 – 2: Snipe Breeding Walkover Survey Map
	Figure 7 - 4 - 7 – 3: Snipe Winter Walkover Survey Map



	Figure 7 - 4 - 7 - 4: Snipe Waterbird Distribution and Abundance Survey Map Figure 7 - 4 - 7 - 5: Snipe Incidental Survey Map Figure 7 - 4 - 8 - 1: Buzzard Vantage Point Survey Map
	Figure 7 - 4 - 7 – 5: Snipe Incidental Survey Map
	Figure 7 - 4 - 8 – 1: Buzzard Vantage Point Survey Map
	Figure 7 - 4 - 8 – 2: Buzzard Breeding Walkover Survey Map
	Figure 7 - 4 - 8 – 3: Buzzard Breeding Raptor Survey Map
	Figure 7 - 4 - 8 – 4: Buzzard Winter Walkover Survey Map
	Figure 7 - 4 - 8 – 5: Buzzard Incidental Survey Map
	Figure 7 - 4 - 9 – 1: Sparrowhawk Vantage Point Survey Map
	Figure 7 - 4 - 9 - 2: Sparrowhawk Breeding Raptor Survey Map
	Figure 7 - 4 - 9 – 3: Sparrowhawk Winter Walkover Survey Map
	Figure 7 - 4 - 9 – 4: Sparrowhawk Incidental Survey Map
Confidential	Figure 7 – 7 – 1 – 1: Kingfisher Breeding Territories Map
Appendix 7-7	Figure 7 – 7 – 2 – 1: Kestrel Breeding Raptor Survey Map
	Figure 7 – 7 – 2 – 2: Kestrel Breeding Territories Map
	Figure 7 – 7 – 3 – 1: Buzzard Breeding Walkover Survey Map
	Figure 7 – 7 – 3 – 2: Buzzard Breeding Raptor Survey Map
	Figure 7 – 7 – 3 – 3: Buzzard Breeding Territories Map
	Figure 7 – 7 – 4 – 1: Sparrowhawk Breeding Raptor Survey Map
	Figure 7 – 7 – 4 – 2: Sparrowhawk Breeding Territories Map
Appendix 9-1	Figure A: Site Location Map
	Figure B: Local Hydrology Map
	Figure C: OPW Past Flood Events Map
	Figure D: GSI 2015/2016 Flood Mapping
	Figure E: CFRAM Fluvial Flood Mapping
	Figure F: OPW National Indicative Flood Mapping at Proposed Wind Farm site
	Figure G: OPW National Indicative Flood Mapping along the Proposed Grid Connection



Appendix 9-3	Figure A: Local Hydrology Map
	Figure B: WFD Groundwater and Surface Waterbody Status (2016-2021)
Appendix 12-2	Figure 1: 35 dB L _{A90} contour for the Proposed Wind Farm (in red) and 25 dB L _{A90} contours from surrounding wind farms
Appendix 12-6	Figure 1: Location A (H009) Background Noise Levels LA90, 10 min dB—Daytime
	Figure 2: Location A (H009) Background Noise Levels LA90, 10 min dB–Night-time
	Figure 3: Location B (H013) Background Noise Levels LA90, 10 min dB–Daytime
	Figure 4: Location B (H013) Background Noise Levels LA90, 10 min dB–Night-time
	Figure 5: Location C (H001) Background Noise Levels LA90, 10 min dB–Daytime
	Figure 6: Location C (H001) Background Noise Levels LA90, 10 min dB-Night-time
	Figure 7: Location D (H029) Background Noise Levels LA90, 10 min dB–Daytime
	Figure 8: Location D (H029) Background Noise Levels LA90, 10 min dB-Night-time
	Figure 9: Location E (H049) Background Noise Levels LA90, 10 min dB—Daytime
	Figure 10: Location E(H049) Background Noise Levels LA90, 10 min dB-Night-time
	Figure 11: Location F (H060) Background Noise Levels LA90, 10 min dB—Daytime
	Figure 12: Location F (H060) Background Noise Levels LA90, 10 min dB-Night-time
A 1, 100	The state of the Date of the state of the st
Appendix 12-8	Figure 1: Cumulative Predicted Noise Contours
Appendix 13-1	Figure 1-1: The effect of distance on visibility of wind turbines (Illustrative Purposes Only)
	Figure 1-2: Visual Effect Significance Graph (adapted from EPA, 2022)