

AECOM

Corrib Causeway Dyke Road, Galway

Galway City Council

BLOCK 6, GALWAY TECHNOLOGY PARK

- 1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS, ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF
- ON SITE PRIOR TO COMMENCEMENT OF WORKS.

 AECOM LIMITED TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT
- DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO DO NOT SCALE, ALL MEASUREMENTS AND COORDINATES
- RIGID INCLUSION GROUND IMPROVEMENT TECHNIQUES TO BE EMPLOYED PRIOR TO THE CONSTRUCTION OF ANY ROADS OR BELOW GROUND SERVICES. REFER TO
- THE LOCATION & DEPTH OF SERVICES TO BE CHECKED ON SITE PRIOR TO COMMENCING ANY WORKS.

 MANHOLE COVERS AND FRAMES IN PUBLICLY ACCESSIBLE AREAS SHALL BE HEAVY DUTY CAST IRON,
- CLASS D400. DOUBLE SEALED AND LOCKABLE TYPE 9. GULLY GRATINGS & FRAMES SHALL COMPLY WITH BS E
- 10.EXISTING INVERT LEVELS TO BE VERIFIED ON SITE
- BELOW THE ROAD SURFACE OR LESS THAN 0.9m IN NON-TRAFFICKED FOOTPATHS AND LANDSCAPE AREAS (WITH AN ABSOLUTE MINIMUM DEPTH OF COVER ABOVE THE EXTERNAL CROWN OF THE PIPE Ø750mm) SHALL BE PROTECTED FROM DAMAGE BY PROVIDING MINIMUM 150mm THICK CONCRETE C16/20
- CONDITION AND VERIFY LEVELS OF THE EXISTING FOUL AND SURFACE WATER PIPES/ MANHOLES. ANY SUB-STANDARD OR DEFECTIVE ELEMENTS OF THE EXISTING PIPES/MANHOLES TO BE REPORTED AND
- ACCORDANCE WITH TII SPECIFICATIONS FOR ROAD
- 14.ALL FOUL DRAINAGE TO BE IN ACCORDANCE WITH THE IRISH WATER STANDARD DETAILS AND CODES OF
- 16.REFER TO ARCHITECT DRAWINGS FOR ARCHITECTURAL
- 17.REFER TO LANDSCAPE ARCHITECT DRAWINGS FOR



01	26.02.2025	FOR PLANNING
I/R	DATE	DESCRIPTION

60710277-ACM-XX-XX-DR-CE-10-0502