

Facility Information Summary


AER Reporting Year	2017
Licence Register Number	P0504-01
Name of site	Bord na Mona Mountdillon
Site Location	Mountdillon, Lanesboro, Co Longford
NACE Code	0892
Class/Classes of Activity	1.4
National Grid Reference (6E, 6 N)	E204720. N268880

A description of the activities/processes at the site for the reporting year. This should include information such as production increases or decreases on site, any infrastructural changes, environmental performance which was measured during the reporting year **and an overview of compliance with your licence listing all exceedances of licence limits (where applicable) and what they relate to e.g. air, water, noise.**

Activities on site can be divided into two components, firstly the milling, harrowing, ridging and harvesting of peat into stockpiles and secondly the transportation of that peat via an internal rail network to the Power Station and lorry outloading facilities. Production achieved was approximately 624,826 tonnes which was 77.4% of target. This impacted on headland peat harvesting. Infrastructurally, there was bog development works at Coolcraff bog in Cuil na Gun. Works included ditching and levelling on an area of approximately 180 hectares and the construction of appropriately sized silt settlement ponds. There was 6 environmental complaints received during the reporting period, this was reported to the Agency through ALDER. In relation to silt pond cleaning, 100% of ponds received two cleanings with some ponds receiving three. The site had four trigger level exceedences for COD, three in relation to quarterly grab results and one in relation to the automatic composite sampler. There was two trigger level exceedences for Ammonia on the automatic sampler. In relation to dust monitoring there was one exceedance of the Licence limit. Decommissioning and Rehabilitation works are described in an attachment. The composite sampler experienced some technical difficulties which impacted on the collection of flow data. A decision was therefore made to send the sampler away to the manufacturer for overhaul.

Declaration:

All the data and information presented in this report has been checked and certified as being

	6/3/2018
Signature Group/Facility manager	Date

AIR-summary template		Lic No:	P0504-01	Year	2017
Answer all questions and complete all tables where relevant					

1	Does your site have licensed air emissions? If yes please complete table A1 and A2 below for the current reporting year and answer further questions. If you do not have licenced emissions and do not complete a solvent management plan (table A4 and A5) you do not need to complete the tables	Additional Information	
		No	Fugitive emissions only

Periodic/Non-Continuous Monitoring		
2	Are there any results in breach of licence requirements? If yes please provide brief details in the comment section of TableA1 below	Yes
3	Was all monitoring carried out in accordance with EPA guidance note AG2 and using the basic air monitoring checklist? Basic air monitoring checklist AGN2	Yes

Table A1: Licensed Mass Emissions/Ambient data-periodic monitoring (non-continuous)

Emission reference no:	Parameter/ Substance	Frequency of Monitoring	ELV in licence or any revision therof	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence limit	Method of analysis	Annual mass load (kg)	Comments - reason for change in % mass load from previous year if applicable
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		
	SELECT			SELECT		SELECT	SELECT	SELECT		

Note 1: Volumetric flow shall be included as a reportable parameter

Continuous Monitoring		
4	Does your site carry out continuous air emissions monitoring?	No
	If yes please review your continuous monitoring data and report the required fields below in Table A2 and compare it to its relevant Emission Limit Value (ELV)	
5	Did continuous monitoring equipment experience downtime? If yes please record downtime in table A2 below	No
6	Do you have a proactive service agreement for each piece of continuous monitoring equipment?	No
7	Did your site experience any abatement system bypasses? If yes please detail them in table A3 below	No

AIR-summary template	Lic No:	P0504-01	Year	2017
-----------------------------	---------	----------	------	------

Table A2: Summary of average emissions -continuous monitoring

Emission reference no:	Parameter/ Substance	ELV in licence or any revision therof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission	Annual maximum	Monitoring Equipment downtime (hours)	Number of ELV exceedences in current reporting year	Comments
DM-01	Total Particulates	350mg/m2/day	84	Daily average < ELV	mg/m2/day	63281	120	0	0	
		350mg/m2/day	84			13817	367	0	1	Reported to EPA
DM-02	Total Particulates			Daily average < ELV	mg/m2/day					
DM-05	Total Particulates	350mg/m2/day	84	Daily average < ELV	mg/m2/day	10359	195	0	0	
DM-06	Total Particulates	350mg/m2/day	84	Daily average < ELV	mg/m2/day	11130	224	0	0	
	SELECT				SELECT					

note 1: Volumetric flow shall be included as a reportable parameter.

Table A3: Abatement system bypass reporting table

[Bypass protocol](#)

Date*	Duration** (hours)	Location	Reason for bypass	Impact magnitude	Corrective action

* this should include all dates that an abatement system bypass occurred

** an accurate record of time bypass beginning and end should be logged on site and maintained for future Agency inspections please refer to bypass protocol link

Solvent use and management on site									
8 Do you have a total Emission Limit Value of direct and fugitive emissions on site? If yes please fill out tables A4 and A5						No			
Table A4: Solvent Management Plan Summary Total VOC Emission limit value				Solvent regulations Please refer to linked solvent regulations to complete table 5 and 6					
Reporting year	Total solvent input on site (kg)	Total VOC emissions to Air from entire site (direct and fugitive)	Total VOC emissions as %of solvent input	Total Emission Limit Value (ELV) in licence or any revision therof	Compliance				
					SELECT				
					SELECT				
Table A5: Solvent Mass Balance summary									
(I) Inputs (kg)		(O) Outputs (kg)							
Solvent	(I) Inputs (kg)	Organic solvent emission in waste gases(kg)	Solvents lost in water (kg)	Collected waste solvent (kg)	Fugitive Organic Solvent (kg)	Solvent released in other ways e.g. by-passes (kg)	Solvents destroyed onsite through physical reaction e.g. incineration(kg)	Total emission of Solvent to air (kg)	
								Total	

AER Monitoring returns summary template-WATER/WASTEWATER(SEWER)			Lic No:	P0504-01	Year	2017
---	--	--	---------	----------	------	------

		Additional information
1	Does your site have licensed emissions direct to surface water or direct to sewer? If yes please complete table W2 and W3 below for the current reporting year and answer further questions. If you do not have licensed emissions you only need to complete table W1 and or W2 for storm water analysis and visual inspections	<div>Yes</div> <div>The continuous monitoring sampler was relocated during the reporting period. The sampler also experienced technical difficulties at both sites which inhibited the collection of flow data and subsequent annual loading calculations. It was therefore decided to present the sampling results in graphical form as an attachment.</div>
2	Was it a requirement of your licence to carry out visual inspections on any surface water discharges or watercourses on or near your site? If yes please complete table W2 below summarising only any evidence of contamination noted during visual inspections	<div>Yes</div> <div>Monthly COD analysis of yard runoff is attached in a separate document.</div>

Table W1 Storm water monitoring

Location reference	Location relative to site activities	PRTR Parameter	Licensed Parameter	Monitoring date	ELV or trigger level in licence or any revision thereof*	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Comments
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	
	SELECT	SELECT	SELECT			SELECT		SELECT	SELECT	

*trigger values may be agreed by the Agency outside of licence conditions

Table W2 Visual inspections-Please only enter details where contamination was observed.

Location Reference	Date of inspection	Description of contamination	Source of contamination	Corrective action	Comments
			SELECT		
			SELECT		

Licensed Emissions to water and /or wastewater(sewer)-periodic monitoring (non-continuous)

3	Was there any result in breach of licence requirements? If yes please provide brief details in the comment section of Table W3 below	<div>Yes</div> <div>Additional information</div>
4	Was all monitoring carried out in accordance with EPA guidance and checklists for Quality of Aqueous Monitoring Data Reported to the EPA? If no please detail what areas require improvement in additional information box	<div>Yes</div> <div>Surface water monitoring was carried out on a quarterly basis. The results of which are attached. Monthly COD yard runoff results are also attached.</div>

Table W3: Licensed Emissions to water and /or wastewater (sewer)-periodic monitoring (non-continuous)

Emission reference no:	Emission released to	Parameter/ SubstanceNote 1	Type of sample	Frequency of monitoring	Averaging period	ELV or trigger values in licence or any revision thereof ^{Note 2}	Licence Compliance criteria	Measured value	Unit of measurement	Compliant with licence	Method of analysis	Procedural reference source	Procedural reference standard number	Annual mass load (kg)	Comments

Note 1: Volumetric flow shall be included as a reportable parameter

Note 2: Where Emission Limit Values (ELV) do not apply to your licence please compare results against EQS for Surface water or relevant receptor quality standards

AER Monitoring returns summary template-WATER/WASTEWATER(SEWER)

Lic No:

P0504-01

Year

2017

Continuous monitoring

5 Does your site carry out continuous emissions to water/sewer monitoring?

Additional Information	
Yes	

If yes please summarise your continuous monitoring data below in Table W4 and compare it to its relevant Emission Limit Value (ELV)

6 Did continuous monitoring equipment experience downtime? If yes please record downtime in table W4 below

Yes	145 days in 365 due to technical difficulties which are currently being addressed.
Yes	Annual calibration schedule and trouble shooting service. The samplers were also sent away for major overhaul and component replacement.
No	

7 Do you have a proactive service contract for each piece of continuous monitoring equipment on site?

8 Did abatement system bypass occur during the reporting year? If yes please complete table W5 below

Table W4: Summary of average emissions -continuous monitoring

Emission reference no:	Emission released to	Parameter/ Substance	ELV or trigger values in licence or any revision thereof	Averaging Period	Compliance Criteria	Units of measurement	Annual Emission for current reporting year (kg)	% change +/- from previous reporting year	Monitoring Equipment downtime (hours)	Number of ELV exceedences in reporting year	Comments

note 1: Volumetric flow shall be included as a reportable parameter.

Table W5: Abatement system bypass reporting table

Date	Duration (hours)	Location	Resultant emissions	Reason for bypass	Corrective action*	Was a report submitted to the EPA?	When was this report submitted?
						SELECT	

*Measures taken or proposed to reduce or limit bypass frequency

Bund/Pipeline testing template	Lic No:	P0504-01	Year	2017
---------------------------------------	---------	----------	------	------

Bund testing

dropdown menu click to see options

Additional information

Are you required by your licence to undertake integrity testing on bunds and containment structures ? if yes please fill out table B1 below listing all **new bunds and containment structures** on site, in addition to **all bunds which failed the integrity test-all bunding structures which failed including mobile bunds must be listed in the table below, please include all bunds outside the licenced testing period** (mobile bunds and chemstore included)

- 1
2 Please provide integrity testing frequency period
Does the site maintain a register of bunds, underground pipelines (including stormwater and foul), Tanks, sumps and containers? (containers refers to "Chemstore")
3 type units and mobile bunds
4 How many bunds are on site?
5 How many of these bunds have been tested within the required test schedule?
6 How many mobile bunds are on site?
7 Are the mobile bunds included in the bund test schedule?
8 How many of these mobile bunds have been tested within the required test schedule?
9 How many sumps on site are included in the integrity test schedule?
10 How many of these sumps are integrity tested within the test schedule?

Please list any sump integrity failures in table B1

- 11 Do all sumps and chambers have high level liquid alarms?
12 If yes to Q11 are these failsafe systems included in a maintenance and testing programme?
13 Is the Fire Water Retention Pond included in your integrity test programme?

Yes	All Bunds were tested in 2017 and passed the integrity test.
Other (2 Yearly)	
Yes	
5	
5	All Bunds were tested in 2017
7	
No	
0	
0	
0	

N/A	
N/A	
N/A	

Table B1: Summary details of bund /containment structure integrity test

Bund/Containment structure ID	Type	Specify Other type	Product containment	Actual capacity	Capacity required*	Type of integrity test	Other test type	Test date	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
	SELECT					SELECT			SELECT	SELECT		SELECT		
	SELECT					SELECT			SELECT	SELECT		SELECT		

* Capacity required should comply with 25% or 110% containment rule as detailed in your licence

- Has integrity testing been carried out in accordance with licence requirements and are all structures tested in line with BS8007/EPA Guidance?

[bundings and storage guidelines](#)

- 16 Are channels/transfer systems to remote containment systems tested?
17 Are channels/transfer systems compliant in both integrity and available volume?

Commentary	
SELECT	
SELECT	
SELECT	

Pipeline/underground structure testing

Are you required by your licence to undertake integrity testing* on underground structures e.g. pipelines or sumps etc ? if yes please fill out table 2 below listing all underground structures and pipelines on site **which failed the integrity test and all which have not been tested within the integrity test period as specified**

- 2 Please provide integrity testing frequency period

*please note integrity testing means water tightness testing for process and foul pipelines (as required under your licence)

Yes	Petrol tank Tested 19 March 2016 and Passed. It is scheduled for retest in 2018.
Other (2 Yearly)	

Table B2: Summary details of pipeline/underground structures integrity test

Structure ID	Type system	Material of construction:	Does this structure have Secondary containment?	Type of secondary containment	Type integrity testing	Integrity reports maintained on site?	Results of test	Integrity test failure explanation <50 words	Corrective action taken	Scheduled date for retest	Results of retest(if in current reporting year)
	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT	SELECT				SELECT

Please use commentary for additional details not answered by tables/ questions above

Groundwater/Soil monitoring template	Lic No:	P0504-01	Year	2017
---	---------	----------	------	------

		Comments
1 Are you required to carry out groundwater monitoring as part of your licence requirements?	no	
2 Are you required to carry out soil monitoring as part of your licence requirements?	no	
3 Do you extract groundwater for use on site? If yes please specify use in comment section	no	
4 Do monitoring results show that groundwater generic assessment criteria such as GTVs or IGVs are exceeded or is there an upward trend in results for a substance? If yes, please complete the Groundwater Monitoring Guideline Template Report (link in cell G8) and submit separately through ALDER as a licensee return AND answer questions 5-12 below. Groundwater monitoring template	SELECT	
5 Is the contamination related to operations at the facility (either current and/or historic)	N/A	
6 Have actions been taken to address contamination issues? If yes please summarise remediation strategies proposed/undertaken for the site	N/A	
7 Please specify the proposed time frame for the remediation strategy	N/A	
8 Is there a licence condition to carry out/update ELRA for the site?	N/A	
9 Has any type of risk assesment been carried out for the site?	N/A	
10 Has a Conceptual Site Model been developed for the site?	N/A	
11 Have potential receptors been identified on and off site?	N/A	
12 Is there evidence that contamination is migrating offsite?	N/A	

Please provide an interpretation of groundwater monitoring data in the interpretation box below or if you require additional space please include a groundwater/contaminated land monitoring results interpretaion as an additional section in this AER

Please enter interpretation of data here

Groundwater/Soil monitoring template	Lic No: P0504-01	Year 2017
---	------------------	-----------

Table 1: Upgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/Substance	Methodology	Monitoring frequency	Maximum Concentration++	Average Concentration+	unit	GTV's*	SELECT**	Upward trend in pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

+. where average indicates arithmetic mean

++. maximum concentration indicates the maximum measured concentration from all monitoring results produced during the reporting year

Table 2: Downgradient Groundwater monitoring results

Date of sampling	Sample location reference	Parameter/Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit	GTV's*	SELECT**	Upward trend in yearly average pollutant concentration over last 5 years of monitoring data
							SELECT			SELECT
							SELECT			SELECT

*please note exceedance of generic assessment criteria (GAC) such as a Groundwater Threshold Value (GTV) or an Interim Guideline Value (IGV) or an upward trend in results for a substance indicates that further interpretation of monitoring results is required. In addition to completing the above table, please complete the Groundwater Monitoring Guideline Template Report at the link provided and submit separately through ALDER as a licensee return or as otherwise instructed by the EPA.

[Groundwater monitoring template](#)

More information on the use of soil and groundwater standards/ generic assessment criteria (GAC) and risk assessment tools is available in the EPA published guidance (see the link in G31)

[Guidance on the Management of Contaminated Land and Groundwater at EPA Licensed Sites \(EPA 2013\).](#)

**Depending on location of the site and proximity to other sensitive receptors alternative Receptor based Water Quality standards should be used in addition to the GTV e.g. if the site is close to surface water compare to Surface Water Environmental Quality Standards (SWEQS). If the site is close to a drinking water supply compare results to the Drinking Water Standards (DWS)

[Groundwater regulations](#) [Drinking water \(private supply\) standards](#) [Drinking water \(public supply\) standards](#) [Interim Guideline Values \(IGV\)](#)
[Surface water EQS](#) [GTV's](#)

Table 3: Soil results

Date of sampling	Sample location reference	Parameter/Substance	Methodology	Monitoring frequency	Maximum Concentration	Average Concentration	unit
							SELECT
							SELECT

Where additional detail is required please enter it here in 200 words or less

Environmental Liabilities template

Lic No:

P0504-01

Year

2017

[Click here to access EPA guidance on Environmental Liabilities and Financial provision](#)

		Commentary	
1	ELRA initial agreement status	Not a Licence Requirement	
2	ELRA review status	NA	
3	Amount of Financial Provision cover required as determined by the latest ELRA	NA	
4	Financial Provision for ELRA status	NA	
5	Financial Provision for ELRA - amount of cover	NA	
6	Financial Provision for ELRA - type	NA	
7	Financial provision for ELRA expiry date	NA	
8	Closure plan initial agreement status	NA	Internal Budget Provision
9	Closure plan review status	NA	Internal Budget Provision
10	Financial Provision for Closure status	NA	Internal Budget Provision
11	Financial Provision for Closure - amount of cover	NA	Internal Budget Provision
12	Financial Provision for Closure - type	NA	Internal Budget Provision
13	Financial provision for Closure expiry date	NA	

Environmental Management Programme/Continuous Improvement Programme template			Lic No:	P0504-01	Year	2017
--	--	--	---------	----------	------	------

Highlighted cells contain dropdown menu click to view			Additional Information	
1	Do you maintain an Environmental Management System (EMS) for the site. If yes, please detail in additional information	Yes	Internal unaccredited EMS	
2	Does the EMS reference the most significant environmental aspects and associated impacts on-site	Yes		
3	Does the EMS maintain an Environmental Management Programme (EMP) as required in accordance with the licence requirements	Yes		
4	Do you maintain an environmental documentation/communication system to inform the public on environmental performance of the facility, as required by the licence	Yes		

Environmental Management Programme (EMP) report					
Objective Category	Target	Status (% completed)	How target was progressed	Responsibility	Intermediate outcomes
Reduction of emissions to Air	Training. Continue to train all employees in environmental matters. Training will be by means of the screening of an environmental DVD, followed by a power point presentation. Hydraulic Harrows. There are currently 13 Hydraulic Harrows in operation in Mountdillon. Headland Peat Collection. Continue with the collection of headland peat, particularly at dust sensitive locations.	90	In total 103 Personnel received training in 2017. There was no headland peat collected in the 2017 season due to a poor production season which resulted in a reduction in the availability of headland peat. Thirteen hydraulic harrows were deployed during the 2017 production season.	Individual	Improved Environmental Management Practices
Waste reduction/Raw material usage efficiency	Waste Streamlining. It is planned to continue with and where possible improve the current waste management service provided by AES Ltd	100	Quarterly waste reports are returned for records/filing and waste streams are segregated on site to maximise recycling potential.	Section Head	Improved Environmental Management Practices
Reduction of emissions to Water	Training. Continue to train all employees in environmental matters. Training will be by means of the screening of an environmental DVD, followed by a power point presentation.	90	In total 103 Personnel received training in 2017. There was no headland peat collected in the 2017 season due to a poor production season which resulted in a reduction in the availability of headland peat. Thirteen hydraulic harrows were deployed during the 2017 production season.	Individual	Improved Environmental Management Practices
Materials Handling/Storage/Bunding	Increased bund capacity will be provided where required. Bund integrity testing will be carried out where required.	80	There were no additional bund requirements. Bund integrity testing will be carried out in 2017	Individual	Improved Environmental Management Practices
Waste reduction/Raw material usage efficiency	Continue with the recycling of polyethylene. The sourcing of more recycling contractors will be ongoing.	100	In total 433.88 tonnes were sent off site for recycling. Procurement also exploring the possibility of securing further recyclers.	Individual	Improved Environmental Management Practices
Energy Efficiency/Utility conservation	Continue with the implementation process of the Energy Standard 50001.	100	The site successfully retained the energy standard 50001. Energy management is ongoing at the site	Section Head	Improved Environmental Management Practices
Groundwater protection	It is proposed to upgrade existing septic tank systems where required.	90	Septic tanks are continually being assessed and upgrade works scheduled where required.	Section Head	Improved Environmental Management Practices

Noise monitoring summary report	Lic No: P0504-01	Year 2017
---------------------------------	------------------	-----------

1 Was noise monitoring a licence requirement for the AER period?
If yes please fill in table N1 noise summary below

No

2 Was noise monitoring carried out using the EPA Guidance note, including completion of the "Checklist for noise measurement report" included in the guidance note as table 6?

[Noise Guidance note NG4](#)
NA

3 Does your site have a noise reduction plan

NA

4 When was the noise reduction plan last updated?

Enter date

5 Have there been changes relevant to site noise emissions (e.g. plant or operational changes) since the last noise survey?

NA

Table N1: Noise monitoring summary											
Date of monitoring	Time period	Noise location (on site)	Noise sensitive location -NSL (if applicable)	LA _{eq}	LA ₉₀	LA ₁₀	LA _{max}	Tonal or Impulsive noise* (Y/N)	If tonal /impulsive noise was identified was 5dB penalty applied?	Comments (ex. main noise sources on site, & extraneous noise ex. road traffic)	Is <u>site</u> compliant with noise limits (day/evening/night)?
								SELECT	SELECT		SELECT

*Please ensure that a tonal analysis has been carried out as per guidance note NG4. These records must be maintained onsite for future inspection

If noise limits exceeded as a result of noise attributed to site activities, please choose the corrective action from the following options?

SELECT

** please explain the reason for not taking action/resolution of noise issues?

Any additional comments? (less than 200 words)

Resource Usage/Energy efficiency summary	Lic No:	P0504-01	Year	2017
---	---------	----------	------	------

		Additional information	
1	When did the site carry out the most recent energy efficiency audit? Please list the recommendations in table 3 below	Oct-17	
2	Is the site a member of any accredited programmes for reducing energy usage/water conservation such as the SEAI programme linked to the right? If yes please list them in additional information	Yes	The site retained accreditation to the energy standard 50001
3	Where Fuel Oil is used in boilers on site is the sulphur content compliant with licence conditions? Please state percentage in additional information	No	Not a Licence requirement

Table R1 Energy usage on site				
Energy Use	Previous year	Current year	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*
Total Energy Used (MWHrs)	16754	11762		
Total Energy Generated (MWHrs)				
Total Renewable Energy Generated (MWHrs)				
Electricity Consumption (MWHrs)	2082.17	1712.11		
Fossil Fuels Consumption:				
Heavy Fuel Oil (m3)				
Light Fuel Oil (m3)	1443.98	1157.59		-24.74%
Natural gas (m3)				
Coal/Solid fuel (metric tonnes)				
Peat (metric tonnes)				
Renewable Biomass				
Renewable energy generated on site				

* where consumption of energy can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R2 Water usage on site					Water Emissions	Water Consumption	
Water use	Water extracted Previous year m3/yr.	Water extracted Current year m3/yr.	Production +/- % compared to previous reporting year**	Energy Consumption +/- % vs overall site production*	Volume Discharged back to environment(m³/yr):	Volume used i.e not discharged to environment e.g. released as steam m3/yr	Unaccounted for Water:
Groundwater							
Surface water							
Public supply							
Recycled water							
Total							

* where consumption of water can be compared to overall site production please enter this information as percentage increase or decrease compared to the previous reporting year.

** where site production information is available please enter percentage increase or decrease compared to previous year

Table R3 Waste Stream Summary					
	Total	Landfill	Incineration	Recycled	Other
Hazardous (Tonnes)	24.42			24.42	
Non-Hazardous (Tonnes)	4006.63	20.31		528.26	3458.06

Resource Usage/Energy efficiency summary	Lic No:	P0504-01	Year	2017
---	---------	----------	------	------

Table R4: Energy Audit finding recommendations								
Date of audit	Recommendations	Description of Measures proposed	Origin of measures	Predicted energy savings %	Implementation date	Responsibility	Completion date	Status and comments
			SELECT					
			SELECT					
			SELECT					

Table R5: Power Generation: Where power is generated onsite (e.g. power generation facilities/food and drink industry)please complete the following information

	Unit ID	Unit ID	Unit ID	Unit ID	Station Total
Technology					
Primary Fuel					
Thermal Efficiency					
Unit Date of Commission					
Total Starts for year					
Total Running Time					
Total Electricity Generated (GWH)					
House Load (GWH)					
KWH per Litre of Process Water					
KWH per Litre of Total Water used on Site					

Complaints and Incidents summary template		Lic No:	P0504-01	Year	2017
Complaints		Additional information			
Have you received any environmental complaints in the current reporting year? If yes please complete summary details of complaints received on site in table 1 below		Yes	All reported to the Agency		

Table 1 Complaints summary							
Date	Category	Other type (please specify)	Brief description of complaint (Free txt <20 words)	Corrective action< 20 words	Resolution status	Resolution date	Further information
28/01/2017	Air		Complaint about smoke from bog fire affecting house	BNM personell extinguished fire	Complete	29/01/2017	Reported on Alder on 01/02/2017 Ref. No. LR027193
02/05/2017	Air		Dust affecting house	Both parties have agreed a resoulution	Complete	01/06/2017	Reported on Alder on 05/05/2017 Ref. No. LR028790
06/05/2017	Air		Dust affecting house	All work and machinery stopped immeadiately	Complete	06/05/2017	Reported on Alder on 19/05/2017 Ref. No. LR028985
30/04/2017	Air		Dust affecting house	Tanker of water used to dampen down passway	Ongoing		Reported on Alder on 05/05/2017 Ref. No. LR028792
10/05/2017	Air		Dust affecting house	All work and machinery stopped immeadiately	Ongoing		Reported on Alder on 19/05/2017 Ref. No. LR028983
10/05/2017	Water		Report of silt in river	On inspection no silt was found	Complete	24/05/2017	Reported on Alder on 24/05/2017 Ref. No. LR029038
Total complaints open at start of reporting year		2					
Total new complaints received during reporting year		4					
Total complaints closed during reporting year		4					
Balance of complaints end of reporting year		2					

*For information on how to report and what constitutes an incident	What is an incident
--	-------------------------------------

Table 2 Incidents summary

[illegible]

WASTE SUMMARY		Lic No:	P0504-01	Year	2017
----------------------	--	---------	----------	------	------

Table 4 Environmental monitoring-landfill only [Landfill Manual-Monitoring Standards](#)

Was meteorological monitoring in compliance with Landfill Directive (LD) standard in reporting year +	Was leachate monitored in compliance with LD standard in reporting year	Was Landfill Gas monitored in compliance with LD standard in reporting year	Was SW monitored in compliance with LD standard in reporting year	Have GW trigger levels been established	Were emission limit values agreed with the Agency (ELVs)	Was topography of the site surveyed in reporting year	Has the statement under SS3(A)(5) of WMA been submitted in reporting year	Comments

.-+ please refer to Landfill Manual linked above for relevant Landfill Directive monitoring standards

Table 5 Capping-Landfill only

Area uncapped*	Area with temporary cap	Area with final cap to LD Standard m2 ha, a	Area capped other	Area with waste that should be permanently capped to date under licence	What materials are used in the cap	Comments
SELECT UNIT	SELECT UNIT					

*please note this includes daily cover area

Table 6 Leachate-Landfill only

9 Is leachate from your site treated in a Waste Water Treatment Plant?

SELECT

10 Is leachate released to surface water? If yes please complete leachate mass load information below

SELECT

Volume of leachate in reporting year(m3)	Leachate (BOD) mass load (kg/annum)	Leachate (COD) mass load (kg/annum)	Leachate (NH4) mass load (kg/annum)	Leachate (Chloride) mass load kg/annum	Leachate treatment on-site	Specify type of leachate treatment	Comments

Please ensure that all information reported in the landfill gas section is consistent with the Landfill Gas Survey submitted in conjunction with PRTR returns

Table 7 Landfill Gas-Landfill only

Gas Captured&Treated by LFG System m3	Power generated (MW / KWh)	Used on-site or to national grid	Was surface emissions monitoring performed during the reporting year?	Comments
			SELECT	

**Mount Dillon
Decommissioning and Rehabilitation
AER Overview 2017.**

Within the Mount Dillon licensed area (P0504-01) there were no entire bog units available for rehabilitation in 2017. Ongoing monitoring of cutaway areas was carried out within the Mount Dillon area with Derryadd 2 and Derryarogue Bogs having been re-surveyed in 2017.

Draft rehabilitation plans for the Mount Dillon bogs licensed area, including more detailed draft plans for each component bog unit were submitted to the EPA in 2013 and these were reviewed and updated in 2015 and 2017.

Active rehabilitation work was carried out within two areas of Lough Bannow (27 ha) and Coolnagun Bog (31 ha) as part of the long term rehabilitation of these sites.

Intensive drain-blocking and re-wetting was carried out in bog remnant and deep peat bog areas. The work at Lough Bannow will help support the Lough Bawn pNHA by consolidating the butter zone around this pNHA.


An amenity walkway has also been constructed at Corlea Bog in an area of rehabilitated cutaway now leased to the local community. This was a joint project between Bord na Móna and Longford County Council.

The new Biodiversity Action Plan (2016-2021) was launched in 2016 with the annual Biodiversity Action Plan review day being held in February 2017, this included an update on progress of this plan, bog restoration and cutaway rehabilitation for a wide range on statutory and non-statutory consultees including members of the EPA, NPWS, BWI, Bord na Mona, Coillte, Inland Fisheries Ireland, An Taisce, IPCC, Irish Red Grouse Association, Irish Wildlife Trust, NARGC, local game councils, Midland Regional Planning Authority as well as a range of local community groups and Heritage Officers from counties Laois, Offaly, Kildare, Roscommon, Longford, Meath, Galway, Westmeath and Dublin.


A copy of our Biodiversity Action Plan is available to view and download at <http://www.bordnamona.ie/our-company/biodiversity/>

As required by condition *10.2 Cutaway Bog Rehabilitation Plans*, draft peatland rehabilitation plans for all the individual bog units were submitted to the agency in 2013, reviewed and amended in 2015 and re-submitted to the agency in 2015. All draft rehabilitation plans have been reviewed in 2017. These reviewed and amended plans will be re-submitted to the agency in due course.

IPC License P0504-01 Quarterly Grab Sampling 2017												
X	Y	Bog	SW	Monitoring	Sampled	pH	SS	TS	Ammonia	TP	COD	Colour
207066.22	270009.38	Killashee	SW-71A	Q1 17	20/03/2017	6.7	6	76	1	0.05	55	188
206957.05	270175.39	Killashee	SW-71B	Q1 17	20/03/2017	7.6	10	280	0.5	0.05	51	220
206552.83	271606.89	Killashee	SW-71C	Q1 17	20/03/2017	7.9	5	338	0.13	0.05	49	119
205264.48	266929.73	Derryadd	SW-72	Q1 17	20/03/2017	7.8	8	362	0.58	0.05	59	122
205704.47	264985.60	Derryadd	SW-73	Q1 17	20/03/2017	7.7	12	349	1.1	0.05	52	126
206483.50	264717.84	Loughbannow	SW-74	Q1 17	20/03/2017	7.9	7	306	0.29	0.05	52	142
209520.92	261717.87	Loughbannow	SW-77	Q2 17	29/05/2017	7.9	14	292	0.11	0.05	41	111
210699.18	261574.22	Corlea	SW-77A	Q2 17	29/05/2017	7.6	5	208	0.21	0.05	57	210
207855.20	263302.19	Loughbannow	SW-78	Q2 17	29/05/2017	7.8	5	296	0.3	0.05	23	115
205488.20	261055.08	Derrycolumb	SW-88	Q2 17	29/05/2017	7.9	6	632	0.2	0.05	40	114
206320.96	260736.89	Derrycolumb	SW-88A	Q2 17	29/05/2017	7.7	5	320	0.37	0.05	39	124
206675.47	260347.41	Derrycolumb	SW-89	Q2 17	29/05/2017	7.7	5	374	0.17	0.05	50	144
209457.03	259759.30	Derrycolumb	SW-90	Q2 17	31/05/2017	7.7	6	280	0.46	0.05	42	110
207371.13	259735.70	Derrycolumb	SW-91	Q2 17	31/05/2017	7.8	5	408	0.26	0.05	42	116
208445.3	261154.8	Derrycolumb	SW91-A	Q2 17	31/05/2017	7.9	7	368	0.32	0.05	57	108
208008.49	259636.58	Derrycolumb	SW-92	Q2 17	31/05/2017	7.5	5	219	3.9	0.05	48	144
206651.08	262095.91	Derrycolumb	SW-93	Q2 17	31/05/2017	7.8	6	628	0.53	0.05	51	111
206995.27	262194.95	Derrycolumb	SW-93A	Q2 17	31/05/2017	7.6	10	308	0.05	0.05	42	125
205264.48	266929.73	Derryadd	SW-72	Q3 17	27/07/2017	7.6	5	256	0.43	0.06	67	177
204007.27	264128.46	Derryshannoge	SW-81	Q3 17	27/07/2017	7.8	21	282	0.16	0.05	68	147
204924.46	264012.79	Derryshannoge	SW-82	Q3 17	27/07/2017	7.7	19	362	0.3	0.05	57	116
204271.29	265669.06	Derryshannoge	SW-85	Q3 17	27/07/2017	7.4	5	340	0.12	0.05	93	312
204673.67	264817.11	Derryshannoge	SW-86	Q3 17	27/07/2017	7.7	12	324	0.15	0.05	91	174
205440.03	264471.90	Derryshannoge	SW-87	Q3 17	27/07/2017	8	5	332	0.02	0.07	46	80
209712.71	257877.59	Edera	SW-94	Q3 17	14/08/2017	8	9	399	0.1	0.05	36	77
210769.22	258184.69	Edera	SW-95	Q3 17	14/08/2017	7.7	8	286	0.37	0.1	41	155
211324.98	256892.74	Edera	SW-96	Q3 17	14/08/2017	7.9	5	318	0.17	0.05	41	108
211251.58	256376.68	Edera	SW-97	Q3 17	14/08/2017	7.8	5	316	0.02	0.07	28	72
209397.17	257668.64	Edera	SW-98	Q3 17	14/08/2017	8.1	10	354	0.09	0.05	34	66
209104.06	257598.54	Edera	SW-99	Q3 17	14/08/2017	8	5	380	0.02	0.05	17	32
200798.96	275520.06	Mountdillon	SW-18	Q4 17	25/10/2017	7.7	6	287	0.19	0.05	92	191
200723.37	275195.91	Mountdillon	SW-18A	Q4 17	25/10/2017	7.7	5	310	0.17	0.07	61	125
200579.43	275879.05	Mountdillon	SW-19	Q4 17	25/10/2017	7.5	5	180	0.09	0.05	116	376
199243.17	274640.01	Curraghroe	SW-20	Q4 17	25/10/2017	7.8	5	315	0.11	0.07	104	241
199241.03	275382.10	Grannaghan	SW-21	Q4 17	25/10/2017	7.8	6	304	0.21	0.05	98	233
199522.07	275622.16	Grannaghan	SW-22	Q4 17	25/10/2017	7.5	15	202	0.46	0.05	107	193
199949.40	276004.88	Grannaghan	SW-22A	Q4 17	25/10/2017	6.3	5	82	0.44	0.05	72	199
199698.09	276893.88	Grannaghan	SW-23	Q4 17	25/10/2017	7.5	5	218	0.03	0.05	89	178
199038.96	274095.83	Erenagh	SW-24	Q4 17	25/10/2017	7.4	5	184	0.06	0.05	96	212
198696.43	272374.18	Erenagh	SW-25	Q4 17	25/10/2017	7.8	5	370	0.02	0.05	74	129
198696.31	272347.40	Cloontuskert	SW-26	Q4 17	25/10/2017	7.7	8	312	0.6	0.05	27	183
197304.69	271399.80	Cloontuskert	SW-33	Q4 17	25/10/2017	No sample available on day of sampling due to no flow						




Clooneeny bog is an active production bog with the composite sampler located here during 2015, 16 & 17. The composite sampler takes a flow proportional composite sample over a 24 hour period. This location returned 9 weekly ammonia results during the 2017 period (Jan to Feb) of its location at Clooneeny Bog during this reporting period, which is a return of 100%. The ammonia trigger level of 1.42mg/l, as agreed with the Agency, was marginally exceeded once during the reporting period. Overall the results are maintaining much the same downward trend as reported in 2015 and 2016, as peat extraction continues, and this is in-line with the downwards trends submitted to the EPA in 2013 as required by condition 6.14. It has been established that the most relevant influencing variable on Ammonia is rainfall and the trend analysis above indicates linkage between high rainfall events and higher ammonia concentrations.




Corlea bog is an active production bog with the composite sampler relocated to this bog at SW 77A in March 2017. The composite sampler takes a flow proportional composite sample over a 24 hour period. This location returned 31 weekly ammonia results during the 2017 period (March to December) at its location at Corlea Bog during this reporting period, which is a return of 83%. The balance of weeks where no sample was returned was during periods when there was no summer discharge, water was backed up in the Winter/Spring from the receiving water or technical issues. The ammonia trigger level of 1.42mg/l, as agreed with the Agency, was exceeded once during the reporting period. Overall the results are maintaining a downward trend as peat extraction continues, and this is in-line with the downwards trends submitted to the EPA in 2013 as required by condition 6.14. This location will need up to two years data to better inform this Ammonia trend. It has been established that the most relevant influencing variable on Ammonia is rainfall and the trend analysis above indicates linkage between high rainfall events and ammonia concentrations.


Mountdillon 504 - SW62 (Clooneeny) & SW77A (Corlea)




Mountdillon 504 - SW62 (Clooneeny) & SW77A (Corlea)




Mountdillon 504 - SW62 (Clooneeny) & SW77A (Corlea)




Mountdillon 504 - SW62 (Clooneeny) & SW77A (Corlea)




Mountdillon 504 - SW62 (Clooneeny) & SW77A (Corlea)



Mountdillon 504 - SW62 (Clooneeny) & SW77A (Corlea)



Mountdillon 504 - SW62 (Clooneeny) & SW77A (Corlea)



Yard Discharge Results 2017
Licence: P0504-01
Works: Mt Dillon

Month	W/Shop SWE 1 COD	W/Shop SWE 2 COD	Yard SWE 1 COD	Yard SWE 2 COD	C na Gun SWE1 COD	P Station SWE 1 COD
Jan	71	52	NF	NF	67	NF
Feb	64	59	NF	NF	58	NF
Mar	84	65	50	NF	NF	NF
Apr	73	49	NF	NF	64	NF
May	52	37	NF	NF	49	NF
June	50	29	NF	NF	38	NF
July	26	34	NF	NF	42	NF
Aug	62	NF	NF	NF	NF	NF
Sep	NF	NF	NF	NF	NF	NF
Oct	88	58	NF	NF	80	NF
Nov	96	NF	NF	NF	NF	NF
Dec	82	14	NF	NF	NF	NF

Note: NF denotes no flow at emission point on day of sampling



[PRTR# : P0504 | Facility Name : Bord na Mona Lanesboro (Longford) | Filename : P0504_2017.xls | Return Year : 2017]

08/03/2018 09:48

[Guidance to completing the PRTR workbook](#)**PRTR Returns Workbook**

Version 1.1.19

REFERENCE YEAR	2017
-----------------------	------

1. FACILITY IDENTIFICATION

Parent Company Name	Bord na Mona Energy Limited
Facility Name	Bord na Mona Lanesboro (Longford)
PRTR Identification Number	P0504
Licence Number	P0504-01

Classes of Activity

No.	class_name
-	Refer to PRTR class activities below

Address 1	Mountdillon Group
Address 2	c/o Mountdillon Works
Address 3	Lanesboro
Address 4	
	Longford
Country	Ireland
Coordinates of Location	-7.92868 53.6697
River Basin District	IEGBNISH
NACE Code	0892
Main Economic Activity	Extraction of peat
AER Returns Contact Name	Enda Mc Donagh
AER Returns Contact Email Address	enda.mcdonagh@bnm.ie
AER Returns Contact Position	Head of Environment
AER Returns Contact Telephone Number	0579345911
AER Returns Contact Mobile Phone Number	0862370816
AER Returns Contact Fax Number	0579345160
Production Volume	624826.0
Production Volume Units	Tonnes
Number of Installations	19
Number of Operating Hours in Year	2232
Number of Employees	142
User Feedback/Comments	In accordance with licence condition 6.2 of Technical Amendment A, quarterly sampling is now rotated every quarter and therefore suspended solids results are not factored into loading. Due to technical difficulties experienced with the composite sampler annual loading was not possible to calculate. All composite sampler results are attached for review in the AER document.
Web Address	www.bnm.ie

2. PRTR CLASS ACTIVITIES

Activity Number	Activity Name
50.1	General

3. SOLVENTS REGULATIONS (S.I. No. 543 of 2002)

Is it applicable?	No
Have you been granted an exemption?	
If applicable which activity class applies (as per Schedule 2 of the regulations)?	
Is the reduction scheme compliance route being used?	

4. WASTE IMPORTED/ACCEPTED ONTO SITE [Guidance on waste imported/accepted onto site](#)

Do you import/accept waste onto your site for on-site treatment (either recovery or disposal activities)?	No
---	----

This question is only applicable if you are an IPPC or Quarry site

4.1 RELEASES TO AIR

[Link to previous years emissions data](#)

| PRTR# : P0504 | Facility Name : Bord na Mona Lanesboro (Longford) | Filename : P0504_2017.xls | Return Year : 2017 |

08/03/2018 09:49

24

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS

RELEASES TO AIR		METHOD		Please enter all quantities in this section in KGs			
POLLUTANT		Method Used		QUANTITY			
No. Annex II	Name	M/C/E	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
				0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

RELEASES TO AIR		METHOD		Please enter all quantities in this section in KGs			
POLLUTANT		Method Used		QUANTITY			
No. Annex II	Name	M/C/E	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
				0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (As required in your Licence)

RELEASES TO AIR		METHOD		Please enter all quantities in this section in KGs					
POLLUTANT		Method Used		QUANTITY					
Pollutant No.	Name	M/C/E	Designation or Description	DM01	DM02	DM05	DM06	T (Total) KG/Year	F (Fugitive) KG/Year
210	Dust	E	VDI 2119 Blatt 2/Part 2	0.0	0.0	0.0	0.0	0.04494	0.04494

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

Additional Data Requested from Landfill operators

For the purposes of the National Inventory on Greenhouse Gases, landfill operators are requested to provide summary data on landfill gas (Methane) flared or utilised on their facilities to accompany the figures for total methane generated. Operators should only report their Net methane (CH4) emission to the environment under T(total) KG/yr for Section A: Sector specific PRTR pollutants above. Please complete the table below:

Landfill: Please enter summary data on the quantities of methane flared and / or utilised					Bord na Mona Lanesboro (Longford)				
T (Total) kg/Year		M/C/E	Method Code	Designation or Description	Facility Total Capacity m3 per hour				
Total estimated methane generation (as per site model)		0.0			N/A				
Methane flared		0.0			0.0 (Total Flaring Capacity)				
Methane utilised in engine/s		0.0			0.0 (Total Utilising Capacity)				
Net methane emission (as reported in Section A above)		0.0			N/A				

4.2 RELEASES TO WATERS [Link to previous years emissions data](#)

[PRTR# : P0504 | Facility Name : Bord na Mona Lanesboro (Longford) | Filename : P0504_2017.xls | Return Year : 2017]

08/03/2018 09:50

SECTION A : SECTOR SPECIFIC PRTR POLLUTANTS Data on ambient monitoring of storm/surface water or groundwater, conducted as part of your licence requirements, should NOT be submitted under AER / PRTR Reporting as this only concerns Releases from your facility

POLLUTANT		RELEASES TO WATERS			Please enter all quantities in this section in KGs			
No. Annex II		Name			QUANTITY			
		M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING PRTR POLLUTANTS

POLLUTANT		RELEASES TO WATERS			Please enter all quantities in this section in KGs			
No. Annex II		Name			QUANTITY			
		M/C/E	Method Code	Designation or Description	Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION C : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

POLLUTANT		RELEASES TO WATERS			Please enter all quantities in this section in KGs				
Pollutant No.		Name			QUANTITY				
		M/C/E	Method Code	Designation or Description	SW62	SW77A	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
					Emission Point 1	Emission Point 2			
240	Suspended Solids	E	OTH	G/19 Based on ALPHA, 1998, 20th Edition, Method 2540D	0.0	0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.3 RELEASES TO WASTEWATER OR SEWER

[Link to previous years emissions data](#)

| PRTR# : P0504 | Facility Name : Bord na Mona Lanesboro (Longford) | Filename : P0504_2017.xls

08/03/2018 09:51

SECTION A : PRTR POLLUTANTS

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
No. Annex II	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

OFFSITE TRANSFER OF POLLUTANTS DESTINED FOR WASTE-WATER TREATMENT OR SEWER					Please enter all quantities in this section in KGs			
POLLUTANT		METHOD			QUANTITY			
Pollutant No.	Name	M/C/E	Method Used		Emission Point 1	T (Total) KG/Year	A (Accidental) KG/Year	F (Fugitive) KG/Year
			Method Code	Designation or Description				
					0.0	0.0	0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

4.4 RELEASES TO LAND

[Link to previous years emissions data](#)

| PRTR# : P0504 | Facility Name : Bord na Mona Lanesboro (Longford) | Filename : P0504_2017.xls | Return Year : 2017 |

08/03/2018 09:52

SECTION A : PRTR POLLUTANTS

RELEASES TO LAND			Please enter all quantities in this section in KGs		
POLLUTANT		METHOD		QUANTITY	
No. Annex II	Name	M/C/E	Method Used Method Code Designation or Description	Emission Point 1	T (Total) KG/Year A (Accidental) KG/Year
				0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

SECTION B : REMAINING POLLUTANT EMISSIONS (as required in your Licence)

RELEASES TO LAND			Please enter all quantities in this section in KGs		
POLLUTANT		METHOD		QUANTITY	
Pollutant No.	Name	M/C/E	Method Used Method Code Designation or Description	Emission Point 1	T (Total) KG/Year A (Accidental) KG/Year
				0.0	0.0

* Select a row by double-clicking on the Pollutant Name (Column B) then click the delete button

5. ONSITE TREATMENT & OFFSITE TRANSFERS OF WASTE

| PRTR# : P0504 | Facility Name : Bord na Mona Lanesboro (Longford) | Filename : P0504_2017.xls | Return Year : 2017 |

08/03/2018 09:53

Please enter all quantities on this sheet in Tonnes

19

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Licence/Permit No of Next Destination Facility Haz Waste: Name and Licence/Permit No of Recover/Disposer Non Haz Waste: Address of Recover/Disposer	Haz Waste : Address of Next Destination Facility Non Haz Waste: Address of Recover/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					
Within the Country	01 01 02	No	1463.98	wastes from mineral non-metalliferous excavation	D1	E	Volume Calculation	Onsite of generati	Bord na Mona Energy Ltd,P0504-01	Mountdillon,Lanesboro,Longford,,Ireland		
Within the Country	01 01 02	No	1994.08	wastes from mineral non-metalliferous excavation	D1	M	Weighed	Onsite of generati	Bord na Mona Energy Ltd,P0504-01	Mountdillon,Lanesboro,Longford,,Ireland		
Within the Country	02 01 04	No	0.0	waste plastics (except packaging)	R3	M	Weighed	Offsite in Ireland	AES Ltd,053/OY/39/02	Cappincur,Tullamore,Offaly,,Ireland		
Within the Country	02 01 04	No	433.88	waste plastics (except packaging)	R3	M	Weighed	Offsite in Ireland	Walker Recycling,NWCPO 14-11464-01	Clonkeen,Portlaoise,Co Laois,,Ireland		
To Other Countries	11 01 13	Yes	0.42	degreasing wastes containing dangerous substances	R2	C	Volume Calculation	Abroad	Safety Clean Ltd,99-1	Tallaght,Dublin,,Ireland	Solvent Recovery Management,PP33345F,Weeland Rd,Knottingly,West Yorks,WF118DZ,United Kingdom	Weeland Rd,Knottingly,West Yorks,WF118DZ,United Kingdom
Within the Country	13 02 05	Yes	12.4	mineral-based non-chlorinated engine, gear and lubricating oils	R1	C	Volume Calculation	Offsite in Ireland	Enva Ireland Ltd,184-1	Clonminam Indust Estate,Portlaoise,Laois,,Ireland	Enva Ireland Ltd,184-1,Clonminam Indust Estate,Portlaoise,Laois,,Ireland	Clonminam Indust Estate,Portlaoise,Laois,,Ireland
Within the Country	15 01 01	No	2.56	paper and cardboard packaging	R3	M	Weighed	Offsite in Ireland	Mulleadys Ltd,S/E 152/2002	Drumlish,Longford,,Ireland		
Within the Country	15 01 03	No	3.16	wooden packaging absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances	R1	M	Weighed	Offsite in Ireland	AES Ltd,053/OY/39/02	Cappincur,Tullamore,Offaly,,Ireland		
To Other Countries	15 02 02	Yes	0.45		R1	M	Weighed	Abroad	Enva Ireland Ltd,184-1 Clonminam Indust Estate Portlaoise Laois . Ireland	Clonminam Indust Estate,Portlaoise,Laois,,Ireland and Clonminam Indust Estate,Portlaoise,Laois,,Ireland and	Lindenschmidt ,E97095037,Kreuztal,,Germany RD Recycling,51727/1/KD,Hauthalen,,Belgium	Kreuztal,,Germany
To Other Countries	16 01 07	Yes	2.28	oil filters	R4	C	Volume Calculation	Abroad	Enva Ireland Ltd,184-1	Cappincur,Tullamore,Offaly,,Ireland		Hauthalen,,Belgium
Within the Country	17 04 07	No	76.15	mixed metals	R4	M	Weighed	Offsite in Ireland	AES Ltd,053/OY/39/02	Cappincur,Tullamore,Offaly,,Ireland		
Within the Country	20 03 01	No	19.36	mixed municipal waste	D5	M	Weighed	Offsite in Ireland	AES Ltd,053/OY/39/02	Cappincur,Tullamore,Offaly,,Ireland		
Within the Country	20 03 01	No	0.95	mixed municipal waste	D5	C	Volume Calculation	Offsite in Ireland	AES Ltd,053/OY/39/02	Cappincur,Tullamore,Offaly,,Ireland		
Within the Country	20 03 04	No	12.4	septic tank sludge	R10	C	Volume Calculation	Offsite in Ireland	Tank Pipe & Drain,NWCPO-09-10630-02	Clonterm,Longford,,Ireland		
To Other Countries	16 06 01	Yes	0.53	lead batteries	R4	M	Weighed	Abroad	Enva Ireland Ltd,184-1 Enva Ireland Ltd,184-1 Clonminam Indust Estate Portlaoise Laois . Ireland	Clonminam Indust Estate,Portlaoise,Laois,,Ireland and Clonminam Indust Estate,Portlaoise,Laois,,Ireland and	Campine Recycling,MLAV/05-173/GVDA,Beerse,,Belgium	Beerse,,Belgium
Within the Country	13 05 03	Yes	8.28	interceptor sludges	R1	C	Volume Calculation	Offsite in Ireland	Portlaoise Laois . Ireland	Cappincur Ind Estate,Daingean Rd,Tullamore ,Co Offaly,Ireland		
Within the Country	16 06 04	No	0.11	alkaline batteries (except 16 06 03)	R4	M	Weighed	Offsite in Ireland	KMK Metal Recycling Ltd,NWCPO-08-10607-02	Cappincur Ind Estate,Daingean Rd,Tullamore ,Co Offaly,Ireland		
Within the Country	20 01 21	Yes	0.06	fluorescent tubes and other mercury-containing waste	R4	M	Weighed	Offsite in Ireland	KMK Metal Recycling Ltd,NWCPO-08-10607-02	Cappincur Ind Estate,Daingean Rd,Tullamore ,Co Offaly,Ireland		

* Select a row by double-clicking the Description of Waste then click the delete button

Transfer Destination	European Waste Code	Hazardous	Quantity (Tonnes per Year)	Description of Waste	Waste Treatment Operation	Method Used		Location of Treatment	Haz Waste: Name and Licence/Permit No of Next Destination Facility Non Haz Waste: Name and Licence/Permit No of Recover/Disposer	Haz Waste: Address of Next Destination Facility Non Haz Waste: Address of Recover/Disposer	Name and License / Permit No. and Address of Final Recoverer / Disposer (HAZARDOUS WASTE ONLY)	Actual Address of Final Destination i.e. Final Recovery / Disposal Site (HAZARDOUS WASTE ONLY)
						M/C/E	Method Used					

[Link to previous years waste data](#)
[Link to previous years waste summary data & percentage change](#)
[Link to Waste Guidance](#)