

See Planting Plan drawings for all planting species, type, quantity, location and densities.  
See LD-01-PP for planting details.  
See Softworks Specification for all planting and aftercare details.

Enrich fine bark mulch,  
100% natural product FSC certified  
Size: 2-25mm  
Wood content: <5%  
pH Value: 4.5-5.8  
Safety: BS 4790 : 1987 Fire tested  
Bulk density: 300-450 Kg/m3  
Process: Natural heat treatment.

Topsoil shall be subject to inspection and approval of the Landscape Architect before spreading. Any topsoil spread on site without prior approval shall be removed at no cost to the client.

	<b>FINISH GRASS/SHURBS</b>	
	<b>TOPSOIL</b>	TOPSOILED, FERTILISED TO SPECIFICATION SEE LANDSCAPE ARCHITECTS SPECIFICATION
	<b>SUBSOIL</b>	<ul style="list-style-type: none"> <li>- CLEAN SUBSOIL, FREE DRAINING, FREE FROM RUBBISH BUILDING CONTAMINATION, LARGE STONES/ROCKS</li> <li>- LAD IN LAYERS (MAX. 250MM)</li> <li>- DEPTH VARIES TO MAKE UP SITE LEVELS AS PER ENGINEERS SPECIFICATION</li> </ul>
	<b>SUB-FORMATION (WHERE REQUIRED)</b>	<ul style="list-style-type: none"> <li>- REMOVE ALL DEBRIS, BUILDING CONTAMINATION, STONES/ ROCKS &gt; 150MM FROM FORMATION SURFACE</li> <li>- DECOMPACT DURING DRY WEATHER BY:               <ul style="list-style-type: none"> <li>(i) BACK-ACTOR OF HYMAC TO 450MM DEPTH, OR</li> <li>(ii) 3-5 TINE RIPPER MOUNTED ON CRAWLER TRACTOR @ 1200 CTR</li> </ul> </li> <li>- ASCERTAIN LOCATION OF ALL SERVICE RUNS PRIOR TO DECOMPACTION, WHERE AFFECTED, THEY SHALL BE SEELED OFF AND PROTECTED</li> </ul>
	NOTE ALL GROUND PREPARATION TO ENGINEERS SPECIFICATION	

	<b>BARK MULCH</b>	APPLIED AFTER PLANTING IS FINISHED TO FINISH FLUSH WITH KERBING
	<b>TOPSOIL</b>	TOPSOILED, FERTILISED TO SPECIFICATION SEE LANDSCAPE ARCHITECT'S SPECIFICATION
	<b>SUBSOIL</b>	<ul style="list-style-type: none"> <li>- CLEAN SUBSOIL, FREE DRAINING, FREE FROM RUBBISH/ BUILDING CONTAMINATION, LARGE STONES/ ROCKS</li> <li>- LAD IN LAYERS MAX 250 - 300MM</li> <li>- DEPTH VARIES TO MAKE UP SITE LEVELS AS PER ENGINEERS SPECIFICATION</li> </ul>
	<b>SUB-FORMATION</b>  ( WHERE REQUIRED )	<ul style="list-style-type: none"> <li>- REMOVE ALL DEBRIS, BUILDING CONTAMINATION, STONES/ ROCKS &gt; 150MM FROM FORMATION SURFACE</li> <li>- DECOMPACT DURING DRY WEATHER BY:           <ul style="list-style-type: none"> <li>(i) BARK-ACTOR OF HYMAC TO 450MM DEPTH, OR</li> <li>(ii) 3-5 TINE RIPPER MOUNTED ON CRAWLER TRACTOR @ 1200 CTR</li> </ul> </li> </ul>
NOTE ALL GROUND PREPARATION TO ENGINEERS SPECIFICATION		

\* NOTE: All topsoil to be inspected and approved by Landscape Architect prior to spreading / backfilling

---


---

---

---

---

---



Project Name <b>Kishoghe Part 10 Application</b>		Drawing Name <b>Site 3 Softworks Planting Details 2 of 2</b>	
Status <b>Planning</b>		Drawing No. <b>LD-02-PP</b>	
Project No. <b>23-021</b>		Revision No. <b>00</b>	
Scale <b>1:20</b>		Drawn By <b>KGR</b>	
Date <b>16/11/2024</b>		Checked By <b>DOT</b>	
<b>Linda Doyle</b> Director +353 (0)87 267 4196 linda@doyle-consulting.com	<b>Daniela O'Toole</b> Director +353 (0)86 300 3649 dani@doyle-consulting.com	<b>Office Address</b> Pembroke House 26-23 Upper Pembroke St Dublin 2	<b>Contact</b> mail@doyle-consulting.com +353 (01) 608 7782