

NOTES

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL VIRGIN MEDIA SPECIFICATION ENTITLED "NEW DEVELOPMENTS HANDBOOK - A TECHNICAL GUIDE TO SUPPORT OUR
- BUILDER TO FIT ETU'S, BUILD CHAMBERS, LAY HYDRODARE AND DUCTS.

VIRGIN MEDIA NETWORK DUCTING LEGEND

- TWIN WALLED 110mm (OD)/94mm (ID) GREEN DUCT IN FOOTWAY PROVIDED BY
- 37mm HYDRODARE DUCT TO EACH HOUSE ETU PROVIDED BY VIRGIN MEDIA TO
 - INGROUND FOOTWAY CHAMBER TO VIRGIN MEDIA SPECIFICATION (FW3 TYPE)

 - VIRGIN MEDIA DISTRIBUTION MK1A CABINET FINAL LOCATION AND
 - REQUIREMENT FOR CABINET TO BE CONFIRMED BY VIRGIN MEDIA PRIOR
 - ETU CABINET RECESSED IN HOUSE GABLE WALL OR IN MID-TERRACE "GOSSIP-WALL" PROVIDED BY VIRGIN MEDIA TO BUILDER FOR INSTALLATION -DIMENSIONS: 300 (H) x 220 (W) x 175mm (D). BUILDER TO NOTE THAT A 50mm \varnothing HOCKEY STICK (PROVIDED BY EIR) IS REQUIRED FOR EASE OF INSTALLATION

THIS IS NOT A CONSTRUCTION DRAWING - REFER TO VIRGIN MEDIA'S DESIGN DRAWINGS AND SPECIFICATIONS FOR THE FULL SCOPE OF WORKS REQUIRED

KP | KP | DC | 08/05/2025 ISSUED FOR PLANNING ISSUED FOR DESIGN DEVELOPMENT KP KP DC 24/02/2025 **DESIGN ISSUE** KP | KP | DC | 05/12/2024 DRN ORIG APP DATE

CLIENT SOUTH DUBLIN COUNTY COUNCIL

KISHOGE PART 10 APPLICATION SITE 3, CLONBURRIS, Co. DUBLIN

VIRGIN MEDIA DUCTING LAYOUT

| PROJECT No. 20026 | | DATE: NOVEMBER 2024 |
|-------------------|-------|----------------------------------|
| A1 | 1:750 | DRG No. KSG3-MAE-00-XX-DR-E-6005 |

THIS DRAWING IS COPYRIGHT© ALL RIGHTS RESERVED. NO PART OF THIS DRAWING MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE PRIOR WRITTEN PERMISSION FROM MANDE CONSULTING ENGINEERS LTD