

- NOTES
- DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.
- THIS SKETCH DRAWING IS TO BE READ IN CONJUNCTION WITH ESB NETWORKS SITE MAP FOR THE AREA.
- THE MAIN CONTRACTOR TO MEET WITH ESB NETWORK ENGINEERS ON SITE PRIOR TO COMMENCEMENT OF WORKS.
- THE ROUTES ON THIS DRAWINGS ARE INDICATIVE AND FOR VISUAL PURPOSES ONLY -FINAL ROUTES ARE SUBJECT TO AGREEMENT WITH ESB NETWORKS.
- PLEASE BE ADVISED THAT WHEN THE CONTRACTOR INTENDS TO WORK IN THE VICINITY OF THE EXISTING 10KV OVERHEAD ELECTRICITY LINES HE SHOULD REFER BEFORE HAND TO ALL ESB HEALTH AND SAFETY PUBLICATIONS.
- MAIN CONTRACTOR TO PROVIDE & INSTALL ALL ESB DUCTING c/w 12mm DIAMETER NYLON DRAW ROPES & WARNING TAPES AND PROTECTION STRIPS ALONG ENTIRE LENGTH OF DUCTING.
- A SEPARATION DISTANCE OF MINIMUM 300mm TO BE MAINTAINED FROM ESB DUCTING AND ALL OTHER UNDERGROUND SERVICES.
- THE POLE LOCATIONS INDICATED ON THIS DRAWING HAVE BEEN TRANSPOSED FROM TOPOGRAPHICAL SURVEYDRAWINGS" WHICH SHOULD ALSO BE USED TO DETERMINE THE UTILITY SERVICES SURVEY INFORMATION - TO BE CONFIRMED ON SITE.
- HEIGHTS OF EXISTING OVERHEAD SERVICES TO BE SITE VERIFIED BY MAIN CONTRACTOR PRIOR TO COMMENCEMENT OF ANY EXCAVATIONS.

## **MV DUCTING LEGEND**

ESTIMATED ROUTE OF 125mm Ø UNDERGROUND 10kV LINE LINKING ALL SUBSTATIONS TO MAIN BALGADDY SUBSTATION

## THIS IS NOT A CONSTRUCTION DRAWING - REFER TO ESB NETWORKS' DESIGN DRAWINGS AND SPECIFICATIONS FOR THE FULL SCOPE OF WORKS REQUIRED

PL1	ISSUED FOR PLANNING		KP	KP	DC	08/05/2025	
А	ISSUED FOR DESIGN DEVELOPMENT		KP	KP	DC	24/02/2025	
ISSUE	DESCRIPTION		DRN	ORIG	APP	DATE	
CLIENT SOUTH DUBLIN COUNTY COUNCIL							
Unit 4 Oak Close Unit 4 Oak Close Western Business Park Dublin 12. D12 R8C6 T: (01) 450848 W: www.mande E: info@mande				ande.ie			
ROJECT KISHOGE PART 10 APPLICATION SITE 3, CLONBURRIS, Co. DUBLIN							
SITE 3 PLAN ESB MV DUCTING LAYOUT TO SERVE NEW ESB SUBSTATIONS							
PRO	JECT No. 20026	DATE: NOVEMBE	NOVEMBER 2024				
	SCALE 1.750 DRG No. KOCO MAE OO XX DD E CO12						

THIS DRAWING IS COPYRIGHT© ALL RIGHTS RESERVED. NO PART OF THIS DRAWING MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE PRIOR WRITTEN PERMISSION FROM MANDE CONSULTING ENGINEERS LTD

KSG3-MAE-00-XX-DR-E-6013

1:750

A1