

MONITORING & TESTING

Unit 35, Boyne Business Park, Drogheda, Co. Louth, Ireland

Tel: +353 41 9845440
Fax: +353 41 9846171
Web: www.fitzsci.ie
Ernail: info@fitzsci.ie

Customer supplied information appear in italics.

A copy of this certificate is available on www.fitzsci.ie.

Customer Adam Keegan
Hydro-Environmental Services

P1653

22 Lower Main Street

Dungarvan

Seskin DW1

Co Waterford

Customer PO Customer Ref Ref 2 Ref 3 Lab Report Ref. No. 78
Date of Receipt 10,
Sampled On 09
Date Testing Commenced 10,
Received or Collected By

Condition on Receipt
Date of Report

Sample Type

7820/2504072/01 10/04/2025 09/04/2025 10/04/2025 By Fitz Pick up: La

By Fitz Pick up: Larry Commin

Acceptable 24/04/2025 Ground Water

CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Bicarbonate (CaCO3)	102	Colorimetry	121.2	mg/L CaCO3	
**Calcium (Ground Water)	184	ICPMS	27.4	mg/L	INAB
Chloride (Ground Water)	100	Colorimetry	30	mg/L	INAB
**Iron (Ground Water)	177	ICPMS	8	ug/L	INAB
**Magnesium (Ground Water)	184	ICPMS	14.8	mg/L	INAB
**Manganese (Ground Water)	177	ICPMS	17	ug/L	INAB
Nitrate (Ground Water)	103	Colorimetry	1	mg/L as N	INAB
**Nitrite (Ground Water)	118	Colorimetry	<0.01	mg/L as N	INAB
pH (Ground Water)	110	Electrometry	8.33	pH Units	INAB
**Phosphate (Ortho) Ground Water	117	Colorimetry	0.01	mg/L as P	INAB
**Potassium (Ground Water)	184	ICPMS	3	mg/L	INAB
**Sodium (Ground water)	184	ICPMS	19	mg/L	INAB
Solids (Total Suspended)	106	Gravimetry	<5	mg/L	
Sulphate (Ground Water)	119	Colorimetry	14	mg/L as SO4	INAB



Signed:

AHavemon

Aoife Harmon - Laboratory Supervisor

Acc.: Accredited Parameters by ISO/IEC 17025:2017

For bacterial analysis a result of 0 means none detected in volume examined All organic results are analysed as received and all results are corrected for dry weight at 104 C Results shall not be reproduced, except in full, without the approval of Fitz Scientific Results contained in this report relate only to the samples tested (P): Presumptive Results



Date: 24/04/2025



: The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2024) This sample was identified as deviant (BS EN ISO 5667-3:2024) due to [HoldingTime] and the test results may be invalid.

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request. Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.



Boyne Business Park, Drogheda, Co. Louth, Ireland

Unit 35,

Tel: +353 41 9845440 Fax: +353 41 9846171 Web: www.fitzsci.ie Email: info@fitzsci.ie

A copy of this certificate is available on www.fitzsci.ie.

Customer supplied information appear in italics.

Customer Adam Keegan

Hydro-Environmental Services

22 Lower Main Street

Dungarvan

Co Waterford

Seskin MW4

P1653

Sampled On **Date Testing Commenced**

Received or Collected

Condition on Receipt Date of Report Sample Type

Lab Report Ref. No.

Date of Receipt

7820/2504072/02 10/04/2025 09/04/2025 10/04/2025

By Fitz Pick up: Larry Commin

Acceptable 24/04/2025 **Ground Water**

Customer PO Customer Ref Ref 2

Ref 3

CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
Bicarbonate (CaCO3)	102	Colorimetry	276.5	mg/L CaCO3	
**Calcium (Ground Water)	184	ICPMS	122.8	mg/L	INAB
Chloride (Ground Water)	100	Colorimetry	15	mg/L	INAB
**Iron (Ground Water)	177	ICPMS	1421	ug/L	INAB
**Magnesium (Ground Water)	184	ICPMS	7.5	mg/L	INAB
**Manganese (Ground Water)	177	ICPMS	183	ug/L	INAB
Nitrate (Ground Water)	103	Colorimetry	10	mg/L as N	INAB
Nitrite (Ground Water)	118	Colorimetry	<0.01	mg/L as N	INAB
pH (Ground Water)	110	Electrometry	7.25	pH Units	INAB
**Phosphate (Ortho) Ground Water	117	Colorimetry	0.01	mg/L as P	INAB
**Potassium (Ground Water)	184	ICPMS	1.6	mg/L	INAB
**Sodium (Ground water)	184	ICPMS	6.1	mg/L	INAB
Solids (Total Suspended)	106	Gravimetry	123	mg/L	
Sulphate (Ground Water)	119	Colorimetry	9	mg/L as SO4	INAB



Signed:

Aoife Harmon - Laboratory Supervisor

Acc.: Accredited Parameters by ISO/IEC 17025:2017

For bacterial analysis a result of 0 means none detected in volume examined All organic results are analysed as received and all results are corrected for dry weight at 104 C Results shall not be reproduced, except in full, without the approval of Fitz Scientific Results contained in this report relate only to the samples tested (P): Presumptive Results



Date: 24/04/2025



: The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2024) This sample was identified as deviant (BS EN ISO 5667-3:2024) due to [HoldingTime] and the test results may be invalid.

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request. Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.



Environment Testing

Eurofins Environment Testing Ireland

Hoffman Park, Inchera Cork T45 PC80

Ireland 0818 252526

Web: www.eurofins.ie

ASTsupport@etuki.eurofins.com Email:



Client: **Hydro-Environmental Services**

IRELAND

Lower Main Street Dungarvan Co. Waterford. Waterford

Certificate Code:

AR-24-M3-020457-01

Page Number:

Page 1 of $Q_{\mathcal{G}}$

PO reference:

Certificate of Analysis

Received on 966-2024-00023381 21/08/2024 Sample number Analysis started on 21/08/2024

Seskin FZ Your sample reference Sample Matrix Surface water

Sample Condition on Arrival Satisfactory Sample Date 16/08/2024

Time Sampled 12:30

Time Sampled	12.30						
Test Code Analyte	SUB ⁵ Analysis Started	Method	LOQ ³	SPEC ²	Result	Units	ACCRED ⁴
Hardness as CalciumCarbonate	(Calc) - Trace [M303N]						
Hardness as Calcium Carbonate	04/09/24 15:50	EW188	2.5		103	mg/l	
pH (Robotic Method) [M3051]							
рН	21/08/24 16:50 ^{7D}	EW152R	4		7.6		
Conductivity at 20°C (Robotic Me	ethod) [M3052]						
Conductivity at 20°C	21/08/24 16:50	EW152R	5		260	μS/cm	C6
Alkalinity as CaCO3 [M30D3]							
Alkalinity as CAC03	21/08/24 13:45	EW175	30		113	mg/l	
Alkalinity Bicarbonate as HCO3	[M30F7]						
Alkalinity Bicarbonate as HCO3	04/09/24 15:50	EW175	30		138	m/l	
Calcium - Trace [M3241]							
Calcium	26/08/24 15:01		1.08		41.1	mg/l	C6

⁴ Accreditiation Information

C6: ISO/IEC 17025:2017 INAB 138-T

04/09/2024 Signed:

Aoife De Barra - Organics & Instrumentation Team Lead

NOTES

- . This Report shall not be reproduced, except in full, without the permission of the Laboratory and only relates to the items tested.

- 1. This Report shall not be reproduced, except in full, without the permission of the Laboratory and only relates to the nemissions.

 2. SPEC = Allowable limit or parametric value.

 3. LOQ = Limit of Quantification or lowest value that can be reported.

 4. ACCRED = Indicates accreditation for the test, a blank field indicates not accredited.

 5. 'indicates the test was sub-contracted,' 'D'' indicates the analysis was performed in Dublin and "C" indicates the analysis performed in Cork.

 6. The sampling date was not communicated; this may impact the validity of the results unless provided.

 7. A. This test was conducted outside of recommended best practice holding time; this may impact the accreditation status/validity of the result. The result will still be technically sound in terms of the method and associated quality controls

 7. D. The sample was received close to or outside of the recommended best practice holding time; this may impact the accreditation status of the result.

 7. D. The sample was received close to or outside of the recommended best practice holding time; this may impact the accreditation status of the result.

 8. This notification is based on the numerical result for the test without consideration of the uncertainty of measurement of the result, unless otherwise agreed in writing. Uncertainty of measurement has been calculated for all INAB accredited tests and is available upon request.



Environment Testing

Eurofins Environment Testing Ireland

Hoffman Park, Inchera Cork T45 PC80

Ireland 0818 252526

Web: www.eurofins.ie

ASTsupport@etuki.eurofins.com Email:



Client: **Hydro-Environmental Services**

IRELAND

Lower Main Street Dungarvan Co. Waterford. Waterford

Certificate Code:

AR-24-M3-020457-01

Page Number:

Page 1 of $Q_{\mathcal{G}}$

PO reference:

Certificate of Analysis

Received on 966-2024-00023381 21/08/2024 Sample number Analysis started on 21/08/2024

Seskin FZ Your sample reference Sample Matrix Surface water

Sample Condition on Arrival Satisfactory Sample Date 16/08/2024

Time Sampled 12:30

Time Sampled	12.30						
Test Code Analyte	SUB ⁵ Analysis Started	Method	LOQ ³	SPEC ²	Result	Units	ACCRED ⁴
Hardness as CalciumCarbonate	(Calc) - Trace [M303N]						
Hardness as Calcium Carbonate	04/09/24 15:50	EW188	2.5		103	mg/l	
pH (Robotic Method) [M3051]							
рН	21/08/24 16:50 ^{7D}	EW152R	4		7.6		
Conductivity at 20°C (Robotic Me	ethod) [M3052]						
Conductivity at 20°C	21/08/24 16:50	EW152R	5		260	μS/cm	C6
Alkalinity as CaCO3 [M30D3]							
Alkalinity as CAC03	21/08/24 13:45	EW175	30		113	mg/l	
Alkalinity Bicarbonate as HCO3	[M30F7]						
Alkalinity Bicarbonate as HCO3	04/09/24 15:50	EW175	30		138	m/l	
Calcium - Trace [M3241]							
Calcium	26/08/24 15:01		1.08		41.1	mg/l	C6

⁴ Accreditiation Information

C6: ISO/IEC 17025:2017 INAB 138-T

04/09/2024 Signed:

Aoife De Barra - Organics & Instrumentation Team Lead

NOTES

- . This Report shall not be reproduced, except in full, without the permission of the Laboratory and only relates to the items tested.

- 1. This Report shall not be reproduced, except in full, without the permission of the Laboratory and only relates to the nemissions.

 2. SPEC = Allowable limit or parametric value.

 3. LOQ = Limit of Quantification or lowest value that can be reported.

 4. ACCRED = Indicates accreditation for the test, a blank field indicates not accredited.

 5. 'indicates the test was sub-contracted,' 'D'' indicates the analysis was performed in Dublin and "C" indicates the analysis performed in Cork.

 6. The sampling date was not communicated; this may impact the validity of the results unless provided.

 7. A. This test was conducted outside of recommended best practice holding time; this may impact the accreditation status/validity of the result. The result will still be technically sound in terms of the method and associated quality controls

 7. D. The sample was received close to or outside of the recommended best practice holding time; this may impact the accreditation status of the result.

 7. D. The sample was received close to or outside of the recommended best practice holding time; this may impact the accreditation status of the result.

 8. This notification is based on the numerical result for the test without consideration of the uncertainty of measurement of the result, unless otherwise agreed in writing. Uncertainty of measurement has been calculated for all INAB accredited tests and is available upon request.

CERTIFICATE OF ANALYSIS



Page 1 of 1

ALS Life Sciences Ltd., Carrigeen Business Park Clonmel Co. Tipperary E91 PF63 Ireland Telephone: +353 (0) 52 617 8100 www.alsglobal.ie

Certificate Number: CLN023699-1 Final

Date Reported: 17/04/2025

Date Analysis Started: 10/04/2025

Hydro Environmental Services Hydro Environmental Services 22 Lower Main Street Dungarvan, Co. Waterford Ireland

Lab Ref.	Sample Details	Method Number	Test	Result	Units	Flag
CLN74806	Prod:	P280	BOD 5 day Total with ATU	6	mg/L O ₂	
	Rcvd Dt: 10/04/2025 Start Testing: 10/04/2025	P202	Suspended Solids	<5	mg/L	
	Description: Seskin SW1	P281	Chloride	10.5	mg/L CI	
	Spt: Water Sample Type: Ground Waters	P285	Total Nitrogen	1.6	mg/L N	
		P281	Total Oxidised Nitrogen (TON)	0.43	mg/L N	
		P281	Ammonia	<0.02	mg/L NH ₃ -N	
		P281	Nitrate	<5.0	mg/L NO ₃	
		P281	Nitrite	<0.05	mg/L NO ₂	
		P207	Total Phosphorus	0.13	mg/L P	
		P293	Orthophosphate	<0.02	mg/L P	
CLN74807	Prod:	P280	BOD 5 day Total with ATU	<2	mg/L O ₂	
	Rcvd Dt: 10/04/2025 Start Testing: 10/04/2025	P202	Suspended Solids	10	mg/L	
	Description: Seskin SW2	P281	Chloride	29.8	mg/L CI	
	Spt: Water Sample Type: Ground Waters	P285	Total Nitrogen	3.2	mg/L N	
		P281	Total Oxidised Nitrogen (TON)	2.26	mg/L N	
		P281	Ammonia	0.02	mg/L NH ₃ -N	
		P281	Nitrate	10.2	mg/L NO ₃	
		P281	Nitrite	<0.05	mg/L NO ₂	
		P207	Total Phosphorus	0.15	mg/L P	
		P293	Orthophosphate	0.06	mg/L P	

Certificate approved and electronically signed on 17/04/25 15:05 By Ciara Gildea, Senior Environmental Chemistry Analyst

For and on Behalf of ALS Life Sciences Ltd

Disclaimers:

The testing results in this certificate relate only to the samples described above.

Unless otherwise stated, all results are expressed on an as received basis.

Statement of conformity made against the result does not take into account the uncertainty of measurement associated to the method.

Opinions and interpretations expressed herein are outside the scope of INAB accreditation.

Where sampling is undertaken by ALS personnel, sampling activities are outside the scope of INAB accreditation

Reports may not be reproduced except in full without the approval of ALS Life Sciences Ltd.

No INAB logo on the certificate indicates all results reported on the certificate are not accredited.

