

APPENDIX 12-4 PREDICTED NOISE LEVELS

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H001	Predicted	26.9	30.3	34.6	38.1	39.0	39.1	39.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H002	Predicted	28.5	31.7	35.9	39.4	40.3	40.4	40.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H003	Predicted	27.5	30.7	34.9	38.4	39.4	39.5	39.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H004	Predicted	28.4	31.7	36.0	39.5	40.4	40.5	40.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H005	Predicted	28.8	32.1	36.3	39.8	40.7	40.8	40.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H006	Predicted	27.1	30.5	34.8	38.2	39.1	39.3	39.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H007	Predicted	28.1	31.5	35.8	39.3	40.2	40.3	40.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H008	Predicted	28.0	31.4	35.7	39.2	40.1	40.2	40.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H009	Predicted	26.8	30.1	34.4	37.8	38.8	38.9	38.9
	Daytime Criterion	40	40	40	45	45	45	46.2

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H010	Predicted	28.5	31.8	36.0	39.5	40.4	40.6	40.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H011	Predicted	28.2	31.6	35.9	39.4	40.3	40.4	40.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H012	Predicted	25.8	29.1	33.4	36.9	37.8	37.9	38.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H013	Predicted	27.1	30.5	34.8	38.3	39.2	39.3	39.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H014	Predicted	28.0	31.4	35.7	39.2	40.1	40.2	40.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H015	Predicted	28.3	31.7	36.0	39.5	40.4	40.5	40.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H016	Predicted	26.5	29.9	34.2	37.7	38.6	38.7	38.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H017	Predicted	28.1	31.4	35.7	39.2	40.1	40.2	40.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H018	Predicted	26.9	30.3	34.6	38.1	39.0	39.1	39.1

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H019	Predicted	28.1	31.4	35.6	39.1	40.0	40.1	40.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H020	Predicted	27.3	30.5	34.7	38.2	39.2	39.3	39.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H021	Predicted	26.0	29.3	33.6	37.1	38.0	38.1	38.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H022	Predicted	26.4	29.6	33.9	37.4	38.3	38.4	38.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H023	Predicted	27.6	30.7	34.8	38.4	39.3	39.4	39.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H024	Predicted	27.6	31.0	35.3	38.8	39.7	39.8	39.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H025	Predicted	27.7	31.1	35.4	38.9	39.8	39.9	39.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H026	Predicted	26.3	29.7	34.0	37.5	38.4	38.5	38.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB L _{A90} at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H027	Predicted	28.1	31.5	35.8	39.3	40.2	40.3	40.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H028	Predicted	28.0	31.4	35.7	39.2	40.1	40.2	40.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H029	Predicted	27.7	31.1	35.4	38.8	39.7	39.9	39.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H030	Predicted	27.7	31.1	35.4	38.8	39.7	39.9	39.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H031	Predicted	25.8	29.2	33.4	36.9	37.8	38.0	38.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H032	Predicted	27.0	30.2	34.4	37.9	38.8	39.0	39.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H033	Predicted	27.1	30.3	34.5	38.0	39.0	39.1	39.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H034	Predicted	27.1	30.2	34.3	37.8	38.8	38.9	38.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H035	Predicted	28.4	31.7	35.9	39.4	40.3	40.4	40.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H036	Predicted	26.2	29.6	33.9	37.4	38.2	38.4	38.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H037	Predicted	28.2	31.4	35.6	39.2	40.1	40.2	40.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H038	Predicted	26.2	29.2	33.2	36.7	37.7	37.9	37.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H039	Predicted	27.6	30.7	34.9	38.4	39.3	39.5	39.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H040	Predicted	26.6	30.0	34.3	37.7	38.6	38.8	38.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H041	Predicted	23.9	27.3	31.6	35.1	36.0	36.1	36.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H042	Predicted	23.7	27.1	31.4	34.9	35.8	35.9	35.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H043	Predicted	24.5	27.9	32.2	35.7	36.6	36.7	36.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H044	Predicted	24.1	27.5	31.8	35.3	36.2	36.3	36.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H045	Predicted	27.5	30.7	34.9	38.4	39.3	39.4	39.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H046	Predicted	25.7	28.9	33.1	36.6	37.5	37.7	37.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H047	Predicted	25.6	28.8	33.0	36.5	37.4	37.6	37.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H048	Predicted	23.3	26.7	31.0	34.5	35.4	35.5	35.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H049	Predicted	25.6	28.8	33.0	36.4	37.4	37.5	37.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H050	Predicted	23.3	26.6	30.9	34.4	35.3	35.4	35.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H051	Predicted	24.8	27.8	31.9	35.4	36.4	36.6	36.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H052	Predicted	23.1	26.5	30.8	34.3	35.2	35.3	35.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H053	Predicted	24.7	27.6	31.7	35.2	36.2	36.4	36.4
	Daytime Criterion	40	40	40	45	45	45	46.2

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H054	Predicted	24.7	27.6	31.6	35.2	36.1	36.3	36.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H055	Predicted	23.0	26.4	30.6	34.1	35.0	35.2	35.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H056	Predicted	24.6	27.6	31.6	35.1	36.1	36.3	36.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H057	Predicted	24.7	27.8	31.9	35.4	36.3	36.5	36.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H058	Predicted	22.4	25.8	30.0	33.5	34.4	34.6	34.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H059	Predicted	22.8	26.2	30.5	34.0	34.9	35.0	35.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H060	Predicted	22.8	26.2	30.5	33.9	34.8	35.0	35.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H061	Predicted	24.4	27.4	31.4	34.9	35.9	36.1	36.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H062	Predicted	24.6	27.7	31.8	35.3	36.2	36.4	36.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H063	Predicted	22.7	26.1	30.4	33.9	34.8	34.9	34.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H064	Predicted	26.1	29.1	33.2	36.7	37.7	37.8	37.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H065	Predicted	22.6	26.0	30.2	33.7	34.6	34.8	34.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H066	Predicted	24.4	27.5	31.6	35.1	36.0	36.2	36.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H067	Predicted	23.2	26.5	30.8	34.3	35.2	35.3	35.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H068	Predicted	22.8	26.2	30.5	34.0	34.9	35.0	35.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H069	Predicted	22.5	25.8	30.1	33.6	34.5	34.6	34.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H070	Predicted	22.2	25.6	29.9	33.3	34.2	34.4	34.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB L _{A90} at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H071	Predicted	22.0	25.4	29.6	33.1	34.0	34.1	34.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H072	Predicted	22.3	25.7	30.0	33.5	34.4	34.5	34.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H073	Predicted	22.2	25.6	29.9	33.4	34.3	34.4	34.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H074	Predicted	22.0	25.3	29.6	33.1	34.0	34.1	34.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H075	Predicted	24.2	27.3	31.4	34.9	35.8	36.0	36.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H076	Predicted	22.1	25.4	29.7	33.2	34.1	34.2	34.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H077	Predicted	22.2	25.6	29.9	33.4	34.3	34.4	34.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H078	Predicted	22.1	25.5	29.8	33.3	34.2	34.4	34.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H079	Predicted	22.1	25.4	29.7	33.2	34.1	34.3	34.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H080	Predicted	23.5	26.2	30.0	33.5	34.6	34.8	34.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H081	Predicted	22.0	25.3	29.6	33.1	34.0	34.2	34.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H083	Predicted	21.6	25.0	29.3	32.8	33.6	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H084	Predicted	21.5	24.9	29.2	32.6	33.5	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H085	Predicted	21.4	24.8	29.1	32.6	33.4	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H086	Predicted	21.6	25.0	29.2	32.7	33.6	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H087	Predicted	23.2	25.9	29.7	33.3	34.3	34.5	34.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H088	Predicted	21.4	24.8	29.0	32.5	33.4	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H089	Predicted	21.4	24.7	29.0	32.5	33.4	33.5	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H090	Predicted	21.4	24.8	29.1	32.6	33.4	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H091	Predicted	22.6	25.9	30.2	33.7	34.7	34.8	34.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H092	Predicted	21.4	24.8	29.1	32.5	33.4	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H093	Predicted	21.5	24.8	29.1	32.6	33.5	33.6	33.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H094	Predicted	23.2	25.8	29.5	33.1	34.2	34.4	34.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H095	Predicted	21.3	24.7	29.0	32.5	33.4	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H096	Predicted	21.3	24.7	29.0	32.4	33.3	33.5	33.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H097	Predicted	24.0	27.0	31.0	34.5	35.5	35.6	35.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H098	Predicted	21.2	24.6	28.9	32.4	33.2	33.4	33.4
	Daytime Criterion	40	40	40	45	45	45	46.2

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H099	Predicted	21.0	24.4	28.6	32.1	33.0	33.1	33.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H100	Predicted	20.9	24.3	28.6	32.0	32.9	33.1	33.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H101	Predicted	23.6	26.5	30.5	34.0	35.0	35.2	35.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H102	Predicted	20.8	24.1	28.4	31.9	32.8	32.9	33.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H103	Predicted	20.9	24.2	28.5	32.0	32.9	33.0	33.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H104	Predicted	20.5	23.9	28.2	31.7	32.6	32.7	32.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H105	Predicted	23.0	25.3	28.8	32.4	33.6	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H106	Predicted	23.0	25.2	28.8	32.4	33.5	33.8	33.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H107	Predicted	20.7	24.0	28.3	31.8	32.7	32.8	32.8

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H108	Predicted	20.3	23.7	27.9	31.4	32.3	32.4	32.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H109	Predicted	20.5	23.9	28.2	31.7	32.6	32.7	32.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H110	Predicted	20.0	23.4	27.7	31.2	32.0	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H111	Predicted	22.9	25.1	28.5	32.1	33.3	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H112	Predicted	20.2	23.6	27.9	31.4	32.2	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H113	Predicted	20.2	23.6	27.9	31.4	32.3	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H114	Predicted	20.2	23.5	27.8	31.3	32.2	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H115	Predicted	20.4	23.7	28.0	31.5	32.4	32.5	32.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB L _{A90} at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H116	Predicted	23.0	25.0	28.4	32.1	33.3	33.5	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H117	Predicted	20.6	23.9	28.2	31.7	32.7	32.8	32.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H118	Predicted	20.2	23.6	27.9	31.4	32.2	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H119	Predicted	17.6	20.8	24.9	28.4	29.4	29.5	29.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H121	Predicted	20.5	23.8	28.1	31.6	32.6	32.7	32.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H122	Predicted	20.1	23.4	27.7	31.2	32.1	32.3	32.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H123	Predicted	20.6	23.9	28.2	31.7	32.7	32.9	32.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H124	Predicted	23.5	26.9	31.2	34.7	35.7	35.8	35.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H125	Predicted	20.2	23.6	27.9	31.4	32.2	32.4	32.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H126	Predicted	23.4	25.3	28.5	32.2	33.4	33.7	33.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H127	Predicted	20.5	23.8	28.1	31.6	32.7	32.8	32.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H128	Predicted	23.4	26.8	31.1	34.6	35.6	35.7	35.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H129	Predicted	18.6	22.0	26.2	29.7	30.6	30.7	30.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H130	Predicted	20.5	23.8	28.1	31.6	32.7	32.8	32.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H131	Predicted	23.6	25.4	28.6	32.2	33.5	33.8	33.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H132	Predicted	20.0	23.4	27.7	31.2	32.0	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H133	Predicted	19.9	23.3	27.6	31.0	31.9	32.1	32.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H134	Predicted	19.1	22.5	26.8	30.3	31.2	31.3	31.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H135	Predicted	19.8	23.2	27.4	30.9	31.8	31.9	32.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H136	Predicted	19.5	22.9	27.2	30.6	31.5	31.7	31.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H137	Predicted	23.5	25.2	28.4	32.0	33.4	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H138	Predicted	19.4	22.8	27.1	30.6	31.4	31.6	31.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H139	Predicted	19.8	23.1	27.4	30.9	31.8	31.9	32.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H140	Predicted	23.5	25.2	28.3	32.0	33.3	33.6	33.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H141	Predicted	19.7	23.0	27.3	30.8	31.7	31.8	31.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H142	Predicted	22.5	24.4	27.7	31.4	32.6	32.9	32.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H143	Predicted	18.2	21.5	25.8	29.3	30.2	30.3	30.4
	Daytime Criterion	40	40	40	45	45	45	46.2

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H144	Predicted	18.1	21.5	25.8	29.3	30.1	30.3	30.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H145	Predicted	23.3	25.2	28.4	32.0	33.3	33.6	33.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H146	Predicted	23.4	25.2	28.5	32.1	33.4	33.7	33.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H147	Predicted	19.6	22.9	27.2	30.7	31.6	31.7	31.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H148	Predicted	19.6	23.0	27.2	30.7	31.6	31.7	31.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H149	Predicted	19.5	22.8	27.1	30.6	31.6	31.7	31.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H150	Predicted	19.4	22.8	27.1	30.5	31.4	31.6	31.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H151	Predicted	19.4	22.8	27.0	30.5	31.4	31.5	31.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H152	Predicted	19.0	22.4	26.7	30.2	31.1	31.2	31.2

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H153	Predicted	19.4	22.8	27.0	30.5	31.4	31.6	31.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H154	Predicted	19.0	22.4	26.7	30.2	31.0	31.2	31.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H155	Predicted	20.1	23.4	27.7	31.2	32.3	32.4	32.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H156	Predicted	21.3	24.7	29.0	32.5	33.5	33.6	33.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H157	Predicted	19.2	22.6	26.8	30.3	31.2	31.3	31.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H158	Predicted	19.2	22.5	26.8	30.3	31.2	31.3	31.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H159	Predicted	19.2	22.5	26.8	30.3	31.2	31.3	31.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H160	Predicted	18.9	22.2	26.5	30.0	30.9	31.0	31.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB L _{A90} at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H161	Predicted	19.1	22.5	26.8	30.2	31.1	31.2	31.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H162	Predicted	19.1	22.5	26.8	30.3	31.3	31.4	31.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H163	Predicted	21.5	24.8	29.2	32.7	33.7	33.8	33.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H164	Predicted	19.0	22.4	26.7	30.2	31.0	31.2	31.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H165	Predicted	23.0	24.9	28.1	31.8	33.1	33.4	33.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H166	Predicted	22.3	24.1	27.2	30.8	32.2	32.5	32.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H167	Predicted	18.7	22.1	26.4	29.9	30.7	30.9	30.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H168	Predicted	19.0	22.4	26.7	30.1	31.0	31.2	31.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H169	Predicted	21.4	24.8	29.1	32.6	33.6	33.7	33.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H170	Predicted	18.7	22.0	26.3	29.8	30.7	30.8	30.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H171	Predicted	18.8	22.2	26.5	30.0	30.8	31.0	31.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H172	Predicted	18.6	22.0	26.2	29.7	30.6	30.7	30.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H173	Predicted	18.8	22.2	26.4	29.9	30.8	31.0	31.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H174	Predicted	18.7	22.1	26.4	29.9	30.7	30.9	30.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H175	Predicted	22.1	23.8	26.9	30.6	31.9	32.2	32.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H176	Predicted	22.4	25.7	30.0	33.6	34.6	34.7	34.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.7	22.0	26.3	29.8	30.7	30.8	30.9
H177	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.4	21.8	26.0	29.5	30.4	30.5	30.6
H178	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H179	Predicted	21.3	24.6	28.9	32.4	33.5	33.6	33.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H180	Predicted	18.5	21.8	26.1	29.6	30.5	30.6	30.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H181	Predicted	18.6	22.0	26.3	29.8	30.6	30.8	30.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H182	Predicted	23.0	24.8	28.0	31.6	32.9	33.2	33.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H183	Predicted	18.4	21.7	26.0	29.5	30.4	30.5	30.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H184	Predicted	18.7	22.0	26.3	29.8	30.7	30.8	30.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H185	Predicted	18.5	21.9	26.2	29.6	30.5	30.7	30.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H186	Predicted	18.5	21.9	26.2	29.6	30.5	30.6	30.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H187	Predicted	18.3	21.7	26.0	29.5	30.3	30.5	30.5
	Daytime Criterion	40	40	40	45	45	45	46.2

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H188	Predicted	18.6	22.0	26.2	29.7	30.6	30.7	30.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H189	Predicted	18.4	21.8	26.1	29.6	30.4	30.6	30.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H190	Predicted	18.4	21.8	26.1	29.6	30.4	30.6	30.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H191	Predicted	18.4	21.7	26.0	29.5	30.4	30.5	30.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H192	Predicted	18.3	21.7	26.0	29.4	30.3	30.4	30.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H193	Predicted	18.4	21.7	26.0	29.5	30.4	30.5	30.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H194	Predicted	18.5	21.8	26.1	29.6	30.5	30.6	30.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H195	Predicted	18.3	21.6	25.9	29.4	30.3	30.4	30.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H196	Predicted	18.4	21.7	26.0	29.5	30.3	30.5	30.5

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.2	24.5	28.1	31.7	32.8	33.1	33.1
H197	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	16.9	20.2	24.5	28.0	28.9	29.0	29.1
H198	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.2	21.6	25.9	29.3	30.2	30.4	30.4
H199	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.2	21.6	25.8	29.3	30.2	30.3	30.4
H200	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.3	21.6	25.9	29.4	30.3	30.4	30.5
H201	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.5	21.8	26.1	29.6	30.5	30.6	30.7
H202	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.2	21.6	25.9	29.4	30.2	30.4	30.4
H203	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.3	24.6	28.9	32.4	33.5	33.6	33.6
H204	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.3	24.6	28.9	32.4	33.5	33.6	33.6

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H205	Predicted	18.3	21.6	25.9	29.4	30.3	30.4	30.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H206	Predicted	18.2	21.5	25.8	29.3	30.2	30.3	30.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H207	Predicted	21.6	23.4	26.5	30.2	31.5	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H208	Predicted	18.3	21.6	25.9	29.4	30.3	30.4	30.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H209	Predicted	18.2	21.6	25.9	29.4	30.2	30.4	30.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H210	Predicted	19.3	22.6	26.9	30.5	31.6	31.7	31.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H211	Predicted	18.3	21.7	26.0	29.4	30.3	30.4	30.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H212	Predicted	18.2	21.6	25.9	29.4	30.2	30.4	30.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H213	Predicted	17.7	21.1	25.4	28.8	29.7	29.8	29.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H214	Predicted	20.5	22.7	26.2	29.8	31.0	31.2	31.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H215	Predicted	18.3	21.7	26.0	29.4	30.3	30.5	30.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H216	Predicted	18.1	21.5	25.8	29.3	30.1	30.3	30.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H217	Predicted	18.2	21.5	25.8	29.3	30.2	30.3	30.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H218	Predicted	21.7	23.4	26.5	30.1	31.5	31.8	31.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H219	Predicted	21.7	23.4	26.5	30.2	31.5	31.8	31.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H220	Predicted	18.1	21.5	25.8	29.2	30.1	30.3	30.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H221	Predicted	18.2	21.5	25.8	29.3	30.1	30.3	30.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H222	Predicted	23.2	24.7	27.5	31.2	32.7	33.0	33.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H223	Predicted	18.1	21.4	25.7	29.2	30.1	30.2	30.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H224	Predicted	18.1	21.4	25.7	29.2	30.1	30.2	30.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H225	Predicted	18.1	21.4	25.7	29.2	30.1	30.2	30.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H226	Predicted	18.0	21.4	25.7	29.1	30.0	30.2	30.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H227	Predicted	18.2	21.5	25.8	29.3	30.2	30.3	30.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H228	Predicted	18.0	21.4	25.7	29.2	30.0	30.2	30.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H229	Predicted	18.0	21.4	25.7	29.1	30.0	30.2	30.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H230	Predicted	18.1	21.4	25.7	29.2	30.1	30.2	30.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H231	Predicted	23.3	25.0	28.1	31.7	33.1	33.4	33.4
	Daytime Criterion	40	40	40	45	45	45	46.2

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H232	Predicted	21.6	23.3	26.3	30.0	31.3	31.6	31.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H233	Predicted	17.5	20.8	25.1	28.6	29.5	29.6	29.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H234	Predicted	17.9	21.3	25.6	29.0	29.9	30.0	30.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H235	Predicted	22.1	24.3	27.9	31.4	32.6	32.9	32.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H236	Predicted	21.3	23.1	26.2	29.9	31.2	31.5	31.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H237	Predicted	17.9	21.3	25.6	29.1	29.9	30.1	30.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H238	Predicted	17.9	21.2	25.5	29.0	29.9	30.0	30.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H239	Predicted	17.9	21.2	25.5	29.0	29.9	30.0	30.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H240	Predicted	17.9	21.2	25.5	29.0	29.9	30.0	30.1

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.6	22.9	27.2	30.7	31.9	32.0	32.0
H241	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	17.9	21.2	25.5	29.0	29.9	30.0	30.1
H242	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.0	24.2	27.8	31.4	32.5	32.8	32.8
H243	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	17.8	21.1	25.4	28.9	29.8	29.9	30.0
H244	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	17.9	21.3	25.5	29.0	29.9	30.0	30.1
H245	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.0	22.4	26.6	30.2	31.3	31.4	31.5
H246	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	20.3	22.5	26.0	29.6	30.7	31.0	31.0
H247	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.6	23.2	26.3	29.9	31.3	31.6	31.7
H248	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.6	23.2	26.3	29.9	31.3	31.6	31.7

House	Parameter	Predicted Noise Level, dB L _{A90} at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H249	Predicted	18.0	21.3	25.6	29.1	30.0	30.1	30.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H250	Predicted	21.6	23.3	26.3	29.9	31.3	31.6	31.7
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H251	Predicted	19.0	22.3	26.6	30.1	31.3	31.4	31.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H252	Predicted	17.8	21.2	25.5	28.9	29.8	30.0	30.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H253	Predicted	17.3	20.7	25.0	28.5	29.3	29.5	29.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H254	Predicted	19.3	22.6	26.9	30.4	31.6	31.7	31.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H255	Predicted	17.8	21.2	25.5	29.0	29.8	30.0	30.1
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H256	Predicted	17.8	21.1	25.4	28.9	29.8	29.9	30.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H257	Predicted	21.5	23.2	26.2	29.9	31.2	31.6	31.6
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H259	Predicted	21.4	23.1	26.1	29.8	31.2	31.5	31.5
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H260	Predicted	17.7	21.1	25.4	28.8	29.7	29.9	29.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H261	Predicted	17.7	21.1	25.4	28.8	29.7	29.8	29.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H262	Predicted	17.7	21.0	25.3	28.8	29.7	29.8	29.9
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H263	Predicted	17.6	21.0	25.3	28.8	29.6	29.8	29.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H264	Predicted	21.0	22.8	26.0	29.6	30.9	31.2	31.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H265	Predicted	17.2	20.6	24.8	28.3	29.2	29.3	29.4
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H266	Predicted	17.6	21.0	25.3	28.7	29.6	29.8	29.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H267	Predicted	23.3	24.9	27.9	31.6	33.0	33.3	33.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H268	Predicted	17.6	21.0	25.2	28.7	29.6	29.7	29.8
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H269	Predicted	20.9	22.7	25.9	29.5	30.8	31.1	31.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H270	Predicted	18.9	22.2	26.5	30.0	31.2	31.3	31.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H271	Predicted	20.4	23.7	28.0	31.6	32.8	32.9	33.0
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H272	Predicted	23.3	24.9	27.8	31.5	32.9	33.2	33.3
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--
H273	Predicted	17.0	20.4	24.6	28.1	29.0	29.1	29.2
	Daytime Criterion	40	40	40	45	45	45	46.2
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43.4
	Night-time Excess	--	--	--	--	--	--	--