

RECEIVED: 29/09/2025



APPENDIX 14-2

ASSESSMENT OF IMPACTS

APPENDIX 14-2 ASSESSMENT OF IMPACTS ON THE ARCHAEOLOGICAL, ARCHITECTURAL AND CULTURAL HERITAGE RESOURCE

Table 1-1 Archaeological Heritage

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH15	GA084-043001; GA084-043002; GA084-043003	Carnaun (Athenry By.)	Enclosure; Field system; Enclosure.	Immediately south of Proposed Grid Connection	High	T01	Direct (ZoN)	Low	Slight negative
AH16	GA084-040001 - GA084-040010	Carnaun (Athenry By.)	Castle - ringwork; Field system; Ringfort - cashel x 2; House - indeterminate date x 2; Cairn - unclassified; Enclosure; Road/trackway; Well.	Zone of Notification is immediately south of Proposed Grid Connection	High	T01	No impact	N/A	N/A
AH17	GA084-005	Ballydavid Middle	Castle - unclassified.	Immediately south of Proposed Grid Connection	High	T01	No impact	N/A	N/A
AH18	GA084-045	Carrowntober East (Athenry By.)	Cist.	Immediately south of Proposed Grid Connection	Very low	T01	No impact	N/A	N/A

RECEIVED: 29/09/2023

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH19	GA085-027; GA085-038; GA085-039; GA085-040	Clogh, Cloonkeenbeg, Cloonkeenmore North	Boundary mound x 4.	4.3km northwest of proposed turbines	High	T01	Indirect	Neutral	Not significant negative
AH20	GA072-012; GA085-001; GA085-002; GA085-003; GA085-004; GA085-026001; GA085-026002; GA085-026004; GA085-041; GA085-050	Clogh, Gortnalone North	Boundary mound x 11.	2.6km northwest of proposed turbines	High	T01	Indirect	Neutral	Not significant negative
AH21	GA085-021001 - GA085- 021008; GA085-073	Carnakelly North, Cloonbrusk (Kilconnell By.)	Boundary mound x 9.	4.2km southwest of proposed turbines	High	T01	Indirect	Very low	Not significant negative
AH22	GA085-025	Carnakelly South	Redundant record	4.9km southwest of proposed turbines	Very low	T01	No impact	N/A	N/A
AH23	GA085-023001 - GA085- 023003	Carnakelly South	House - 18th/19th century; House - vernacular house; Designed landscape - folly.	4.1km southwest of proposed turbines	High	T01	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH24	GA085-019	Carnakelly	Ringfort - rath.	3.4km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH25	GA085-067	Knockatogher	House - 18th/19th century.	3.6km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH26	GA085-059 - GA085-060	Kiltullagh North	Ritual site - holy well; Ringfort - rath.	4.9km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH27	GA097-112	Kiltullagh North	Ringfort - rath.	4.8km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH28	GA085-062; GA097-113	Kiltullagh North	Mound; Ringfort - rath.	4.7km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH29	GA097-114; GA097-114001 - GA097-114005	Kiltullagh North	Church; Graveyard; Font; Graveslab x 3.	4.9km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH30	GA097-08	Clogharevaun	Chapel.	4.9km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH31	GA097-083	Clogharevaun	Mill - corn.	4.7km south-southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH32	GA097-082	Clogharevaun	Children's burial ground.	4.3km southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH33	GA085-064; GA085-066	Knockatogher	Ringfort - rath; Souterrain.	3.7km south-southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH34	GA085-065	Knockatogher	Moated site.	3.8km south-southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH35	GA097-119	Knockatogher	Ringfort - rath.	4.1km south-southwest of proposed turbines	High	T02	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH36	GA097-118	Knockatogher	Redundant record	4.1km south-southwest of proposed turbines	Very low	T02	No impact	N/A	N/A
AH37	GA097-108; GA097-108001	Killarriv	Ringfort - rath; Souterrain.	4.4km south-southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH38	GA097-163	Killarriv	Children's burial ground.	4.9km south of proposed turbines	High	T02	Indirect	Neutral	Not significant negative
AH39	GA097-079	Clashaganny (Athenry By.)	Quarry. Non-archaeological.	4.9km south of proposed turbines	Very low	T02	No impact	N/A	N/A
AH40	GA097-139	Raford	Redundant record	4.5km south of proposed turbines	Very low	T02	No impact	N/A	N/A
AH41	GA097-071	Carrowreagh (Athenry By.)	Designed landscape feature	4.5km south of proposed turbines	High	T02	Indirect	Low	Slight negative
AH42	GA097-072; GA097-072001	Carrowreagh (Athenry By.)	Ringfort - rath; Children's burial ground.	4.7km south of proposed turbines	High	T02	Indirect	Neutral	Not significant negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH43	GA097-080	Clashaganny (Athenry By.)	Ringfort - rath.	4.3km south of proposed turbines	High	T02	Indirect	Low	Slight negative
AH44	GA097-138	Raford	Redundant record	3.6km south of proposed turbines	Very low	T02	No impact	N/A	N/A
AH45	GA085-079	Raford	Enclosure.	3.1km south of proposed turbines	High	T02	Indirect	Neutral	Not significant negative
AH46	GA085-082	Raford	Country house.	3.3km south of proposed turbines	High	T02	Indirect	Low	Slight negative
AH47	GA085-080	Raford	Quarry. Non-archaeological.	2.9km south of proposed turbines	High	T02	No impact	N/A	N/A
AH48	GA085-081	Raford	Mill - corn.	3.2km south of proposed turbines	High	T02	Indirect	Low	Slight negative
AH49	GA085-011; GA085-011001; GA085-011002	Brackloon (Athenry By.)	Ringfort - rath; Children's burial ground; Souterrain.	3.1km south of proposed turbines	High	T02	Indirect	Low	Slight negative
AH50	GA085-010	Brackloon (Athenry By.)	Ringfort - rath.	2.6km south of proposed turbines	High	T08	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH51	GA085-042	Cloonsheecahill	Ringfort - unclassified.	2.3km south of proposed turbines	High	T08	Indirect	Low	Slight negative
AH52	GA097-110001 - GA097-110002	Killescragh	Ecclesiastical enclosure; Children's burial ground.	3.7km south of proposed turbines	High	T08	Indirect	Low	Slight negative
AH53	GA097-056	Caraun More	Ringfort - rath.	4.2km south-southeast of proposed turbines	High	T08	Indirect	Low	Slight negative
AH54	GA097-015	Ben Beg	Ritual site - holy well.	4.5km south-southeast of proposed turbines	High	T08	Indirect	Low	Slight negative
AH55	GA097-016	Ben Beg	Moated site.	4.7km south-southeast of proposed turbines	High	T08	Indirect	Low	Slight negative
AH56	GA098-084	Cross, Rahally	Enclosure.	4.8km southeast of proposed turbines	High	T08	Indirect	Neutral	Not significant negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH57	GA098-085	Cross	Prehistoric site - lithic scatter.	4.6km southeast of proposed turbines	High	T08	Indirect	Neutral	Not significant negative
AH58	GA086-088	Cloonyconaun	Ringfort – unclassified.	4.2km southeast of proposed turbines	High	T08	Indirect	Neutral	Not significant negative
AH59	GA086-089	Cloonyconaun	Ringfort - unclassified.	4.5km southeast of proposed turbines	High	T08	Indirect	Low	Slight negative
AH60	GA086-213	Rahally	Field system.	4.5km southeast of proposed turbines	High	T08	Indirect	Low	Slight negative
AH61	GA086-211; GA086-211001; GA086-211002	Rahally	Ringfort - rath; Hillfortl Enclosure.	4.7km southeast of proposed turbines	High	T08	Indirect	Low	Slight negative
AH62	GA086-256	Rahally	Ringfort - rath. Excavated.	4.7km southeast of proposed turbines	Very low	T08	No impact	N/A	N/A

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH63	GA085-091	Tormaun	Children's burial ground.	3.1km southeast of proposed turbines	High	T08	Indirect	Low	Slight negative
AH64	GA086-183	Knocknaboley	Enclosure.	3.6km southeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH65	GA086-093	Corrabaun (Kilconnell By.)	Children's burial ground.	3.9km southeast of proposed turbines	High	T07	Indirect	Neutral	Not significant negative
AH66	GA086-092	Corrabaun (Kilconnell By.)	Ringfort - unclassified.	4.2km southeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH67	GA086-133001 - GA086-133003	Grange (Kilconnell By.)	Church; Field system; Graveyard.	3.4km east-southeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH68	GA086-178001 - GA086-178002	Knockbrack (Kilconnell By.)	Church; Enclosure.	4.2km east-southeast of proposed turbines	High	T07	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH69	GA086-180	Knockbrack (Kilconnell By.)	Kiln - malting.	4.4km east-southeast of proposed turbines	High	T07	Indirect	Neutral	Not significant negative
AH70	GA086-179	Knockbrack (Kilconnell By.)	Church.	4.5km east-southeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH71	GA086-181	Knockbrack (Kilconnell By.),Knockmore	Ringfort - unclassified.	4.4km east-southeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH72	GA086-182	Knockmore	Quarry. Non-archaeological.	4.7km east-southeast of proposed turbines	Very low	T07	No impact	N/A	N/A
AH73	GA086-080	Castlebin South	Ringfort - unclassified.	4.8km east-southeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH74	GA086-073	Castlebin North	Ringfort - unclassified.	4.6km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH75	GA086-074	Castlebin North	Ringfort - unclassified.	4.9km east of proposed turbines	High	T07	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH76	GA086-072	Castlebin North	Enclosure.	4.0km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH77	GA086-071	Castlebin North	Ringfort - unclassified.	3.8km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH78	GA086-230	Tooreen (Kilconnell By.)	Ringfort - unclassified.	4.1km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH79	GA086-229	Tooreen (Kilconnell By.)	Children's burial ground.	4.0km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH80	GA086-228	Tooreen (Kilconnell By.)	Ringfort - unclassified.	4.1km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH81	GA086-070	Castlebin North, Skehanagh South	Ringfort - unclassified.	3.7km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH82	GA085-028	Cloonbenes, Cros smacrin	Boundary mound.	2.5km east-southeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH83	GA086-059	Beech Hill	Enclosure.	2.6km east of proposed turbines	High	T07	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH84	GA086-131 - GA086-132	Gortmore (Kilconnell By.)	Mill - corn x 2.	3.0km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH85	GA086-226	Skehanagh North	Ringfort - unclassified.	2.9km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH86	GA086-130	Gortlemon	Enclosure.	4.1km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH87	GA086-244—	Woodlawn	Enclosure.	4.5km east-northeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH88	GA086-245—	Woodlawn	Ringfort - unclassified.	4.7km east-northeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH89	GA086-242—	Woodlawn	Fish-pond.	4.9km east-northeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH90	GA085-008	Beech Hill	Ringfort - unclassified.	2.1km east-northeast of proposed turbines	High	T07	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH91	GA085-009	Beech Hill	House - 18th/19th century.	1.4km east of proposed turbines	High	T07	Indirect	Low	Slight negative
AH92	GA085-007	Beech Hill	Quarry. Non-archaeological.	1.6km east of proposed turbines	Very low	T07	No impact	N/A	N/A
AH93	GA085-006	Beech Hill	Quarry. Non-archaeological.	1.1km east of proposed turbines	Very low	T07	No impact	N/A	N/A
AH94	GA085-005001 - GA085-005002	Beech Hill	Children's burial ground; Enclosure.	747m east of proposed turbines	High	T07	Indirect	Medium	Moderate negative
AH95	GA085-084	Streamford	Enclosure.	864m northeast of proposed turbines	High	T07	Indirect	Medium	Moderate negative
AH96	GA085-086; GA085-087; GA085-089	Streamford	Designed landscape - tree-ring x 3.	872m northeast of proposed turbines	High	T07	Indirect	Medium	Moderate negative
AH97	GA085-045	Derrynamanagh	Ringfort - rath.	Within the Proposed Wind Farm, approximately 365m south of T08	High	T07	Indirect	Medium	Moderate negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH98	GA085-047	Gannow	Ringfort - unclassified.	Within the Proposed Wind Farm, approximately 266m northeast of T08	High	T08	Indirect	Medium	Moderate negative
AH99	GA085-085	Streamsford	House - 18th/19th century.	1.3km north-northeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH100	GA085-083; GA085-083001	Streamsford	Ringfort - unclassified; Souterrain.	1.6km north-northeast of proposed turbines	High	T07	Indirect	Low	Slight negative
AH101	GA085-034	Clooncah (Kilconnell By.)	House - 18th/19th century.	1.3km north of proposed turbines	High	T06	Indirect	Low	Slight negative
AH102	GA085-035; GA085-036	Clooncah (Kilconnell By.)	Designed landscape feature x 2.	1.1km north of proposed turbines	High	T06	Indirect	Neutral	Not significant negative
AH103	GA085-037	Clooncah (Kilconnell By.)	Church. Upstanding remains.	857m north of proposed turbines	High	T06	Indirect	Medium	Moderate negative
AH104	GA085-015	Cappaghnanool	Quarry. Non-archaeological.	722m north of proposed turbines	Very low	T04	No impact	N/A	N/A

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH105	GA085-016	Cappaghnanool	Quarry. Non-archaeological.	709m north of proposed turbines	Very low	T04	No impact	N/A	N/A
AH106	GA085-014001; GA085-014002	Cappaghnanool	Religious house - unclassified; Children's burial ground.	794m north of proposed turbines	High	T04	Indirect	Neutral	Not significant negative
AH107	GA085-029	Clooncah (Kilconnell By.)	Designed landscape feature.	1.4km north of proposed turbines	High	T04	Indirect	Neutral	Not significant negative
AH108	GA085-032	Clooncah (Kilconnell By.)	Designed landscape feature.	1.7km north of proposed turbines	High	T06	Indirect	Neutral	Not significant negative
AH109	GA085-093	Clooncah (Kilconnell By.)	Structure - peatland.	1.9km north of proposed turbines	High	T04	Indirect	Neutral	Not significant negative
AH110	GA085-030	Clooncah (Kilconnell By.)	House - vernacular house.	2.6km north of proposed turbines	High	T04	Indirect	Neutral	Not significant negative
AH111	GA085-031	Clooncah (Kilconnell By.)	Ringfort - unclassified.	2.6km north of proposed turbines	High	T06	Indirect	Neutral	Not significant negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH112	GA072-013; GA072-067	Clooncah (Kilconnell By.), Gortronnagh, Lenareagh	Boundary mound x 2.	2.6km north of proposed turbines	High	T04	Indirect	Neutral	Not significant negative
AH113	GA072-049	Shanballard	Earthwork.	3.3km north of proposed turbines	High	T06	Indirect	Neutral	Not significant negative
AH114	GA072-005	Caltraghbreedy, Shanballard	Boundary mound.	3.5km north of proposed turbines	High	T06	Indirect	Neutral	Not significant negative
AH115	GA072-025	Corskeagh (Daly)	Redundant record	5.0km north-northeast of proposed turbines	Very low	T06	No impact	N/A	N/A
AH116	GA072-035	Gortronnagh	Enclosure.	3.5km north of proposed turbines	High	T04	Indirect	Neutral	Not significant negative
AH117	GA072-045	Lenareagh	Enclosure.	3.0km north of proposed turbines	High	T04	Indirect	Low	Slight negative
AH118	GA072-004	Caltragh (Tiaquin By.)	Enclosure.	2.8km north of proposed turbines	High	T03	Indirect	Low	Slight negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH119	GA072-054; GA072-055	Ballyglass (Tiaquin By.), Sheeaun (Tiaquin By.)	Enclosure; Redundant record.	3.4km north of proposed turbines	High	T03	Indirect	Neutral	Not significant negative
AH120	GA072-071	Sheeaun (Tiaquin By.)	Redundant record	3.9km north of proposed turbines	Very low	T03	No impact	N/A	N/A
AH121	GA072-002	Ballyglass (Tiaquin By.)	Children's burial ground.	4.0km north of proposed turbines	High	T03	Indirect	Neutral	Not significant negative
AH122	GA072-008	Clogh	Children's burial ground.	4.4km northwest of proposed turbines	High	T03	Indirect	Neutral	Not significant negative
AH123	GA072-007; GA072-007001	Clogh	Enclosure; Souterrain.	4.5km northwest of proposed turbines	High	T01	Indirect	Low	Slight negative
AH124	GA072-006	Clogh	Ringfort - unclassified.	4.0km northwest of proposed turbines	High	T01	Indirect	Neutral	Not significant negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH125	GA072-057; GA072-058	Temple	Designed landscape - folly; House - 18th/19th century.	3.0km north of proposed turbines	High	T03	Indirect	Low	Slight negative
AH126	GA085-055001; GA085-055002; GA085-074; GA085-075001; GA085-075002	Gortnalone North, Lenareagh	Boundary mound x 5.	1.7km north of proposed turbines	High	T03	Indirect	Neutral	Not significant negative
AH127	GA085-048	Gortnalone North	Children's burial ground.	2.0km north of proposed turbines	High	T03	Indirect	Low	Slight negative
AH128	GA085-049001 - GA085-049003	Gortnalone North	Enclosure x 2; Mound.	2.0km north of proposed turbines	High	T03	Indirect	Low	Slight negative
AH129	GA085-051	Gortnalone South	Earthwork.	2.2km northwest of proposed turbines	High	T01	Indirect	Neutral	Not significant negative
AH130	GA085-052 - GA085-054	Gortnalone South	Enclosure x 3.	1.7km north-northwest of proposed turbines	High	T03	Indirect	Very low	Not significant negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH131	GA085-071	Laragh	Castle - unclassified.	1.8km southwest of proposed turbines	High	T01	Indirect	Neutral	Not significant negative
AH132	GA085-072; GA085-072001	Laragh	Ringfort - unclassified; Children's burial ground.	1.9km southwest of proposed turbines	High	T01	Indirect	Low	Slight negative
AH133	GA085-076 - GA085-077	Lisduff (Kilconnell By.)	Enclosure x 2.	1.3km southwest of proposed turbines	High	T01	Indirect	Low	Slight negative
AH134	GA085-069	Knockroe (Kilconnell By.)	Mound.	1.5km south-southwest of proposed turbines	High	T02	Indirect	Low	Slight negative
AH135	GA085-058	Killimor	Ritual site - holy well.	945m south of proposed turbines	High	T02	Indirect	Low	Slight negative
AH136	GA085-057	Killimor	Castle - tower house.	813m south of proposed turbines	High	T02	Indirect	Medium	Moderate negative

RECEIVED: 29/09/2020

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH137	GA085-056001 - GA085-056007	Killimor	Church x 2; Graveyard; Architectural fragment; Architectural feature x 2; Bullaun stone.	707m south of proposed turbines	High	T02	Indirect	Medium	Moderate negative
AH138	GA085-070	Knockroe (Kilconnell By.)	Enclosure.	2.0km south of proposed turbines	High	T02	Indirect	Low	Slight negative
AH139	GA085-078001 - GA085-078002	Lisduff (Kilconnell By.)	House - vernacular house x 2.	1.0km southwest of proposed turbines	High	T01	Indirect	Low	Slight negative
AH140	GA084-086; NM No. 642	Kilcorman (Kilconnell By.)	Settlement cluster	7.5km west of proposed turbines	Very high	T01	Indirect	Neutral	Not significant negative
AH141	GA097-152; NM No. 327	Turoe	Stone sculpture - aniconic (not currently present)	6.5km south of proposed turbines	Very high	T08	Indirect	Neutral	Not significant negative
AH142	GA084-001006; NM No. 406	Athenry	Castle - Anglo-Norman masonry castle	9.7km west-southwest of proposed turbines	Very high	T02	Indirect	Neutral	Not significant negative

RECEIVED: 29/09/2025

AH No.	RMP No.	Location	Classification	Distance	Sensitivity of Receptor	Nearest Turbine	Impact type	Magnitude of Impact	Significance of Effect
AH143	GA097-051001; GA097-051002; GA097-051003; GA097-051004	CAHERNAMUC K WEST	Moated site; Bawn; House, Enclosure. Upstanding remains.	9.5km south of proposed turbines	Very high	T08	Indirect	Very low	Slight
AH144	GA097-084001; GA097-084002; GA097-084003	CLOGHAREVA UN	Tower house; Field system; Bawn. Upstanding remains.	5.4km southwest of proposed turbines	Very high	T02	Indirect	Very low	Slight
AH145	GA097-140	RAHERNEEN, CAHERNALEE	Ringfort. Upstanding remains.	6.4km southwest of proposed turbines	Very high	T02	Indirect	Very low	Slight

Table 1-2: Built Heritage

BH No.	RPS No	NIAH	Location	Classification	Distance	Nearest turbine	Status	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
BH1	3747	30408404	Ballydavid Middle, Mountain North	Bridge	Within Proposed Grid Connection	T01	High	High	No impact	N/A	N/A
BH2	146	30408503	Attimonmore South	Bridge	Within Proposed Grid Connection	T01	High	High	Indirect negative	Medium	Moderate
BH3	147	30408505	Cappanasruhaun	Bridge	613m northeast of proposed turbines	T03	High	High	Indirect negative	Medium	Moderate
BH4	3199	30408506	Clooncah (Kilconnell By)	Bridge	1.5km north of proposed turbines	T04	High	High	Indirect negative	Low	Slight
BH5	3200	30408509	Beech Hill, Cloonbenes	Bridge	1.8km east-southeast proposed turbines	T07	High	High	Indirect negative	Low	Slight
BH6	-	30408513	Carrownaglogh, Raford	Bridge	3.4km south of proposed turbines	T02	Medium	Medium	Indirect negative	Low	Slight
BH7	153	30408515	Raford	Bridge	3.2km south of proposed turbines	T02	High	High	Indirect negative	Low	Slight
BH8	3575	30409705	Clogharevaun, Killarriv	Bridge	4.9km south-southwest of proposed turbines	T02	High	High	Indirect negative	Very low	Not significant
BH9	149	-	Streamford	Bridge	830m north of proposed turbines	T07	High	High	Indirect negative	Medium	Moderate

RECEIVED: 23/09/2023

BH No.	RPS No	NIAH	Location	Classification	Distance	Nearest turbine	Status	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
BH10	150	-	Killimor	Church	750m south of proposed turbines	T02	High	High	Indirect negative	Medium	Moderate
BH11	148	-	Clooncah	Church	858m north of proposed turbines	T06	High	High	Indirect negative	Medium	Moderate
BH12	163	-	Knockbrack	Church	4.5km southeast of proposed turbines	T08	High	High	Indirect negative	Very low	Not significant
BH13	258	30409703	Clogharevaun	Church/chapel	4.9km southwest of proposed turbines	T02	High	High	Indirect negative	Very low	Not significant
BH14	3964	-	Cloonkeenmore South	Cottage	3.1km west of proposed turbines	T01	High	High	Indirect negative	Very low	Not significant
BH15	-	30408508	Beech Hill	Country house	1.4km east of proposed turbines	T07	Medium	Medium	Indirect negative	Low	Slight
BH16	151	30408511	Killimor	Country house	825m south of proposed turbines	T02	High	High	Indirect negative	Medium	Moderate
BH17	154	30408514	Raford	Country house	3.3km south of proposed turbines	T02	High	High	Indirect negative	Low	Slight
BH18	3613	30409708	Carrowreagh (Athenry By)	Country house	4.5km south of proposed turbines	T02	High	High	Indirect negative	Low	Slight
BH19	154	30408512	Raford	Farmyard complex	3.3km south of proposed turbines	T02	High	High	Indirect negative	Low	Slight

RECEIVED
29/09/2025

BH No.	RPS No	NIAH	Location	Classification	Distance	Nearest turbine	Status	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
BH20	128	30408402	Castle Ellen	Gate lodge	Immediately west of Proposed Grid Connection	T01	High	High	No impact	N/A	N/A
BH23	127	30408403	Castle Ellen	Gates/railings/walls	Immediately east of Proposed Grid Connection	T01	High	High	No impact	N/A	N/A
BH24	3614	30409709	Carrowreagh (Athenry By)	Gates/railings/walls	4.4km south of proposed turbines	T02	High	High	Indirect negative	Low	Slight
BH27	4015	30408501	Attimonbeg	House	1.2km northwest of proposed turbines	T01	High	High	Indirect negative	Low	Slight
BH30	161	30408603	Woodlawn	House	4.9km northeast of proposed turbines	T07	High	High	Indirect negative	Very low	Not significant
BH33	145	30408504	Attimonmore South	Railway station	785m northwest of proposed turbines	T01	High	High	Indirect negative	Medium	Moderate
BH34	-	30407210	Temple	School	3.4km north of proposed turbines	T03	Medium	Medium	Indirect negative	Very low	Imperceptible
BH35	3134	30407212	Shanballard	School	3.2km north of proposed turbines	T06	High	High	Indirect negative	Very low	Not significant
BH36	155	-	Carnakelly South	Site of Carnakelly House	4.1km southwest of proposed turbines	T02	High	High	Indirect	Very low	Not significant

RECEIVED
29/09/2023

BH No.	RPS No	NIAH	Location	Classification	Distance	Nearest turbine	Status	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
BH37	-	30408602	Woodlawn	Stables	4.9km northeast of proposed turbines	T07	Medium	Medium	Indirect	Very low	Imperceptible
BH38	-	30408601	Woodlawn	Steward's house	4.9km northeast of proposed turbines	T07	Medium	Medium	Indirect	Very low	Imperceptible
BH39	152	-	Raford	Water mill	3.2km south of proposed turbines	T02	High	High	Indirect	Low	Slight
BH40	-	30408502	Attimonmore South	Water pump	Immediately east of Proposed Grid Connection	T01	Medium	Medium	Indirect	Medium	Moderate

RECEIVED 29/09/2023

Table 1-3: Designed Landscapes

DL No	NIAH Garden ID	Name	Townland	Distance	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
DL1	N/A	Carnakelly	Carnakelly South	3.9km southwest of proposed turbines	T02	Low	Indirect	Very low	Imperceptible
DL2	N/A	Kiltullagh	Kiltullagh North	4.5km southwest of proposed turbines	T02	Low	Indirect	Very low	Imperceptible
DL3	GA5372	Raford	Raford	2.9km south of proposed turbines	T02	Medium	Indirect	Low	Slight
DL4	GA5329	Killimor	Killimor	480m south of proposed turbines	T02	Low	Indirect	Medium	Slight
DL5	N/A	Beech Hill	Beech Hill/ Streamsford	890m east of proposed turbines	T07	Low	Indirect	Low	Not significant
DL6	N/A	Clooncah	Clooncah/ Streamsford	688m north-northeast of proposed turbines	T07	Low	Indirect	Low	Not significant
DL7	N/A	Caraun More	Caraun More	3.7km south-southeast of	T08	Low	Indirect	Low	Not significant

RECEIVED 29/09/2025

DL No	NIAH Garden ID	Name	Townland	Distance	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
				proposed turbines					
DL8	N/A	Castlelambert	Castlelambert	Proposed Grid Connection passes through DL8 along L7108	T01	Low	Indirect	Very low	Imperceptible
DL9	GA5261	Castle Ellen	Castle Ellen	Immediately east of proposed Grid Connection	T01	High	Indirect	Very low	Not significant
DL10	GA5314	Graig Abbey	Graigabbey South	Immediately south of proposed Grid Connection	T01	Medium	Indirect	Very low	Imperceptible
DL11	N/A	Attymon demesne	Attimonbeg	Immediately north of proposed Grid Connection	T01	Low	Indirect	Medium	Slight

RECEIVED: 29/09/2025

Table 1-4: Cultural Heritage

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
CH1	Castlelambert	Immediately west of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH2	Carnaun	Immediately north of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH3	Pollagh	Immediately south of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH4	Ballydavid Middle	Immediately north of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH5	Carrowntober East	Immediately north of Proposed Grid Connection	T01	Low	No impact	N/A	N/A

RECEIVED 29/09/2025

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
CH6	Graigabbey	Immediately south of Proposed Grid Connection	T01	Medium	No impact	N/A	N/A
CH7	Binn	Immediately north of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH8	Binn	Immediately north of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH9	Lisdoran	Immediately north of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH10	Toorkeel	Immediately south of Proposed Grid Connection	T01	Low	No impact	N/A	N/A

RECEIVED 29/09/2025

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
CH11	Cloonkeenbeg	Immediately south of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH12	Ballynanulty	Immediately south of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH13	Ballynanulty	Immediately south of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH14	Ballynanulty	Immediately north of Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH15	Gortnalone North	1.9km north of proposed turbines	T03	Low	Indirect impact	Low	Not significant
CH16	Cappanasruhaun	1.1km north of proposed turbines	T03	Low	Indirect impact	Low	Not significant

RECEIVED 29/09/2025

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
CH17	Cappanasruhaun	1.0km north of proposed turbines	T03	Low	Indirect impact	Low	Not significant
CH18	Attimonmore South	Passes through Proposed Wind Farm (i.e., crosses proposed new road from the proposed onsite 38kV substation to the new proposed site entrance) and Proposed Grid Connection	T01	Low	Direct impact	Low	Not significant
CH19	Attimonbeg	Immediately north of Proposed Grid Connection	T01	Medium	No impact	N/A	N/A
CH20	Attimonbeg	1.0km north-northwest of	T01	Low	Indirect impact	Low	Not significant

RECEIVED 29/09/2025

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
		proposed turbines					
CH21	Cappanasruhaun	702m north of proposed turbines	T01	Low	Indirect impact	Low	Not significant
CH22	Attimonmore South	1.1km west of proposed turbines	T01	Low	Indirect impact	Low	Not significant
CH23	Knockroe	1.7km south of proposed turbines	T02	Low	Indirect impact	Low	Not significant
CH24	Knockroe	1.5km south of proposed turbines	T02	Low	Indirect impact	Low	Not significant
CH25	Knockroe	1.7km southeast of proposed turbines	T02	Low	Indirect impact	Low	Not significant
CH26	Cappaghnanool	606m north-northwest of proposed turbines	T04	Low	Indirect impact	Medium	Slight
CH27	Cappaghnanool	727m north of proposed turbines	T04	Low	Indirect impact	Medium	Slight

RECEIVED 29/09/2025

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
CH28	Cappanasruhaun	780m northeast of proposed turbines	T03	Low	Indirect impact	Medium	Slight
CH29	Cappanasruhaun	724m northeast of proposed turbines	T03	Low	Indirect impact	Medium	Slight
CH30	Cappanasruhaun	818m northeast of proposed turbines	T03	Low	Indirect impact	Medium	Slight
CH31	Dooghcloon	1.9km north of proposed turbines	T07	Low	Indirect impact	Low	Not significant
CH32	Clooncah	888m north of proposed turbines	T07	Medium	Indirect impact	Medium	Slight
CH33	Beech Hill	380m east of proposed turbines	T07	Low	Indirect impact	High	Moderate
CH34	Beech Hill	417m northeast of proposed turbines	T07	Low	Indirect impact	High	Moderate

RECEIVED 29/09/2025

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
CH35	Streamford	828m north-northeast of proposed turbines	T07	Low	Indirect impact	Medium	Slight
CH36	Beech Hill	1.7km northeast of proposed turbines	T07	Low	Indirect impact	Low	Not significant
CH37	Streamford	1.9km northeast of proposed turbines	T07	Low	Indirect impact	Low	Not significant
CH38	Streamford	1.8km northeast of proposed turbines	T07	Low	Indirect impact	Low	Not significant
CH39	Streamford	1.5km northeast of proposed turbines	T07	Low	Indirect impact	Low	Not significant
CH40	Derrynamanagh	1.1km southeast of proposed turbines	T07	Low	Indirect impact	Low	Not significant

RECEIVED 29/09/2025

CH No	Townland	Distance from development	Nearest Turbine	Sensitivity of Receptor	Impact type	Magnitude of Impact	Significance of Effect
CH41	Cloonsheecahill	1.6km south-southeast of proposed turbines	T08	Low	Indirect impact	Low	Not significant
CH42	Cloonsheecahill	1.6km south of proposed turbines	T08	Low	Indirect impact	Low	Not significant
CH43	Ballydavid Middle/Mountain North	Passes through Proposed Grid Connection	T01	Low	No impact	N/A	N/A
CH44	Gannow	Within the Proposed Wind Farm (i.e., proposed new road between T05 and T06 crosses location of CH44)	T05	Low	Direct impact	Medium	Slight

RECEIVED 29/09/2025