

RECEIVED: 29/09/2025



APPENDIX 12-7

PREDICTED NOISE LEVELS

APPENDIX 12-7 PREDICTED NOISE LEVELS

Table 12-7-1 presents the highest predicted noise levels among the scenarios for each NSL and windspeed, as discussed in Appendix 12-2.

Table 12-7-1. Predicted Noise Level at Noise-sensitive locations

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H001	Predicted	32.6	34.2	38.8	42.8	44.0	44.2	44.2
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--
H002	Predicted	28.7	30.3	34.9	38.2	40.2	40.3	40.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H003	Predicted	26.7	28.3	32.8	36.1	38.2	38.3	38.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H004	Predicted	26.2	27.9	32.4	35.6	37.7	37.8	37.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H005	Predicted	26.8	28.4	33.0	36.2	38.3	38.4	38.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H006	Predicted	27.8	29.5	34.0	37.3	39.3	39.4	39.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H007	Predicted	28.1	29.7	34.3	37.6	39.6	39.7	39.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H008	Predicted	28.3	29.9	34.5	37.8	39.8	39.9	39.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H009	Predicted	27.5	29.1	33.7	36.9	39.0	39.1	39.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H010	Predicted	28.8	30.4	35.0	38.3	40.3	40.4	40.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H011	Predicted	29.9	31.5	36.1	39.4	41.4	41.5	41.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H012	Predicted	29.7	31.4	36.0	39.3	41.2	41.3	41.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H013	Predicted	29.8	31.4	36.0	39.3	41.3	41.4	41.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H014	Predicted	29.7	31.3	35.9	39.2	41.2	41.3	41.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H015	Predicted	30.2	31.9	36.5	39.8	41.7	41.8	41.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H016	Predicted	30.0	31.6	36.2	39.5	41.5	41.6	41.6
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--
H017	Predicted	29.7	31.4	36.0	39.3	41.2	41.3	41.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H018	Predicted	30.2	31.8	36.4	39.7	41.7	41.8	41.8
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--
H019	Predicted	29.8	31.5	36.0	39.4	41.3	41.4	41.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H020	Predicted	29.7	31.3	35.9	39.2	41.2	41.3	41.3
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H021	Predicted	29.9	31.5	36.1	39.4	41.4	41.5	41.5
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--
H022	Predicted	29.6	31.3	35.9	39.2	41.2	41.2	41.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H023	Predicted	28.5	30.1	34.7	38.0	40.0	40.1	40.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H024	Predicted	28.1	29.8	34.3	37.6	39.6	39.7	39.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H025	Predicted	28.0	29.6	34.1	37.4	39.5	39.6	39.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H026	Predicted	27.2	28.9	33.4	36.6	38.7	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H027	Predicted	27.2	28.8	33.3	36.6	38.7	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H028	Predicted	28.0	29.6	34.1	37.4	39.5	39.6	39.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H029	Predicted	28.6	30.2	34.8	38.1	40.1	40.2	40.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H030	Predicted	31.6	33.2	37.9	41.9	43.1	43.2	43.2
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H031	Predicted	31.9	33.5	38.2	42.2	43.4	43.5	43.5
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--
H032	Predicted	31.5	33.1	37.7	41.6	43.0	43.1	43.1
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--
H033	Predicted	27.8	29.4	34.0	37.3	39.3	39.4	39.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H034	Predicted	26.2	27.8	32.3	35.5	37.7	37.8	37.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H035	Predicted	27.1	28.7	33.3	36.6	38.6	38.7	38.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H036	Predicted	27.2	28.8	33.4	36.7	38.7	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H037	Predicted	27.0	28.6	33.2	36.5	38.5	38.6	38.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H038	Predicted	27.3	29.0	33.5	36.8	38.8	38.9	38.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H039	Predicted	27.4	29.0	33.6	36.9	38.9	39.0	39.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H040	Predicted	27.5	29.1	33.7	37.0	39.0	39.1	39.1
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	45	45	45	45	45	45	45
	Night-time Excess	--	--	--	--	--	--	--
H041	Predicted	28.1	29.7	34.3	37.7	39.6	39.7	39.7

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.0	29.6	34.2	37.6	39.5	39.6	39.6
H042	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	28.0	29.6	34.2	37.5	39.4	39.6	39.6
H043	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.4	29.0	33.6	36.9	38.9	39.0	39.0
H044	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.2	28.8	33.4	36.7	38.7	38.8	38.8
H045	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.8	29.4	34.0	37.3	39.3	39.4	39.4
H046	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.0	28.6	33.2	36.5	38.5	38.6	38.6
H047	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.8	28.4	33.0	36.2	38.3	38.4	38.4
H048	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.5	28.1	32.7	35.9	38.0	38.1	38.1
H049	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.6	28.2	32.8	36.1	38.1	38.2	38.2
H050	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.9	28.5	33.1	36.4	38.4	38.5	38.5
H051	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H052	Predicted	27.3	28.9	33.4	36.8	38.8	38.9	38.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H053	Predicted	28.5	30.1	34.7	38.0	40.0	40.1	40.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H054	Predicted	28.4	30.0	34.6	37.9	39.9	40.0	40.0
	Daytime Criterion	45	45	45	45	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H055	Predicted	27.1	28.8	33.3	36.6	38.6	38.7	38.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H056	Predicted	26.9	28.5	33.0	36.3	38.4	38.5	38.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H057	Predicted	26.2	27.9	32.4	35.6	37.7	37.8	37.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H058	Predicted	27.2	28.8	33.4	36.6	38.7	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H059	Predicted	28.9	30.6	35.1	38.4	40.4	40.5	40.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H060	Predicted	28.7	30.3	34.8	38.1	40.2	40.3	40.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H061	Predicted	25.6	27.2	31.7	34.9	37.1	37.2	37.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H062	Predicted	22.7	24.2	28.7	31.7	34.2	34.3	34.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H063	Predicted	29.6	31.2	35.8	39.1	41.0	41.2	41.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H064	Predicted	22.8	24.4	28.8	31.8	34.3	34.4	34.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H065	Predicted	25.2	26.8	31.2	34.4	36.6	36.8	36.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H066	Predicted	25.1	26.7	31.2	34.3	36.6	36.7	36.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H067	Predicted	24.7	26.3	30.7	33.9	36.2	36.3	36.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H068	Predicted	25.7	27.3	31.8	34.9	37.2	37.3	37.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H069	Predicted	25.9	27.5	32.0	35.2	37.4	37.5	37.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H070	Predicted	25.7	27.3	31.8	35.0	37.2	37.3	37.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H071	Predicted	26.0	27.6	32.1	35.3	37.5	37.6	37.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H072	Predicted	27.3	29.0	33.5	36.8	38.8	38.9	38.9
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H073	Predicted	27.2	28.8	33.3	36.6	38.6	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H074	Predicted	26.7	28.3	32.8	36.1	38.2	38.3	38.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H075	Predicted	26.2	27.9	32.4	35.6	37.7	37.8	37.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H076	Predicted	26.5	28.1	32.6	35.9	38.0	38.1	38.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H077	Predicted	26.3	27.9	32.4	35.7	37.8	37.9	37.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H078	Predicted	26.2	27.8	32.4	35.6	37.7	37.8	37.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H079	Predicted	26.0	27.6	32.2	35.4	37.5	37.6	37.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H080	Predicted	24.3	25.9	30.4	33.5	35.8	35.9	35.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H081	Predicted	23.4	25.0	29.4	32.5	34.9	35.0	35.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H082	Predicted	24.7	26.3	30.7	33.9	36.2	36.3	36.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H083	Predicted	24.4	26.0	30.5	33.7	36.0	36.0	36.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H084	Predicted	23.1	24.7	29.1	32.2	34.6	34.7	34.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H085	Predicted	23.0	24.5	29.0	32.0	34.4	34.6	34.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H086	Predicted	22.5	24.1	28.5	31.5	34.0	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H087	Predicted	24.4	26.0	30.5	33.7	36.0	36.0	36.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H088	Predicted	25.8	27.4	32.0	35.2	37.3	37.4	37.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H089	Predicted	24.4	26.0	30.5	33.6	35.9	36.0	36.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H090	Predicted	23.9	25.4	29.9	33.0	35.4	35.5	35.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H091	Predicted	24.2	25.8	30.3	33.5	35.8	35.8	35.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H092	Predicted	23.3	24.9	29.3	32.4	34.8	34.9	34.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H093	Predicted	23.2	24.8	29.2	32.3	34.7	34.8	34.8

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.4	24.9	29.4	32.5	34.9	35.0	35.0
H094	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.0	24.6	29.0	32.1	34.5	34.6	34.6
H095	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	26.9	28.5	33.1	36.3	38.4	38.5	38.5
H096	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.3	24.9	29.3	32.4	34.8	34.9	34.9
H097	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.3	25.9	30.4	33.5	35.8	35.9	35.9
H098	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.3	25.9	30.4	33.5	35.8	35.9	35.9
H099	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.5	26.1	30.6	33.7	36.0	36.1	36.1
H100	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.6	26.2	30.6	33.8	36.1	36.2	36.2
H101	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.8	26.4	30.8	34.0	36.3	36.4	36.4
H102	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.3	26.9	31.4	34.6	36.8	36.9	36.9
H103	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H104	Predicted	24.0	25.6	30.1	33.2	35.6	35.6	35.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H105	Predicted	24.1	25.7	30.1	33.2	35.6	35.7	35.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H106	Predicted	23.0	24.6	29.0	32.0	34.5	34.6	34.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H107	Predicted	23.4	25.0	29.4	32.5	34.9	35.0	35.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H108	Predicted	23.0	24.6	29.0	32.0	34.5	34.6	34.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H109	Predicted	22.7	24.3	28.7	31.6	34.2	34.3	34.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H110	Predicted	22.7	24.2	28.7	31.6	34.2	34.3	34.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H111	Predicted	22.8	24.3	28.8	31.7	34.3	34.4	34.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H112	Predicted	23.4	25.0	29.4	32.4	34.9	35.0	35.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H113	Predicted	23.6	25.2	29.6	32.7	35.2	35.2	35.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H114	Predicted	23.8	25.4	29.8	32.9	35.3	35.4	35.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H115	Predicted	24.1	25.7	30.1	33.2	35.6	35.7	35.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H116	Predicted	24.0	25.6	30.0	33.1	35.5	35.6	35.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H117	Predicted	26.1	27.7	32.2	35.3	37.6	37.7	37.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H118	Predicted	27.4	29.0	33.5	36.7	38.9	39.0	39.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H119	Predicted	27.6	29.2	33.7	36.9	39.1	39.2	39.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H120	Predicted	22.9	24.4	28.9	31.8	34.4	34.5	34.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H121	Predicted	23.0	24.6	29.0	32.0	34.5	34.6	34.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H122	Predicted	23.4	24.9	29.4	32.4	34.9	35.0	35.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H123	Predicted	22.9	24.4	28.9	31.8	34.4	34.5	34.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H124	Predicted	22.5	24.0	28.5	31.4	34.0	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.7	24.2	28.7	31.6	34.2	34.3	34.3
H125	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.8	24.4	28.8	31.8	34.3	34.4	34.4
H126	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.9	25.5	29.9	33.0	35.4	35.5	35.5
H127	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.1	25.7	30.1	33.2	35.6	35.7	35.7
H128	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.8	25.4	29.8	32.8	35.3	35.4	35.4
H129	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.0	25.6	30.0	33.1	35.5	35.6	35.6
H130	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.8	25.3	29.8	32.8	35.3	35.4	35.4
H131	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.7	25.3	29.7	32.7	35.2	35.3	35.3
H132	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.5	25.1	29.5	32.5	35.0	35.1	35.1
H133	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	25.6	27.2	31.7	34.8	37.1	37.2	37.2
H134	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H135	Predicted	24.6	26.2	30.6	33.7	36.1	36.2	36.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H136	Predicted	20.1	21.6	26.1	28.8	31.6	31.7	31.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H137	Predicted	20.8	22.3	26.8	29.5	32.3	32.4	32.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H138	Predicted	22.9	24.5	28.9	31.9	34.4	34.5	34.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H139	Predicted	21.6	23.2	27.6	30.5	33.1	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H140	Predicted	21.0	22.5	27.0	29.8	32.5	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H141	Predicted	22.2	23.8	28.2	31.1	33.8	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H142	Predicted	23.2	24.8	29.2	32.2	34.7	34.8	34.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H143	Predicted	24.0	25.6	30.0	33.0	35.5	35.6	35.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H144	Predicted	21.1	22.6	27.1	29.8	32.6	32.7	32.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H145	Predicted	21.0	22.5	27.0	29.8	32.5	32.6	32.6

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.2	22.7	27.2	30.0	32.7	32.8	32.8
H146	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.3	22.8	27.3	30.1	32.8	32.9	32.9
H147	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.2	23.7	28.2	31.1	33.6	33.8	33.8
H148	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.2	24.8	29.2	32.3	34.8	34.8	34.8
H149	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	20.3	21.8	26.3	29.0	31.8	31.9	31.9
H150	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.4	24.0	28.4	31.4	33.9	34.0	34.0
H151	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.3	23.9	28.3	31.3	33.8	33.9	33.9
H152	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.2	23.8	28.2	31.2	33.7	33.8	33.8
H153	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.8	23.3	27.8	30.7	33.3	33.4	33.4
H154	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.6	23.1	27.6	30.5	33.1	33.2	33.2
H155	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H156	Predicted	22.5	24.0	28.5	31.5	34.0	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H157	Predicted	22.4	23.9	28.4	31.4	33.9	34.0	34.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H158	Predicted	22.0	23.5	28.0	30.9	33.4	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H159	Predicted	22.2	23.7	28.2	31.1	33.6	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H160	Predicted	22.1	23.6	28.1	31.0	33.6	33.7	33.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H161	Predicted	21.8	23.3	27.8	30.8	33.3	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H162	Predicted	21.7	23.2	27.7	30.6	33.2	33.3	33.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H163	Predicted	21.6	23.2	27.6	30.6	33.2	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H164	Predicted	21.1	22.6	27.1	30.0	32.6	32.7	32.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H165	Predicted	22.1	23.6	28.1	31.0	33.6	33.7	33.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H166	Predicted	21.8	23.3	27.8	30.7	33.3	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H167	Predicted	22.2	23.8	28.2	31.2	33.7	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H168	Predicted	21.8	23.4	27.8	30.8	33.4	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H169	Predicted	21.8	23.3	27.8	30.7	33.3	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H170	Predicted	21.9	23.4	27.9	30.8	33.4	33.5	33.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H171	Predicted	22.0	23.6	28.0	31.0	33.6	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H172	Predicted	22.5	24.1	28.5	31.5	34.0	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H173	Predicted	22.0	23.6	28.0	31.0	33.5	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H174	Predicted	22.1	23.7	28.1	31.1	33.6	33.7	33.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H175	Predicted	22.2	23.7	28.2	31.2	33.7	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H176	Predicted	22.4	23.9	28.4	31.4	33.9	34.0	34.0
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H177	Predicted	22.8	24.3	28.8	31.8	34.3	34.4	34.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H178	Predicted	22.2	23.8	28.2	31.2	33.8	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H179	Predicted	20.4	22.0	26.4	29.2	32.0	32.0	32.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H180	Predicted	20.3	21.8	26.3	29.0	31.8	31.9	31.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H181	Predicted	22.9	24.5	28.9	32.0	34.4	34.5	34.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H182	Predicted	22.9	24.4	28.9	31.9	34.4	34.5	34.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H183	Predicted	21.2	22.7	27.2	30.0	32.7	32.8	32.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H184	Predicted	21.0	22.4	27.0	29.7	32.4	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H185	Predicted	20.9	22.4	26.9	29.6	32.4	32.5	32.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H186	Predicted	20.8	22.3	26.8	29.5	32.3	32.4	32.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H187	Predicted	20.7	22.2	26.7	29.4	32.2	32.3	32.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H188	Predicted	20.5	22.0	26.5	29.2	32.0	32.1	32.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H189	Predicted	22.4	24.0	28.4	31.3	34.0	34.0	34.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H190	Predicted	22.3	23.8	28.3	31.2	33.8	33.9	33.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H191	Predicted	22.2	23.7	28.2	31.0	33.7	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H192	Predicted	22.1	23.6	28.1	31.0	33.6	33.7	33.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H193	Predicted	22.0	23.6	28.0	30.9	33.6	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H194	Predicted	22.0	23.5	28.0	30.8	33.4	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H195	Predicted	21.8	23.3	27.8	30.5	33.2	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H196	Predicted	21.2	22.7	27.2	29.9	32.7	32.8	32.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H197	Predicted	20.8	22.3	26.8	29.5	32.3	32.4	32.4

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.7	23.2	27.7	30.5	33.2	33.3	33.3
H198	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.8	24.3	28.8	31.6	34.3	34.4	34.4
H199	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.9	24.4	28.9	31.8	34.4	34.5	34.5
H200	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.8	24.4	28.8	31.8	34.3	34.4	34.4
H201	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.8	24.3	28.8	31.7	34.3	34.4	34.4
H202	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.6	24.2	28.6	31.5	34.2	34.2	34.2
H203	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.7	24.2	28.7	31.6	34.2	34.3	34.3
H204	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.5	24.0	28.5	31.4	34.0	34.1	34.1
H205	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.5	24.1	28.5	31.4	34.0	34.1	34.1
H206	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.5	24.1	28.5	31.4	34.0	34.1	34.1
H207	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H208	Predicted	22.5	24.1	28.5	31.4	34.0	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H209	Predicted	22.6	24.1	28.6	31.4	34.0	34.2	34.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H210	Predicted	22.5	24.0	28.5	31.4	34.0	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H211	Predicted	22.4	23.9	28.4	31.2	33.9	34.0	34.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H212	Predicted	22.3	23.8	28.3	31.2	33.8	33.9	33.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H213	Predicted	20.8	22.3	26.8	29.5	32.3	32.4	32.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H214	Predicted	20.8	22.3	26.8	29.6	32.3	32.4	32.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H215	Predicted	20.6	22.1	26.6	29.3	32.1	32.2	32.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H216	Predicted	21.6	23.1	27.6	30.4	33.1	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H217	Predicted	21.5	23.0	27.5	30.3	33.0	33.1	33.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H218	Predicted	22.7	24.2	28.7	31.6	34.2	34.3	34.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H219	Predicted	22.4	24.0	28.4	31.3	33.9	34.0	34.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H220	Predicted	22.5	24.0	28.5	31.4	34.0	34.1	34.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H221	Predicted	22.0	23.5	28.0	30.8	33.4	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H222	Predicted	22.0	23.5	28.0	30.8	33.5	33.6	33.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H223	Predicted	21.8	23.3	27.8	30.6	33.2	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H224	Predicted	20.5	22.0	26.5	29.2	32.0	32.1	32.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H225	Predicted	19.3	20.8	25.3	28.0	30.8	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H226	Predicted	19.0	20.5	25.0	27.6	30.5	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H227	Predicted	25.0	26.6	31.1	34.2	36.5	36.6	36.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H228	Predicted	18.6	20.1	24.6	27.1	30.1	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H229	Predicted	20.0	21.5	26.0	28.6	31.5	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H230	Predicted	20.2	21.7	26.2	28.8	31.7	31.8	31.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H231	Predicted	20.1	21.6	26.1	28.8	31.6	31.7	31.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H232	Predicted	20.5	22.0	26.5	29.1	32.0	32.1	32.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H233	Predicted	20.4	21.9	26.4	29.0	31.9	32.0	32.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H234	Predicted	19.7	21.2	25.7	28.2	31.2	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H235	Predicted	21.8	23.4	27.8	30.6	33.3	33.4	33.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H236	Predicted	21.0	22.5	27.0	29.7	32.5	32.6	32.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H237	Predicted	19.4	20.9	25.4	27.9	30.9	31.0	31.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H238	Predicted	19.6	21.1	25.6	28.2	31.1	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H239	Predicted	20.7	22.2	26.7	29.5	32.2	32.3	32.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H240	Predicted	19.1	20.6	25.1	27.6	30.6	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H241	Predicted	19.3	20.8	25.3	27.9	30.8	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H242	Predicted	19.6	21.0	25.6	28.2	31.0	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H243	Predicted	18.9	20.4	24.9	27.5	30.4	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H244	Predicted	17.8	19.3	23.8	26.2	29.3	29.4	29.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H245	Predicted	18.0	19.5	24.0	26.5	29.5	29.6	29.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H246	Predicted	17.3	18.8	23.3	25.7	28.8	28.9	28.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H247	Predicted	19.9	21.4	25.9	28.5	31.4	31.5	31.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H248	Predicted	19.7	21.2	25.7	28.4	31.2	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H249	Predicted	19.5	21.0	25.5	28.1	31.0	31.1	31.1

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.1	20.6	25.1	27.7	30.6	30.7	30.7
H250	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.1	19.6	24.1	26.6	29.6	29.7	29.7
H251	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.0	19.5	24.0	26.5	29.5	29.6	29.6
H252	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.0	19.5	24.0	26.5	29.5	29.6	29.6
H253	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.3	19.8	24.3	26.8	29.8	29.9	29.9
H254	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.2	19.7	24.2	26.6	29.7	29.8	29.8
H255	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.7	20.2	24.7	27.1	30.2	30.3	30.3
H256	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.0	20.5	25.0	27.5	30.5	30.6	30.6
H257	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.3	20.8	25.3	27.8	30.8	30.9	30.9
H258	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	20.1	21.6	26.1	28.7	31.6	31.7	31.7
H259	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H260	Predicted	20.0	21.5	26.0	28.6	31.5	31.6	31.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H261	Predicted	19.0	20.5	25.0	27.4	30.5	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H262	Predicted	18.8	20.3	24.8	27.2	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H263	Predicted	18.9	20.4	24.9	27.3	30.4	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H264	Predicted	19.0	20.5	25.0	27.4	30.5	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H265	Predicted	19.0	20.5	25.0	27.4	30.5	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H266	Predicted	19.2	20.8	25.2	27.7	30.8	30.8	30.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H267	Predicted	19.2	20.7	25.2	27.7	30.7	30.8	30.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H268	Predicted	19.0	20.4	25.0	27.4	30.4	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H269	Predicted	18.6	20.1	24.6	27.1	30.1	30.2	30.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H270	Predicted	20.1	21.6	26.1	28.7	31.6	31.7	31.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H271	Predicted	19.6	21.1	25.6	28.1	31.1	31.2	31.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H272	Predicted	19.4	20.9	25.4	28.0	30.9	31.0	31.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H273	Predicted	19.3	20.8	25.3	27.8	30.8	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H274	Predicted	18.8	20.3	24.8	27.2	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H275	Predicted	19.4	20.9	25.4	27.9	30.9	31.0	31.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H276	Predicted	19.1	20.6	25.1	27.6	30.6	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H277	Predicted	19.1	20.6	25.1	27.6	30.6	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H278	Predicted	18.8	20.3	24.8	27.3	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H279	Predicted	18.8	20.3	24.8	27.2	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H280	Predicted	18.5	20.0	24.5	26.9	30.0	30.1	30.1
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H281	Predicted	19.1	20.6	25.1	27.6	30.6	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H282	Predicted	19.0	20.4	25.0	27.4	30.4	30.6	30.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H283	Predicted	18.9	20.4	24.9	27.4	30.4	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H284	Predicted	18.9	20.4	24.9	27.4	30.4	30.5	30.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H285	Predicted	18.8	20.3	24.8	27.3	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H286	Predicted	18.8	20.3	24.8	27.2	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H287	Predicted	18.7	20.2	24.7	27.2	30.2	30.3	30.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H288	Predicted	17.2	18.7	23.2	25.6	28.7	28.8	28.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H289	Predicted	25.3	26.9	31.3	34.5	36.8	36.9	36.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H290	Predicted	25.1	26.7	31.1	34.3	36.6	36.7	36.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H291	Predicted	26.2	27.8	32.3	35.6	37.7	37.8	37.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H292	Predicted	25.3	26.9	31.4	34.6	36.8	36.9	36.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H293	Predicted	26.8	28.4	33.0	36.3	38.3	38.4	38.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H294	Predicted	23.6	25.2	29.6	32.7	35.1	35.2	35.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H295	Predicted	27.2	28.8	33.3	36.6	38.6	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H296	Predicted	18.8	20.3	24.8	27.2	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H297	Predicted	24.6	26.2	30.6	33.8	36.0	36.2	36.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H298	Predicted	23.3	24.8	29.3	32.4	34.8	34.9	34.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H299	Predicted	22.8	24.4	28.8	31.8	34.4	34.4	34.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H300	Predicted	21.5	23.0	27.5	30.4	33.0	33.1	33.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H301	Predicted	21.4	22.9	27.4	30.2	32.9	33.0	33.0

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.9	23.4	27.9	30.7	33.4	33.5	33.5
H302	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	19.2	20.6	25.2	27.6	30.6	30.8	30.8
H303	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	17.4	18.9	23.4	25.8	28.9	29.0	29.0
H304	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.7	20.2	24.7	27.1	30.2	30.3	30.3
H305	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	18.6	20.0	24.6	27.0	30.0	30.2	30.2
H306	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	21.2	22.7	27.2	30.0	32.7	32.8	32.8
H307	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	22.9	24.4	28.9	31.8	34.4	34.5	34.5
H308	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	23.0	24.6	29.0	31.9	34.5	34.6	34.6
H309	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	27.2	28.8	33.3	36.4	38.7	38.8	38.8
H310	Daytime Criterion	45	45	45	45	45	45	45.3
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
	Predicted	24.5	26.1	30.5	33.6	36.0	36.1	36.1
H311	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H312	Predicted	24.3	25.9	30.3	33.4	35.8	35.9	35.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H313	Predicted	24.1	25.7	30.1	33.1	35.6	35.7	35.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H314	Predicted	24.6	26.2	30.6	33.7	36.1	36.2	36.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H315	Predicted	24.3	25.9	30.3	33.4	35.8	35.9	35.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H316	Predicted	27.8	29.4	34.0	37.3	39.3	39.4	39.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H317	Predicted	28.5	30.2	34.7	38.0	40.0	40.1	40.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H318	Predicted	23.4	25.0	29.4	32.4	34.9	35.0	35.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H319	Predicted	26.6	28.2	32.7	36.0	38.1	38.2	38.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H320	Predicted	28.1	29.8	34.4	37.7	39.6	39.7	39.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H321	Predicted	27.7	29.3	33.9	37.1	39.2	39.3	39.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
H322	Predicted	29.3	30.9	35.5	38.8	40.8	40.9	40.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H323	Predicted	26.4	28.0	32.5	35.8	37.9	38.0	38.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H324	Predicted	22.4	23.9	28.4	31.3	33.9	34.0	34.0
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H325	Predicted	19.7	21.2	25.7	28.3	31.2	31.3	31.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H326	Predicted	19.3	20.8	25.3	27.8	30.8	30.9	30.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H327	Predicted	18.8	20.3	24.8	27.3	30.3	30.4	30.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H328	Predicted	19.1	20.6	25.1	27.6	30.6	30.7	30.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H329	Predicted	27.2	28.9	33.4	36.7	38.7	38.8	38.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H330	Predicted	20.6	22.2	26.6	29.4	32.2	32.2	32.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H331	Predicted	22.8	24.3	28.8	31.7	34.3	34.4	34.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H332	Predicted	27.1	28.8	33.3	36.6	38.6	38.7	38.7
	Daytime Criterion	40	40	40	40	45	45	45

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H333	Predicted	23.6	25.1	29.6	32.6	35.1	35.2	35.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H334	Predicted	23.3	24.9	29.3	32.3	34.8	34.9	34.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H335	Predicted	22.3	23.8	28.3	31.1	33.8	33.9	33.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H336	Predicted	21.6	23.1	27.6	30.4	33.1	33.2	33.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H337	Predicted	22.7	24.2	28.7	31.6	34.2	34.3	34.3
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H338	Predicted	23.1	24.7	29.1	32.1	34.6	34.7	34.7
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H339	Predicted	22.2	23.8	28.2	31.1	33.8	33.8	33.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H340	Predicted	23.2	24.7	29.2	32.2	34.7	34.8	34.8
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H341	Predicted	23.0	24.5	29.0	31.9	34.5	34.6	34.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H342	Predicted	25.6	27.2	31.7	34.8	37.1	37.2	37.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43

House	Parameter	Predicted Noise Level, dB LA90 at wind speed m/s at standardised 10m height						
		3	4	5	6	7	8	9
	Night-time Excess	--	--	--	--	--	--	--
H343	Predicted	22.3	23.8	28.3	31.2	33.8	33.9	33.9
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H344	Predicted	20.9	22.4	26.9	29.6	32.4	32.5	32.5
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H345	Predicted	26.8	28.4	33.0	36.2	38.3	38.4	38.4
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H346	Predicted	29.6	31.2	35.8	39.3	41.0	41.2	41.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H347	Predicted	20.6	22.2	26.6	29.4	32.2	32.2	32.2
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H348	Predicted	27.5	29.1	33.7	37.0	39.0	39.1	39.1
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--
H349	Predicted	29.0	30.6	35.2	38.6	40.4	40.6	40.6
	Daytime Criterion	40	40	40	40	45	45	45
	Daytime Excess	--	--	--	--	--	--	--
	Night-time Criterion	43	43	43	43	43	43	43
	Night-time Excess	--	--	--	--	--	--	--