

## 11. CLIMATE

### 11.1 Introduction

This chapter identifies, describes, and assesses the potential significant direct and indirect effects on climate arising from the construction, operation and decommissioning of the Proposed Development and has been completed in accordance with the EIA guidance and legislation set out in Chapter 1 (Introduction). The full description of the Proposed Development is detailed in Chapter 4 (Description of the Proposed Development), of this EIAR.

The objective of this assessment is to assess the potential effects that the Proposed Development may have on Climate and set out proposed mitigation measures to avoid, reduce or offset any potential significant effects that are identified.

The aim of the Proposed Development, when in operation, is to reduce the input of carbon intensive energy into the national grid and reduce the amount of greenhouse gas emissions being released to the atmosphere that are associated with electricity generation and use. Harnessing more energy by means of renewable sources will reduce dependency on fossil fuels, thereby resulting in a reduction in harmful emissions that can be damaging to human health and the environment.

As detailed in Section 1.1.1 in Chapter 1 (Introduction), for the purposes of this EIAR, the various project components are described and assessed using the following references: 'Proposed Development', 'proposed turbines', the 'Site', the '2020 Application' and the 'Kealkill Wind Farm'. Please see Section 1.1.1 of this EIAR for further details. A detailed description of the Proposed Development is provided in Chapter 4 (Description of the Proposed Development) of this EIAR.

#### 11.1.1 Background

The Proposed Development is located within a rural, agricultural setting in southwest Cork, approximately 6.8km northeast of Kealkill Village and 3.8km southwest of the village of Ballingearry. The Site, which historically hosted an operational windfarm that has since been decommissioned, is centred approximately at E508999, N562646. The Site is facilitated with the existing wind farm infrastructure, such as the existing windfarm roads, the existing onsite 38kV substation and the existing 38kV overhead line.

Current land-use on the Proposed Development is predominantly commercial forestry, agricultural land and unutilised existing wind farm infrastructure. As detailed in Chapter 4 (Description of the Proposed Development), there was an operational wind farm at the Site, that has been decommissioned. Wind energy is also a significant land use within the surrounding area and includes the operating Shehy More, Grousemount and Cleanrath wind farms. In addition to forestry and wind energy, other land-uses in the surrounding area include agriculture, and residential/commercial activities.

It is intended to connect the proposed turbines to the national grid via the existing onsite 38kV substation located within the Site. The existing onsite 38kV substation connects to an existing 38kV overhead line.

#### 11.1.2 Chapter Structure and Climate Study Areas

This chapter of the EIAR aims to provide an assessment of the potential significant direct and indirect effects on climate arising from all phases of the Proposed Development.

The chapter structure is as follows:

- A review of all relevant climate change legislation policy and guidance applicable to the Proposed Development in an international, national, and local context (Section 11.2)
- Presentation of the baseline environment (Section 11.3 below), including:
  - A description of the current baseline environment established from desk study, utilising relevant datasets and data provided within other sections of the EIAR (Section 11.3.1 below)
  - A description of the future baseline environment, established from desk study, utilising relevant datasets and data provided within other sections of the EIAR (Section 11.3.2 below)
- A detailed carbon assessment, which considers how the Proposed Development will affect the greenhouse gas emissions associated with Ireland as a result of activities associated with construction, operation, and decommissioning phases (inclusive of both carbon losses and carbon savings) (Section 11.4 below)
- Presents an assessment of the potential likely significant effects on climate arising from the Proposed Development during the construction phase (Section 11.5.2) operational phase (Section 11.5.3), and decommissioning phase (Section 11.5.4) based on the information gathered and the analysis and assessments undertaken.
  - All required mitigation measures to prevent, minimise, reduce or offset the likely significant environmental effects identified in the construction phase, operational phase, and decommissioning phase is provided in this section.
- An assessment of potential cumulative impacts is provided in Section 11.6 and details any potential cumulative effects on climate between the Proposed Development and other permitted or proposed projects and plans in the area, (wind energy or otherwise) for the construction phase (Section 11.6.1), operational phase (Section 11.6.2), and decommissioning phase (Section 11.6.3)

By their very nature, the impacts and resulting effects of greenhouse gas emissions are global rather than affecting one localised area. For the purposes of this EIAR, the overall Climate Study Area for the Project is defined as the national environment (Ireland), where the receptor is the climate and the global atmosphere. As stated in the IEMA 2022 guidance *‘greenhouse gas emission impacts and resulting effects are global rather than affecting one localised area’*<sup>1</sup>. Therefore, effects arising from the potential impacts on climate are considered to impact on a national level. National, regional and local data has been considered where relevant and available. The study areas considered across the different assessments provided within this report are detailed below.

## Baseline Environment

- Current Baseline
  - Current Baseline Study Area: the EIAR Site Boundary, as defined in Section 1.1.1 of Chapter 1 (Introduction) of this EIAR. Relevant information taken from EIAR Chapters for inclusion in the current baseline assessment is within the relevant discipline’s specific assessment boundary, as identified in each cited EIAR Chapter.
- Future Baseline
  - Future Baseline Study Area: the EIAR Site Boundary, i.e., the primary study area for the EIAR as defined in Section 1.1.1 of Chapter 1 (Introduction) of this EIAR. Relevant information taken from relevant EIAR Chapters for inclusion in the future baseline assessment will be within the relevant discipline’s specific assessment boundary, as identified in each cited EIAR Chapter.

<sup>1</sup> IEMA (2022). *Assessing Greenhouse Gas Emissions and Evaluating their Significant*, 2nd Edition. Available online at: <https://www.iema.net/resources/blog/2022/02/28/launch-of-the-updated-eia-guidance-on-assessing-ghg-emissions>

## Carbon Assessment

- Carbon Assessment Study Area: defined as the EIAR Site Boundary, as defined in Section 1.1.1 of Chapter 1 (Introduction) of this EIAR.

## 11.1.3

## Statement of Authority

This section of the EIAR has been prepared by Catherine Johnson and reviewed by Sean Creedon, both of MKO. Catherine is an Environmental Scientist and Climate Practitioner at MKO with over three years of consultancy experience in renewable energy projects. Catherine has expertise in greenhouse gas assessments, international climate law and policy, earth science, and sustainability/ESG processes. Catherine possesses skills in mapping and design, which complement her experience in preparing comprehensive reports for EIAs with a particular focus on climate change. Catherine has a BSc in Earth and Ocean Science and an LLM in Global Environment and Climate Change Law. Sean Creedon is an Associate Director in the Environment Team at MKO. He leads a team of highly skilled environmental professionals working on EIAR for large-and medium scale Renewable Energy infrastructure. Sean has directed and overseen multiple renewable energy projects across wind, solar, battery and hydrogen as well as a range of thermal and other energy related developments. He has worked on the planning and environmental impact elements within all stages of wind farm project delivery. Sean's professional experience includes the development and management of a portfolio of wind farm developments to the consenting decision. He is a member of the MKO senior management team. Sean has over 23 years' experience in program and project development, holds an MSc from NUI Galway and a Diploma in Project Management from Institute of Project Management Ireland.

## 11.2

## Climate Legislation, Policy, and Guidance

Although variation in climate is thought to be a natural process, the rate at which the climate is changing has been accelerated rapidly by human activities. Climate change is one of the most challenging global issues facing the world today and is primarily the result of increased levels of greenhouse gases in the atmosphere. Increasing human emissions of carbon dioxide and other greenhouse gases cause a positive radiative imbalance at the top of the atmosphere, meaning energy is being trapped within the climate system. The imbalance leads to an accumulation of energy in the Earth system in the form of heat that is driving global warming.<sup>2,3</sup> Greenhouse gases come primarily from the combustion of fossil fuels in energy use.

In March 2024 the European Environment Agency (EEA) published the European Climate Risk Assessment.<sup>4</sup> This assessment states that Europe is the fastest warming continent on the planet and is warming at about twice the global rate. The average global temperature in the 12-month period between February 2023 and January 2024 exceeded pre-industrial levels by 1.5°C. 2023 was the warmest year on record over more than 100,000 years globally, at 1.48°C above pre-industrial levels, with the world's ocean temperature also reaching new heights.

The Intergovernmental Panel on Climate Change (IPCC), in their AR6 Synthesis Report: Climate Change 2023<sup>5</sup>, state that widespread and rapid changes in the atmosphere, ocean, cryosphere and biosphere have occurred. This has led to widespread adverse impacts and related losses and damages to people and nature due to the pressures of climate change and the inability to adapt to a rapidly

<sup>2</sup> Hansen, J.; Sato, M.; Kharecha, P. et al. Earth's Energy Imbalance and Implications. *Atmospheric Chemistry and Physics* 2011, 11 (24), 13421–13449. <https://doi.org/10.5194/acp-11-13421-2011>

<sup>3</sup> von Schuckmann, K.; Palmer, M. D.; Trenberth, K. E. et al. An Imperative to Monitor Earth's Energy Imbalance. *Nature Climate Change* 2016, 6 (2), 138–144. <https://doi.org/10.1038/nclimate2876>.

<sup>4</sup> European Environment Agency (2024) European Climate Risk Assessment  
<[file:///C:/Users/cjohnson/Downloads/European%20Climate%20Risk%20Assessment%20\(1\).pdf](file:///C:/Users/cjohnson/Downloads/European%20Climate%20Risk%20Assessment%20(1).pdf)>

<sup>5</sup> IPCC AR6 Synthesis Report: Climate Change 2023. <https://www.ipcc.ch/report/sixth-assessment-report-cycle/>

changing environment. Moving away from our reliance on coal, oil and other fossil fuel-driven power plants is essential to reduce emissions of greenhouse gases and combat climate change.

Relevant legislation, policy, and guidance in an international (Section 11.2.1), national (Section 11.2.2), and local (Section 11.2.3) context are detailed below.

## 11.2.1 International Greenhouse Gas Emission and Climate Targets

Globally, governance relating to climate change has changed significantly since 1994 when the United Nations Framework Convention on Climate Change (UNFCCC) entered into force. Greenhouse gas emissions have been a primary focus of climate related international agreements for almost two decades.

Table 11-1 below identifies international instruments relating to greenhouse gas emissions and climate change targets. The following table provides an overview of the international agreements that have played key roles in establishing climate governance; please refer to Appendix 11-1 ‘*Climate Legislation, Policy, and Guidance*’ for further detail on each of the below international instruments.

Table 11-1 International Instruments Relating to Greenhouse Gas Emission and Climate Change Targets

| International Instrument                                                                                                                                                                                                                                                                                                                                            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Kyoto Protocol                                                                                                                                                                                                                                                                                                                                                      | The Kyoto Protocol was adopted on 11 December 1997; this Protocol operationalised the UNFCCC and was the first international agreement that committed countries to reduce their greenhouse gas emissions. The Kyoto Protocol came into effect in 2005, as a result of which, emission reduction targets agreed by developed countries, including Ireland, became binding for the first time.                                                                      |
| Doha Amendment to the Kyoto Protocol                                                                                                                                                                                                                                                                                                                                | In Doha, Qatar, on 8th December 2012, the "Doha Amendment to the Kyoto Protocol" was adopted. The amendment includes: <ul style="list-style-type: none"> <li>➤ New commitments for Annex I Parties to the Kyoto Protocol who agreed to take on commitments in a second commitment period from starting in 2013 and lasting until 2020.</li> <li>➤ A revised list of greenhouse gases to be reported on by Parties in the second commitment period; and</li> </ul> |
| <b>Conference of the Parties (COP):</b><br><br><i>Every year since 1995, the Conference of the Parties (COP) has gathered the 196 Parties (195 countries and the European Union) that have ratified the Convention in a different country, to evaluate its implementation and negotiate new commitments, and is the supreme decision-making body of the UNFCCC.</i> | <b>COP21 – Paris</b> (30th November to 12th December 2015)<br><br>COP21 closed with the adoption of the first international climate agreement (concluded by 195 countries and applicable to all). The twelve-page text, made up of a preamble and 29 articles, provides for a limitation of the temperature rise to below 2°C above pre-industrial levels and even to tend towards 1.5°C.                                                                         |
|                                                                                                                                                                                                                                                                                                                                                                     | <b>COP25 – Madrid</b> (December 2 <sup>nd</sup> to December 13 <sup>th</sup> , 2019)<br><br>At COP25 the European Union launched its most ambitious plan, ‘The European Green Deal’ which aims to lower CO <sub>2</sub> emissions to zero by 2050.                                                                                                                                                                                                                |
|                                                                                                                                                                                                                                                                                                                                                                     | <b>COP28 – Dubai</b> (30 <sup>th</sup> of November 2023 to the 13 <sup>th</sup> of December 2023)<br><br>COP28 resulted in a landmark deal to ‘transition away’ from fossil fuels, the United Arab Emirates (UAE) Consensus. The agreement calls for ‘transitioning away from fossil fuels in energy systems, in a just, orderly, and equitable manner.’                                                                                                          |

|                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                              | COP28 concluded the first ever Global Stocktake under the Paris Agreement. The Global Stocktake recognises that the world is not on track to meet 1.5°C and will require Parties to align their national targets and measures with the Paris Agreement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                              | <p><b>COP29 – Azerbaijan</b> (11<sup>th</sup> November 2024 to 22<sup>nd</sup> November 2024)</p> <p>COP29 focused on accelerating global efforts to address climate change, in particular global efforts related to climate finance. The New Collective Quantified Goal on Climate Finance (NCQG) was agreed in the final days of COP with developed nations agreeing to triple finance to developing countries, with commitments increasing from USD 100 billion annually to USD 300 billion annually by 2035.</p> <p>Significant progress was made in the discussions surrounding carbon markets, with nearly 200 nations agreeing on critical rules under Article 6 of the Paris Agreement. The adoption of these rules is seen as a crucial step towards operationalising a robust and credible carbon market. Despite the advances, concerns were expressed about the potential for weak governance and risks of exploitation in the system; these issues must be addressed to ensure the market's full functionality.</p> |
| United Nations Sustainable Development Goals | On the 14th July 2025, the United Nations published 'The Sustainable Development Goals Report 2025' this report finds that, following an assessment of all 169 targets, for which trend data is available, only 17% of the SDG targets are on track, 18% of SDG targets are showing minimum or moderate progress, 47% having stalled in progress and 18% having regressed from 2024.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Climate Change Performance Index             | <p>Established in 2005, the Climate Change Performance Index (CCPI)<sup>6</sup> is an independent monitoring tool which tracks individual countries climate protection performance.</p> <p>Ireland, ranked 43rd in 2024, has risen 14 places to 29th for 2025, and is now considered a 'medium' performer in international performance. The CCPI states that Ireland's policies are missing a long-term strategy for phasing out fossil fuel infrastructure and shifting investments from natural gas towards an emissions-neutral energy supply.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| State of the Global Climate 2024             | <p>In March 2025, the World Meteorological Organisation (WMO) published a report entitled the 'State of the Global Climate 2024. This report provided a summary on the state of the climate indicators in 2023 with sections on key climate indicators, extreme events and impacts. The key messages in the report include:</p> <ul style="list-style-type: none"> <li>➤ Greenhouse gases reached record observed levels in 2023. Real time data indicate that they continued to rise in 2024.</li> <li>➤ The annually averaged global mean near-surface temperature in 2024 was 1.55 °C ± 0.13 °C above the 1850–1900 average used to represent pre-industrial conditions.</li> </ul>                                                                                                                                                                                                                                                                                                                                           |
| Renewable Energy Directive                   | The first Renewable Energy Directive (RED) <sup>7</sup> is legislation that influenced the growth of renewable energy in the EU and Ireland for the decade ending in 2020.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

<sup>6</sup> Climate Change Performance Index 2024 <<https://ccpi.org/>>

<sup>7</sup> Directive 2009/28/EC on the promotion of the use of energy from renewable sources. Available from: <https://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:140:0016:0062:en:PDF>

|                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                | <p>From 2021, RED was replaced by the second Renewable Energy Directive (REDII),<sup>8</sup> which continues to promote the growth of renewable energy out to 2030. REDII introduced a binding EU-wide target for overall RES of 32% in 2030 and requires Member States to set their national contributions to the EU-wide target. As per the National Energy and Climate Plan (NECP) 2021-2030, Ireland's overall RES target is 34.1% in 2030.</p> <p>Given the need to ratchet up the EU's clean energy transition, RED was revised in 2023, and the amending Directive EU/2023/2413 (REDIII)<sup>9</sup> entered into force on 20 November 2023 and was transposed into Irish Law in August 2025. REDIII amended the EU-wide overall 2030 RES target from 32% to at least 42.5% with the aim of 45%.</p>                                                                                                                                                                   |
| European Green Deal                            | <p>The European Green Deal is a comprehensive package of policy initiatives aimed at achieving climate neutrality across the EU by 2050.</p> <p>It features a wide range of actions and targets in different sectors such as energy, transport, industry, environment and agriculture. The goal is to transform the EU into a resource-efficient, competitive circular economy that is fair and inclusive for every individual and region.</p> <p>In its approach to decarbonisation, the EU has split greenhouse gas emissions into two categories, the Emissions Trading System (ETS) and the non-ETS. Under the EU Green Deal, the targets for the ETS and non-ETS sectors will be revised upwards in order to achieve the commitment, at EU level, to reach an economy-wide 2030 reduction in emissions of at least 55%, compared to 1990 levels.</p>                                                                                                                     |
| Council Regulation (EU) 2022/2577 and 2024/223 | <p>Council Regulation (EU) 2022/2577 and 2024/223 lay down a framework to accelerate the deployment of renewable energy. Regulation 2022/2577 and 2024/223 recognises the relative importance of renewable energy deployment in the current difficult energy context and provides significant policy and legislative support to enabling renewable energy projects.</p> <p>Further detail is provided in Section 1.1.1.9 of Appendix 11-1 and in Section 2.3.1 in Chapter 2 (Background to the Proposed Development) of this EIAR.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| EU Nature Restoration Law                      | <p>The Nature Restoration Law is the first continent-wide, comprehensive law of its kind. It is a key element of the EU Biodiversity Strategy, which sets binding targets to restore degraded ecosystems, in particular those with the most potential to capture and store carbon and to prevent and reduce the impact of natural disasters.</p> <p>The law aims to restore ecosystems, habitats and species across the EU's land and sea areas in order to</p> <ul style="list-style-type: none"> <li>➤ Enable the long-term and sustained recovery of biodiverse and resilient nature</li> <li>➤ Contribute to achieving the EU's climate mitigation and climate adaptation objectives</li> <li>➤ Meet international commitments</li> </ul> <p>The EU Nature Restoration Law was approved on June 17<sup>th</sup>, 2024; EU countries are expected to submit National Restoration Plans to the Commission within two years of the Regulation coming into force (by mid-</p> |

<sup>8</sup> Directive (EU) 2018/2001 on the promotion of the use of energy from renewable resources (recast). Available from: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=celex%3A32018L2001>

<sup>9</sup> Directive (EU) 2023/2413 amending Directive (EU) 2018/2001, Regulation (EU) 2018/1999 and Directive 98/70/EC as regards the promotion of energy from renewable sources and repealing Council Directive (EU) 2015/652. Available from: [https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=OJ:L\\_202302413](https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=OJ:L_202302413)

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                              | 2026), showing how they will deliver on the targets. They will also be required to monitor and report on their progress.                                                                                                                                                                                                                                                                                                                                    |
| EU Effort Sharing Regulation | Emissions from all other sectors, including agriculture, transport, buildings, and light industry are covered by the EU Effort Sharing Regulation (ESR). This established binding annual greenhouse gas emission targets for Member States for the period 2021–2030. Ireland is required to reduce its emissions from these sectors by 30% by 2030, relative to 2005 levels. Please see Section 1.1.1.11 of Appendix 11-1 for further details on the EU ESR |

## 11.2.2

# National Greenhouse Gas Emission and Climate Targets

Ireland has reached a crucial point in addressing climate change with a goal to becoming climate neutral by 2050 and to significantly cut greenhouse gases by 2030. National greenhouse gas emission and climate targets are critical for achieving Irelands climate ambitions.

Table 11-2 below provides an overview of the national legislation and reports relating to greenhouse gas emissions and climate change targets in Ireland; please refer to Appendix 11-1 for further detail on each of the below national legislation measures.

*Table 11-2 National Legislation and Reports relating to Greenhouse Gas Emissions and Climate Change Targets*

| National Instrument                                            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Programme for the Government – Securing Irelands Future        | The Programme for Government – Securing Irelands Future was published in January 2025. The programme notes that the government are committed to reducing greenhouse gas emissions by an average 7% per annum over the next decade in a push to achieve a net zero emissions by the year 2050. The Programme states the Government’s ongoing support and commitment to take “ <i>the necessary action to deliver at least 70% renewable electricity by 2030</i> ”.                                                                                                                                     |
| Climate Action and Low Carbon Development Act 2015             | The Climate Action and Low Carbon Development Act 2015 established the national framework for the approval of plans by the Government in relation to climate change for the purpose of pursuing the transition to a low carbon, climate resilient and environmentally sustainable economy.                                                                                                                                                                                                                                                                                                            |
| Climate Action and Low Carbon Development (Amendment) Act 2021 | <p>The Climate Action and Low Carbon (Amendment) Act 2021 is a piece of legislation which builds on the Climate Action and Low Carbon Development Act 2015 and commits the country to move to a climate resilient and climate neutral economy by 2050. This was passed into law in July 2021.</p> <p>The Programme for Government has committed to a 7% average yearly reduction in overall greenhouse gas emissions over the next decade, and to achieve net zero emissions by 2050. This Act will manage the implementation of a suite of policies to assist in achieving these annual targets.</p> |
| Climate Change Advisory Council 2024                           | The Climate Change Advisory Council (CCAC) was established on 18th January 2016 under the Climate Action and Low Carbon Development Act 2015. The Annual Review 2024: Electricity report has been released by the CCAC and focuses specifically on key findings and recommendations for the Electricity sector. In 2023, emissions from the sector reduced by approximately 21% from 2022 to the lowest level since records began in 1990. This was driven by a considerable decline in the use of coal for electricity generation, coupled with a notable rise in imported electricity.              |
| Carbon Budgets                                                 | The first national carbon budget programme proposed by the CCAC, approved by Government and adopted by both Houses of the Oireachtas in April 2022 comprises three successive 5-year carbon budgets. The total                                                                                                                                                                                                                                                                                                                                                                                        |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                     | emissions allowed under each budget are shown in Section 1.1.2.5 of Appendix 11-1.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Sectoral Emission Ceilings          | <p>The Sectoral Emissions Ceilings were launched in September 2022. The Sectoral Emissions Ceilings alongside the annual published Climate Action Plan provide a detailed plan for taking decisive action to achieve a 51% reduction in overall greenhouse gas emissions by 2030.</p> <p>The Sectoral Emission Ceilings for each 5-year carbon budget period was approved by the government on the 28th of July 2022 and is shown in Section 1.1.2.6 of Appendix 11-1.</p>                                                                                                                                                                                                                                                                                  |
| Climate Action Plan 2025            | <p>The National Climate Action Plan (CAP) 2025 was launched in April 2025. CAP 2025 sets out the roadmap to deliver on Ireland's climate ambition. It aligns with the legally binding economy-wide carbon budgets and sectoral ceilings that were agreed by Government in July 2022 following the Climate Action and Low Carbon Development (Amendment) Act 2021, which commits Ireland to a legally binding target of net-zero greenhouse gas emissions no later than 2050, and a reduction of 51% by 2030.</p> <p>CAP 2025 highlights the firm commitment that has been made by Ireland in relation to the clean energy transition and provides an outline of precise goals for renewable energy, focusing on solar, onshore wind, and offshore wind.</p> |
| Ireland's Climate Change Assessment | <p>In 2023 the EPA published Ireland's Climate Change Assessment (ICCA). This assessment provides a comprehensive overview and breakdown of the state of knowledge around key aspects of climate change with a focus on Ireland. The ICCA report is presented in four volumes.</p> <ul style="list-style-type: none"> <li>➤ Volume 1: Climate Science – Ireland in a Changing World</li> <li>➤ Volume 2: Achieving Climate Neutrality in 2050</li> <li>➤ Volume 3: Being Prepared for Ireland's Future</li> <li>➤ Volume 4: Realising the Benefits of Transition and Transformation</li> </ul> <p>Please refer to Section 1.1.2.8 of Appendix 11-1 for further information on the ICCA.</p>                                                                 |

## 11.2.3 Local Greenhouse Gas Emission and Climate Targets

### 11.2.3.1 Cork County Council Local Authority Climate Action Plan 2024-2029

The Cork County Council Local Authority Climate Action Plan 2024-2029<sup>10</sup> (Cork LACAP) was adopted and published in February 2024.

The Cork LACAP highlights the current state of climate action in Ireland, and how Cork County Council will be responsible for enhancing climate resilience, increasing energy efficiency, and reducing greenhouse gas emissions, across its own assets and services. The Cork LACAP provides a mechanism for bringing together both adaptation and mitigation actions to help drive positive climate action and outcomes across the local authority and its administrative area. The framework of climate actions set within the plan, configures the arrangement of climate actions within a defined structure that ensures alignment between on the ground actions and the high-level vision that the plan aspires to deliver. The Cork LACAP will help address the mitigation of greenhouse gases, the implementation of climate

<sup>10</sup> Cork County Council Local Authority Climate Action Plan 2024-2029. <<https://www.corkcoco.ie/sites/default/files/2024-02/cork-county-council-climate-action-plan-2024-2029.pdf>>

change adaption measures, and will strengthen the alignment between national climate policy and the delivery of effective local climate action.

Overall, the greenhouse gas emissions generated from County Cork equated to 8,083,000tCO<sub>2</sub> in the baseline year 2018. The top three emitting sectors within County Cork in terms of total greenhouse gas emissions in the baseline year were agriculture, transport and commercial & manufacturing, producing 43%, 15%, and 13% of total emissions respectively. Cork County Council, along with all public sector entities must reduce greenhouse gas emissions by 51% by 2030 as compared to 2018 in line with the National Climate Action Plan 2025 (Section 11.2.2 above).

During the operational phase the Proposed Development will assist in reducing emission by generating renewable energy to be fed into the grid and the subsequent decarbonisation of other sectors, in particular the main emitting sectors in County Cork as identified above. Please see Section 11.4.3 below for further information on carbon savings associated with the Proposed Development.

The Cork LACAP assesses climate risk relevant to Ireland and to County Cork, this, plus the evidence baseline, inform the climate objectives and actions that will be undertaken by Cork County Council to assist in the achievement of national and international climate targets.

### 11.2.3.2 Cork County Development Plan 2022-2028

The Cork County Development Plan 2022-2028<sup>11</sup> (CCDP) sets out the overall strategy for the proper planning and sustainable development of the County over a 6-year period. The CCDP includes numerous actions and objectives on sustainability and climate for Cork to achieve over the 6-year period.

In relation to wind energy, the CCDP states that *‘In 2020, installed wind capacity reached 3,700 MW within the Republic of Ireland. Cork County currently has 38 commissioned wind farms with capacity of 603MW, equivalent to approximately 16% of the national capacity. However, if Ireland is to meet our renewable energy target then we need to double capacity nationally over the next ten years. On a pro rata basis, that could see capacity in Cork expand to 1,100MW. At present they are valid but unimplemented permissions in the county for a further 200MW of wind power.’*<sup>12</sup>

A key objective identified in the CCDP relating to wind energy is as follows:

- **ET 13-4:** In order to facilitate increased levels of renewable energy production consistent with national targets on renewable energy and climate change mitigation as set out in the National Energy and Climate Plan 2021-2030, the Climate Action Plan 2021, and any updates to these targets, and in accordance with Ministerial Guidelines on Wind Energy Development, the Council will support further development of on-shore wind energy projects including the upgrading, repowering or expansion of existing infrastructure, at appropriate locations within the county in line with the Wind Energy Strategy and objectives detailed in this chapter and other objectives of this plan in relation to climate change, biodiversity, landscape, heritage, water management and environment etc..

Further detail on local policy relating to wind energy in Co. Cork can be found in Section 2.5.4 of Chapter 2 (Background to the Proposed Development) of this EIAR.

<sup>11</sup> Cork County Development Plan 2022-2028 <<https://www.corkcoco.ie/en/resident/planning-and-development/cork-county-development-plan-2022-2028>>

<sup>12</sup> Ibid (page 296)

## 11.2.4 Relevant Guidance

The climate chapter of this EIAR is carried out in accordance with the ‘EIA Directive’ as amended by Directive 2014/52/EU and has been prepared in accordance with guidance listed in Section 1.7.2 of Chapter 1 (Introduction). Due to the nature of the Proposed Development, a wind farm and associated infrastructure, the following methodology and guidance was utilised for the climate section of this EIAR:

- ‘Guidance on Integrating Climate Change and Biodiversity into Environmental Impact Assessment’ (2013) European Commission
- ‘Calculating Carbon Savings from Wind Farms on Scottish Peat Lands’ (University of Aberdeen and the Macauley Institute 2008); and
- ‘Wind Farms and Carbon Savings’ (Scottish Natural Heritage, 2003).
- Macauley Institute Carbon Calculator for Wind Farms on Scottish Peatlands (Version 2.14.0)
- Transport Infrastructure Ireland (TII) Carbon Assessment Tool (Version 0.8.0) (TII, 2020)

Consideration has also been given to the ‘Air Quality Assessment of Proposed National Roads – Standard PE-ENV-01107’ (Transport Infrastructure Ireland, December 2022 (2022a)), Climate Assessment of Proposed National Roads – Standard and Overarching Technical Documentation (Transport Infrastructure Ireland December 2022b/c) and Transport Infrastructure Ireland Carbon Tool for Road and Light Rail Projects: User Guidance Document, GE-ENV-01106 (TII 2022d).

## 11.3 Climate and Weather

Climate change projections show that the Earth is getting warmer and extreme weather events are increasing in frequency on an annual basis. The Proposed Development will assist in mitigating these effects through the deployment of clean renewable energy to the national grid and subsequent decarbonisation of energy systems. Changes to climate and weather in Ireland will occur as a result of climate change, for further details on the risks associated with the Proposed Development please refer to Chapter 16 (Major Accidents & Natural Disasters).

### 11.3.1 Baseline Environment

#### 11.3.1.1 Data Sources

A review of literature and data relating to climate change in Ireland was undertaken and utilised to provide an overview of the current baseline environment. The following key data sources were reviewed:

- Met Éireann 30-Year Averages<sup>13</sup>
- Irelands Climate Averages 1991-2020 Summary Report<sup>14</sup>
- Ireland’s National Inventory Report 2025<sup>15</sup>
- Climate Status Report for Ireland 2020<sup>16</sup>

<sup>13</sup> <https://www.met.ie/climate/30-year-averages>

<sup>14</sup> Department of Housing, Local Government and Heritage (2024) Irelands Climate Averages 1991-2020 Summary Report <[https://edepositireland.ie/bitstream/handle/2262/108695/Ireland%27s\\_climate\\_averages\\_1991-2020\\_rev2.pdf?sequence=1&isAllowed=y](https://edepositireland.ie/bitstream/handle/2262/108695/Ireland%27s_climate_averages_1991-2020_rev2.pdf?sequence=1&isAllowed=y)>

<sup>15</sup> EPA (2025) Ireland’s National Inventory Report <<https://www.epa.ie/publications/monitoring-assessment/climate-change/air-emissions/Ireland's-NID-2025.pdf>>

<sup>16</sup> EPA (2021) Climate Status Report for Ireland 2020 <<https://www.epa.ie/publications/research/climate-change/research-386-the-status-of-Irelands-climate-2020.php>>

➤ Annual Review 2025 – Our Changing Climate in 2024<sup>17</sup>

### 11.3.1.2 Physical Environment

Ireland has a temperate, oceanic climate, resulting in mild winters and cool summers. The Met Éireann weather station at Cork Airport which is located approximately 56km to the east of the Proposed Development, is the nearest weather and climate monitoring station that has meteorological data recorded for the 30-year period from 1991-2020. Meteorological data recorded at the Cork Airport weather station over the 30-year period from 1991-2020 is shown in Table 11-3 below. The wettest months are October and December, with May and June being the driest. July is the warmest month with an average temperature of 15.2° Celsius.

Recent monthly meteorological data recorded at Cork Airport, located approximately 56km east of the Proposed Development, from January 2022 to January 2025 is available at: <https://www.met.ie/climate/available-data/monthly-data>. October 2023 was the wettest month in this time period, with 307.2mm of rainfall recorded, while August 2022 was the driest month with 14.2mm of rainfall. June 2023 was the warmest month in this time period, with a mean monthly temperature of 15.8° Celsius. December 2022 was the coldest month in this time period with a mean monthly temperature of 4.7° Celsius.

Table 11-4 below provides a summary of the current physical baseline environment with reference to relevant chapters within the submitted EIAR where further information is available.

---

<sup>17</sup> Climate Change Advisory Council (2025) Annual Review 2025 – Our Changing Climate in 2024  
<<https://www.climatecouncil.ie/councilpublications/annualreviewandreport/CCAC%20AR25%20Our%20Changing%20Climate-final.pdf>>

Table 11-3 Data from Met Éireann Weather Station at Cork 1991-2020

|                                            | Jan   | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct   | Nov  | Dec   | Year  |
|--------------------------------------------|-------|------|------|------|------|------|------|------|------|-------|------|-------|-------|
| <b>TEMPERATURE (degrees Celsius)</b>       |       |      |      |      |      |      |      |      |      |       |      |       |       |
| Mean daily max                             | 8.2   | 8.5  | 9.8  | 12   | 14.6 | 17   | 18.6 | 18.4 | 16.5 | 13.3  | 10.3 | 8.7   | 13    |
| Mean daily min                             | 3.2   | 3.2  | 3.9  | 5.3  | 7.6  | 10.1 | 11.7 | 11.6 | 10.2 | 8     | 5.3  | 3.8   | 7     |
| Mean temperature                           | 5.7   | 5.8  | 6.8  | 8.6  | 11.1 | 13.6 | 15.2 | 15   | 13.4 | 10.6  | 7.8  | 6.2   | 10    |
| Absolute max.                              | 16.1  | 14.5 | 18.8 | 21.1 | 23.6 | 27.2 | 26.7 | 27.8 | 24.5 | 21.1  | 15.9 | 13.9  | 27.8  |
| Absolute Min.                              | -5.6  | -4.7 | -7   | -2.4 | 0.1  | 4.1  | 6.2  | 5.4  | 3    | -1    | -3.3 | -7.2  | -7.   |
| Mean No. of Days with Air Frost            | 3.8   | 3.5  | 2.3  | 0.9  | 0    | 0    | 0    | 0    | 0    | 0.2   | 1    | 2.8   | 14.5  |
| Mean No. of Days with Ground Frost         | 12.7  | 11.8 | 10.7 | 6.8  | 2.4  | 0.2  | 0    | 0.1  | 0.5  | 2.4   | 6.8  | 11.2  | 65.6  |
| <b>RELATIVE HUMIDITY (%)</b>               |       |      |      |      |      |      |      |      |      |       |      |       |       |
| Mean at 0900UTC                            | 91.1  | 90.5 | 88.3 | 83.3 | 81.3 | 80.9 | 83.5 | 86.1 | 89.1 | 90.7  | 91.4 | 91.3  | 87.3  |
| Mean at 1500UTC                            | 84.4  | 79.9 | 75.8 | 72.3 | 71.7 | 71.5 | 73.7 | 73.6 | 76.3 | 80.4  | 83.9 | 86.5  | 77.5  |
| <b>SUNSHINE (Hours)</b>                    |       |      |      |      |      |      |      |      |      |       |      |       |       |
| Mean daily duration                        | 2     | 2.6  | 3.6  | 5.4  | 6.2  | 6.1  | 5.3  | 5.1  | 4.3  | 3.2   | 2.5  | 1.8   | 4     |
| Greatest daily duration                    | 8.5   | 10   | 11.5 | 13.8 | 15.5 | 16   | 15.3 | 14.4 | 12.1 | 10.3  | 8.8  | 7.6   | 16    |
| Mean no. of days with no sun               | 9.8   | 6.7  | 5.7  | 3.1  | 2.4  | 2.3  | 2.2  | 2.4  | 3.4  | 6.5   | 7.8  | 11.4  | 63.7  |
| <b>RAINFALL (mm)</b>                       |       |      |      |      |      |      |      |      |      |       |      |       |       |
| Mean monthly total                         | 131.3 | 97.2 | 91.5 | 86.5 | 80.8 | 83.3 | 87.2 | 94.6 | 92   | 131.2 | 127  | 136.6 | 1239  |
| Greatest daily total                       | 39.3  | 39.0 | 55.2 | 37.7 | 34.9 | 51.3 | 73.2 | 59.0 | 58.9 | 52.1  | 47.9 | 61.4  | 73.2  |
| Mean num. of days with $\geq 0.2\text{mm}$ | 21.3  | 18.4 | 18.3 | 16.8 | 15.9 | 14.6 | 16.9 | 16.9 | 17   | 19.9  | 20.8 | 21.4  | 218.2 |
| Mean num. of days with $\geq 1.0\text{mm}$ | 16.7  | 13.7 | 13.4 | 12.3 | 12   | 10.1 | 11.9 | 12.2 | 11.9 | 15.1  | 15.6 | 16.8  | 161.7 |
| Mean num. of days with $\geq 5.0\text{mm}$ | 9.1   | 6.8  | 5.7  | 5.8  | 5.3  | 5.6  | 5.7  | 5.5  | 5.8  | 7.8   | 7.9  | 8.7   | 79.7  |
| <b>WIND (knots)</b>                        |       |      |      |      |      |      |      |      |      |       |      |       |       |
| Mean monthly speed                         | 10.9  | 11   | 10.5 | 9.8  | 9.4  | 8.9  | 8.5  | 8.5  | 8.8  | 9.7   | 10.2 | 10.8  | 9.8   |
| Max. gust                                  | 71    | 70   | 65   | 63   | 53   | 49   | 47   | 58   | 51   | 74    | 66   | 80    | 80    |
| Max. mean 10-minute speed                  | 44    | 50   | 42   | 41   | 34   | 33   | 29   | 45   | 35   | 47    | 46   | 56    | 56    |
| Mean num. of days with gales               | 1.3   | 0.8  | 0.6  | 0.3  | 0    | 0    | 0    | 0.1  | 0.1  | 0.4   | 0.6  | 1     | 5.1   |

| WEATHER (Mean No. of Days With:) |     |     |     |     |     |     |     |     |     |     |     |     |      |
|----------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| Snow or sleet                    | 2.6 | 2.5 | 1.7 | 0.4 | 0   | 0   | 0   | 0   | 0   | 0   | 0.3 | 1.9 | 9.5  |
| Snow lying at 0900UTC            | 0.3 | 0.4 | 0.5 | 0.1 | 0   | 0   | 0   | 0   | 0   | 0   | 0   | 0.4 | 1.8  |
| Hail                             | 1   | 1.1 | 1.2 | 1.5 | 0.5 | 0.2 | 0.1 | 0   | 0.1 | 0.3 | 0.1 | 0.4 | 6.5  |
| Thunder                          | 0.3 | 0.1 | 0   | 0.1 | 0.6 | 0.4 | 0.6 | 0.4 | 0   | 0.4 | 0.1 | 0.1 | 3.2  |
| Fog                              | 8.6 | 7.2 | 8.5 | 7.8 | 8   | 7.3 | 8.5 | 9.2 | 8.3 | 8.5 | 7.5 | 8.5 | 97.8 |

Table 11-4 Summary of Current Physical Baseline Environment

| Climate variable | Summary of current baseline environment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Relevant EIAR chapter (if applicable) |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Air Temperature  | <p>Climate change is impacting air temperatures in the Northern European region, with a range of observable effects including rising temperature, increased frequency of heatwaves, changes in seasonal temperature patterns and milder winters<sup>18</sup>.</p> <p>Ireland's Climate Averages 1991-2020 Summary Report identifies that the annual mean air temperature for Ireland over the period 1991-2020 is 9.8°C. The annual mean air temperature ranges from approximately 8.5°C to 10.8°C. Comparing the 1991-2020 annual mean air temperature for Ireland with that of the 1961-1990 period, there has been an increase of approximately 0.7°C.</p> <p>The Climate Status Report for Ireland 2020<sup>19</sup> states that air temperatures in Ireland have ‘<i>been increasing at an average rate of 0.078°C per decade since 1900 and that the annual average temperature is now approximately 0.9°C higher than it was in the early 1900s</i>’. Temperatures in Ireland are increasing, with sixteen of the top 20 warmest years on record occurring since 1990<sup>20</sup>. On 10<sup>th</sup> July 2024 Met Éireann confirmed that 2023 was Ireland's wettest and warmest year on record (records going back to 1900).<sup>21</sup></p> | Chapter 10 (Air Quality)              |

<sup>18</sup> IPCC (2021) Climate Change 2021: The Physical Science Basis <[https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC\\_AR6\\_WGI\\_FullReport.pdf](https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_FullReport.pdf)>

<sup>19</sup> Government of Ireland (2020) Climate Status Report for Ireland 2020 <[https://www.epa.ie/publications/research/climate-change/Research\\_Report\\_386.pdf](https://www.epa.ie/publications/research/climate-change/Research_Report_386.pdf)>

<sup>20</sup> Ireland's Climate Change Assessment (2023) Volume 1 Climate Science – Ireland in a Changing World <<https://www.epa.ie/publications/monitoring-assessment/climate-change/irelands-climate-change-assessment-volume-1.php>>

<sup>21</sup> <https://www.met.ie/2023-confirmed-as-irelands-wettest-year-on-record>

| Climate variable | Summary of current baseline environment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Relevant EIAR chapter (if applicable)                                                                                            |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
|                  | <p>Due to the moderating influence of the North Atlantic, Ireland has, and will continue to, experience much milder air temperatures as compared to mainland Europe and other continental countries.<sup>22</sup> However, this moderating influence could be in jeopardy if the Atlantic Meridional Overturning Circulation (AMOC) continues to weaken<sup>23</sup>. The AMOC is a large system of ocean currents responsible for carrying warm water from the tropics into the North Atlantic and the strength of this current is a function of global mean temperature. The weakening of this current would counterbalance the warming effects of climate change creating instability for local ecosystems, agriculture, and fisheries.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                  |
| Precipitation    | <p>Climate change is impacting precipitation patterns in the Northern European region, with a range of observable effects including increased precipitation, more extreme precipitation events, seasonal variations and impacts on hydrological regimes<sup>24</sup>.</p> <p>Precipitation has been measured systematically in Ireland since the late 19<sup>th</sup> century and is a key indicator of changes in the climate; measurements and analysis of rainfall are essential for assessing the effects of climate change on the water cycle, water balance and for flood mitigation. Met Éireann highlights that it is already observing these trends, with the national annual average rainfall over the period 1991-2020 being approximately 1,288mm, which represents an increase of 7% from the previous 30-year monitoring period (1961-1990)<sup>25</sup>.</p> <p>Ireland's Climate Averages 1991-2020 Summary Report obtained averages for the annual, seasonal and monthly number of rain days (number of days with rainfall <math>\geq 0.2</math> mm), wet days (number of days with rainfall <math>\geq 1</math> mm) and very wet days (number of days with rainfall <math>\geq 10</math> mm). Over the period 1991-2020, on an annual basis, the average number of rain days ranges from 201 days to 272 days; the average number of wet days ranges from 147 days to 226 days; and the average number of very wet days ranges from 22 days to 68 days.</p> | <p>Further detail on rainfall and evaporation data is provided in Section 9.3.2 in Chapter 9 (Hydrology &amp; Hydrogeology).</p> |

<sup>22</sup> <https://www.met.ie/climate/what-we-measure/temperature#:~:text=The%20moderating%20influence%20of%20the,mild%20winters%20and%20cool%20summers.>

<sup>23</sup> IPCC (2019) IPCC Special Report on the Ocean and Cryosphere in a Changing Climate Chapter 6. Extremes, Abrupt Changes, and Managing Risk <[https://www.ipcc.ch/site/assets/uploads/sites/3/2022/03/08\\_SROCC\\_Ch06\\_FINAL.pdf](https://www.ipcc.ch/site/assets/uploads/sites/3/2022/03/08_SROCC_Ch06_FINAL.pdf)>

<sup>24</sup> IPCC (2021) Climate Change 2021: The Physical Science Basis <[https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC\\_AR6\\_WGI\\_FullReport.pdf](https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_FullReport.pdf)>

<sup>25</sup> Department of Housing, Local Government and Heritage (2024) Ireland's Climate Averages 1991-2020 Summary Report <<https://edepositireland.ie/handle/2262/108695>>

| Climate variable | Summary of current baseline environment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Relevant EIAR chapter (if applicable) |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Wind and Storms  | <p>Climate change is impacting wind patterns in the Northern European region with a range of observable effects including increased wind speeds, changes in wind direction and seasonal variations<sup>26</sup>.</p> <p>Ireland's Climate Averages 1991-2020 Summary Report identifies that the annual mean hourly wind speed ranges from 9 knots at Shannon Airport to 15 knots at Malin Head. Winds are generally strongest in the northwest of the country. The strongest winds are observed during the winter months and range from 10 knots at Shannon Airport to 18 knots at Malin Head. The lightest winds are observed during the summer months and range from 8 knots at Valentia Observatory to 13 knots at Malin Head.</p> <p>In late 2023 and early 2024, Ireland experienced a very active storm season; the county was affected by 13-14 severe storms<sup>27</sup>. In 2025 there has been 5 no. named storms at the time of writing, with Storm Eowyn, occurring in January 2025, reaching hurricane force winds (maximum wind speed recorded as 42km/h).<sup>28</sup></p> <p>The increased frequency and intensity of storm events will lead to associated increases in precipitation (see above). As stated in 'Air Temperature' above, the AMOC has a moderating influence on Europe, however as identified by the IPCC, the strength of the AMOC is directly correlated to global mean temperature, and as global mean temperature increases, the AMOC will weaken<sup>29</sup>. The weakening of this current would result in increased storm activity in Northern Europe.</p> | N/A                                   |

<sup>26</sup> IPCC (2021) *Climate Change 2021: The Physical Science Basis* <[https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC\\_AR6\\_WGI\\_FullReport.pdf](https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_FullReport.pdf)>

<sup>27</sup> Met Éireann (2024) *Human-caused Climate Change Brings Increased Storm Rainfall* <<https://www.met.ie/human-caused-climate-change-brings-increased-storm-rainfall/>>

<sup>28</sup> Met Éireann Storm Centre <<https://www.met.ie/climate/storm-centre>>

<sup>29</sup> IPCC (2019) *IPCC Special Report on the Ocean and Cryosphere in a Changing Climate Chapter 6. Extremes, Abrupt Changes, and Managing Risk* <[https://www.ipcc.ch/site/assets/uploads/sites/3/2022/03/08\\_SROCC\\_Ch06\\_FINAL.pdf](https://www.ipcc.ch/site/assets/uploads/sites/3/2022/03/08_SROCC_Ch06_FINAL.pdf)>

### 11.3.1.3 Existing Greenhouse Gas Emissions

Greenhouse gas emissions arise from a large majority of anthropogenic activities. The main sectors which release emissions in Ireland are detailed in Section 1.1.2.6 of Appendix 11-1 Climate Legislation Policy and Guidance. These sectors include:

- Electricity
- Transport
- Built Environment
  - Residential
  - Commercial
- Industry
- Agriculture
- Land Use, Land Use Change, and Forestry (LULUCF)<sup>1</sup>
- Other (F-Gases, Waste, Petroleum refining)
- Unallocated savings

The most recent inventory report for Ireland, National Inventory Report 2025 (NIR 2025)<sup>30</sup>, was published in 2025 and refers to the greenhouse gas inventory timeseries for the years 1990-2023. From 1990-2001, total emissions of greenhouse gases (excluding LULUCF) increased steadily from 55,231.5 ktCO<sub>2</sub>e in 1990 to 71,476.9 ktCO<sub>2</sub>e in 2001, which is the highest level of greenhouse gas emissions ever reported in Ireland. Emissions then plateaued until 2008 with estimates ranging from 69,032.5 ktCO<sub>2</sub>e to 71,213.8 ktCO<sub>2</sub>e. There was then a sharp decrease from 69,032.5 ktCO<sub>2</sub>e in 2008 to 58,582.4 ktCO<sub>2</sub>e in 2011. In 2023, total emissions of greenhouse gases including indirect emissions from solvent use (excluding LULUCF) in Ireland were 54,934.4 ktCO<sub>2</sub>e, which is 1.4% lower than emissions in 1990. Emissions in 2023 at 54,934.4 ktCO<sub>2</sub>e are 6.8% lower than 2022, and the lowest level in the time series.

The Electricity sector accounted for the bulk of the CO<sub>2</sub> emissions in 2023 (57.1%), Agriculture contributed 36.2%, while a further 5.2% emanated from Industrial Processes and Product Use and 1.5% was due to Waste. Emissions of CO<sub>2</sub> accounted for 61.1% of the national total in 2023, with CH<sub>4</sub> and N<sub>2</sub>O contributing 28.9% and 8.%, respectively. The combined emissions of fluorinated gases (HFC, PFC, SF<sub>6</sub> and NF<sub>3</sub>) accounted for 1.2% of total emissions in 2023.<sup>31</sup>

### 11.3.2 Future Environment

Ireland is experiencing climate change in line with global trends, with current projections, detailed below, indicating that these effects will intensify in the coming decades. The baseline environment, detailed above, will undergo significant shifts, influencing Ireland's environment, economy, and society. Predicted changes include rising temperatures, altered precipitation patterns, and increased frequency of extreme weather events.

Visible changes in global climate are evident worldwide, with climate change projections suggesting further, more pronounced impacts in the future. These impacts will have wide-ranging effects on both natural and man-made environments across various sectors and regions, resulting in socio-economic repercussions. Referred to as the 'costs of inaction,' these economic impacts of climate change are increasingly influencing policy discussions<sup>32</sup>. It has become clear that even if greenhouse gas emissions were to cease immediately, climate alterations would persist for many decades. Therefore, alongside

<sup>30</sup> EPA (2024) National inventory Report 2025 <<https://www.epa.ie/publications/monitoring-assessment/climate-change/air-emissions/Ireland's-NIR-2025.pdf>>

<sup>31</sup> Ibid.

<sup>32</sup> European Environment Agency (2007) Climate change: the cost of inaction and the cost of adaptation <[https://www.eea.europa.eu/publications/technical\\_report\\_2007\\_13/download](https://www.eea.europa.eu/publications/technical_report_2007_13/download)>

efforts for mitigation, it's imperative to develop effective adaptive strategies (adaptation) to mitigate damages or seize opportunities arising from climate change.

This section provides a description of the future predictions for climate change.

### 11.3.2.1 Data sources

A review of literature and data relating to climate change in Ireland was undertaken and utilised to provide an overview of the future baseline environment. The following key data sources were reviewed:

- High-resolution Climate Projections for Ireland – A Multimodel Ensemble Approach (report No. 339)<sup>33</sup>
- Climate Status Report for Ireland 2020<sup>34</sup>
- Climate Ireland<sup>35</sup>

### 11.3.2.2 Physical Environment

This section will describe the future baseline for the Site's physical environment under the Representative Concentration Pathways (RCP) 8.5 high emission scenario. RCPs represent climate change scenarios used in modelling the possible future climate evolution, and are based on a wide suite of assumptions, to specify the greenhouse gas concentrations that will result in defined radiative forcing by 2100. The RCP 8.5 combines assumptions about high population and relatively slow income growth with modest rates of technological change and energy intensity improvements, leading in the long term to high energy demand and greenhouse gas emissions in absence of climate change policies. Compared to the total set of RCPs, RCP 8.5 thus corresponds to the pathway with the highest greenhouse gas emissions<sup>36</sup>. The physical environment of the Proposed Development under the RCP 8.5 scenario is discussed under the following headers:

- Air Temperature;
- Precipitation and Flood Risk;
- Wind and Storms.

#### Air Temperature

Annual surface air temperatures<sup>37</sup> in Ireland are now approximately 1 °C higher than they were in the early 1900's (2013 – 2022 period relative to 1903 - 1912).

The upward trend in air temperatures is predicted to continue for all seasons: annual air temperatures may increase by over 3 °C by the end of the 21<sup>st</sup> century relative to a 1976 to 2005 reference period under an RCP 8.5 high emission scenario<sup>38</sup>.

Met Éireann projections<sup>39</sup> indicate an increase of 1–1.6 °C in mean annual temperatures in Ireland, with the largest increases seen in the east of the country. Warming is enhanced for the extremes (i.e. hot or cold days), with highest daytime temperatures projected to rise by 0.7–2.6 °C in summer and lowest night-time temperatures to rise by 1.1–3 °C in winter. Averaged over the whole country, the number of

<sup>33</sup> EPA Research (2020) *High-resolution Climate Projections for Ireland – A Multimodel Ensemble Approach*

<[https://www.epa.ie/publications/research/climate-change/Research\\_Report\\_339\\_Part1.pdf](https://www.epa.ie/publications/research/climate-change/Research_Report_339_Part1.pdf)>

<sup>34</sup> [https://www.epa.ie/publications/research/climate-change/Research\\_Report\\_386.pdf](https://www.epa.ie/publications/research/climate-change/Research_Report_386.pdf)

<sup>35</sup> <https://www.climateireland.ie/>

<sup>36</sup> *Climate Change (2011) A scenario of comparatively high greenhouse gas emissions*

<<https://link.springer.com/article/10.1007/s10584-011-0149-y>>

<sup>37</sup> <https://www.epa.ie/publications/monitoring-assessment/climate-change/irelands-climate-change-assessment-volume-1.php>

<sup>38</sup> *Ireland's Climate Change Assessment (2023) Volume 1 Climate Science – Ireland in a Changing World*

<sup>39</sup> <https://www.met.ie/climate/climate-change/#Reference3>

frost days (days when the minimum temperature is less than 0°C) is projected to decrease by 62% for the RCP 8.5 high emissions scenario<sup>40,41</sup>.

## Precipitation and Flood Risk

Climate change is expected to have a significant impact on Ireland's precipitation patterns. Ireland is predicted to experience greater seasonality in precipitation, with more extreme fluctuations between wet and dry periods. Winter and autumn are anticipated to see increased rainfall, while spring and summer are projected to become drier, leading to more frequent droughts. The EPA's climate projections indicate that very wet days (i.e., days with more than 30mm of rainfall) will become more common, increasing by 31% under a high emissions scenario (RCP 8.5).

Due to Ireland's location in the west of Europe, exposure to Atlantic storms is of concern and this is particularly the case in the context of rising sea levels which will enhance the impacts of storm surges.<sup>42</sup>

Extreme rainfall events, such as those currently expected only once every 50 years, could become twice as frequent by the end of the century. This means more frequent flooding risks, particularly during the winter months<sup>43</sup>. Further information on flood risk is presented in the section below.

### **Flood Risk**

Chapter 9 (Hydrology & Hydrogeology), and the accompanying Flood Risk Assessment (FRA) (Appendix 9-1) detail the flood risk of the Proposed Development.

A review of the soil types in the vicinity of the Site was undertaken as soils can be a good indicator of past flooding in an area. Due to past flooding of rivers, deposits of transported silts/clays referred to as alluvium build up within the flood plain and hence the presence of these soils is a good indicator of potentially flood prone areas. Based on the EPA/GSI soil map for the local area, no fluvial or lacustrine deposits are mapped within the Site.

No past flood incidents are recorded within the Site. The closest past flood event downstream of the Site is mapped ~3.8km northeast at Upper Lee Flood – Ballingeary (Flood ID: 11540) on 3<sup>rd</sup> November 2011. There are past flood events mapped further downstream of the Site along the Lee (Cork) river in Ballingeary dated 07<sup>th</sup> January 2005 (Flood ID: 11543), 19<sup>th</sup> November 2009 (Flood ID: 10760), 15<sup>th</sup> January 2011 (Flood ID: 11301), 11<sup>th</sup> September 2015 (Flood ID: 11177), 04<sup>th</sup> December 2015 (Flood ID: 13330) and 29<sup>th</sup> December 2015 (Flood ID: 13472).

No areas within the Site are mapped as an Office of Public Works (OPW) Drainage District (i.e. an area where drainage schemes to improve land for agricultural purpose) or as Benefiting Lands (i.e. land identified by the OPW as potentially benefitting from the implementation of Arterial (Major) Drainage Schemes and an indicator of land subject to flooding and poor drainage).

Catchment Flood Risk Assessment and Management (CFRAM) OPW Flood Risk Assessment Maps are now the primary reference for flood risk planning in Ireland. CFRAM mapping has not been completed for the area of the Site. The closest CFRAM mapping to the Site has been completed along the Lee(cork) River), which is located ~3.8km northeast of the Site.

<sup>40</sup> Nolan, P. 2015. EPA Report: Ensemble of Regional Climate Model Projections for Ireland. EPA climate change research report no. 159. EPA: Wexford.

<sup>41</sup> O'Sullivan, J., Sweeney, C., Nolan, P. and Gleeson, E., 2015. A high-resolution, multi-model analysis of Irish temperatures for the mid-21st century. *International Journal of Climatology*. doi: 10.1002/joc.4419.

<sup>42</sup> <https://www.epa.ie/our-services/monitoring-assessment/climate-change/climate-ireland/impact-of-climate-change-on-ireland/climate-hazards/coastal-flooding>.

<sup>43</sup> EPA (2005) Climate Change Regional Climate Model Predictions for Ireland <<https://www.epa.ie/publications/research/climate-change/climate-change-regional-climate-model-predictions-for-ireland.php>>

National Indicative Fluvial Mapping ([www.floodinfo.ie](http://www.floodinfo.ie)) shows probabilistic fluvial flood zones for catchments greater than 5km<sup>2</sup> for which flood maps were not produced under the CFRAM Programme. The Present-Day Scenario has been generated using modelling methodologies based on historic flood data and does not consider the potential changes due to climate change. The potential effects of climate change on flooding have been separately modelled (discussed below and in Section 4.3.9 of the FRA). For the Present-Day Scenario, no medium (1 in 100) or low probability (1 in 1,000) fluvial flood zones have been mapped to encroach upon the Site.

The closest NIFM Fluvial flood zone is mapped ~350m southwest and downstream of the Site along the River Owenbeg (Owvane)\_010.

Based on the combined CFRAM and NIFM fluvial flood zones, the Site is located in Fluvial Flood Zone C, where the probability of fluvial flooding is low (less than 0.1%).

Fluvial flood modelling has also been completed to consider future climate scenarios where the potential effects of climate change can increase rainfall. The National Indicative Fluvial Flood Mapping Mid-Range Future Scenario models flood extents based on a 20% increase in rainfall. Similarly, the National Indicative Fluvial Flood Mapping High-End Future Scenario models flood extends based on a 30% increase in rainfall. Both of these modelled flood extents show similar flood zones to the Present Day Scenario. Therefore, flood zones nearest to the Site are unlikely to be significantly impacted by future climate change.

The FRA concludes that the overall risk of flooding posed by the Proposed Development and associated works within the Site is low. The main risk of flooding on site is from fluvial flooding. Robust drainage measures at the Site will be put in place and include swales, silt traps, check dams, settlement ponds and buffered outfalls. Please refer to the Chapter 9 (Hydrology & Hydrogeology) of the EIAR for further details.

## Wind and Storms

Future climate and weather predictions indicate a slight reduction in mid-century (2041 – 2060) average wind speeds around Ireland (-2.47% for RCP 8.5 high emissions scenario compared to the 1981 – 2000 baseline), with these decreases being more pronounced during the summer months<sup>44</sup>. Predictions also point towards less frequent, but more intense storm activity around Ireland. Correspondingly, projections indicate a decrease in average and extreme wave heights towards the end of the century, but an increase in the frequency and severity of storm surges in coastal regions of western Ireland, particularly in winter months<sup>45</sup>. Storm surge levels over a 20-to-30-year return period are anticipated to increase by up to 9cm by 2100<sup>46</sup>.

### 11.3.2.3 Greenhouse Gas Emissions Projections

In its approach to decarbonisation, the EU has split greenhouse gas emissions into two categories, the Emissions Trading System (ETS) and the non-ETS. Emissions from electricity generation and large industry in the ETS are subject to EU-wide targets which require that emissions from these sectors be reduced by 42% by 2030, relative to 2005 levels. Within the ETS, participants are required to purchase allowances for every tonne of emissions, with the amount of these allowances declining over time to ensure the required reduction of 42% in greenhouse gas emissions is achieved at EU-level<sup>47</sup>.

<sup>44</sup> <https://www.climateireland.ie/impact-on-ireland/future-climate-of-ireland/windspeed/>

<sup>45</sup> <https://www.epa.ie/publications/research/climate-change/research-339-high-resolution-climate-projections-for-ireland-.php>

<sup>46</sup> <https://www.climateireland.ie/impact-on-ireland/future-climate-of-ireland/waves-surges/>

<sup>47</sup> Department of the Environment, Climate and Communications (2023) - Climate Action Plan 2024  
<https://www.gov.ie/en/publication/79659-climate-action-plan-2024/>

Emissions from all other sectors, including agriculture, transport, buildings, and light industry are covered by the EU Effort Sharing Regulation (ESR)<sup>48</sup>. This established binding annual greenhouse gas emission targets for Member States for the period 2021–2030. Please see Section 11.2.1 above and Section 1.1.1.11 of Appendix 11-1 for further details on the EU ESR.

Considerable progress has been made in the decarbonisation of the Electricity Sector, with emissions falling 22% between 2022 and 2023. This reduction in emissions is due to an increase in the share of renewable electricity generation, from 38.6% to 40.7% from 2022 to 2023, with wind energy accounting for 33.7% of electricity supply.<sup>49</sup>

The Environmental Protection Agency (EPA) publish Ireland’s greenhouse gas emission projections and at the time of writing, the most recent report, *‘Ireland’s Greenhouse Gas Emissions Projections 2024-2055’*<sup>50</sup> was published in May 2025. The report includes an assessment of Ireland’s progress towards achieving its emission reduction targets out to 2030 set under the ESR.

The EPA has produced two scenarios in preparing these greenhouse gas emissions projections: a “With Existing Measures” (WEM) scenario and a “With Additional Measures” (WAM) scenario. These scenarios forecast Ireland’s greenhouse gas emissions in different ways. The WEM scenario assumes no additional policies and measures, beyond those already in place by the end of 2023. This is the cut off point for which the latest national greenhouse gas emission inventory data is available. The WAM scenario has a higher level of ambition and includes government policies and measures to reduce emissions such as those in Ireland’s Climate Action Plan 2024 that are not yet implemented. As implementation of policies and measures occurs, they will be migrated into the WEM Scenario. Please note, CAP25 is not specifically referenced in this report as it had yet to be published during the preparation phase of the 2024-2055 projections. A review was undertaken and there are no significant additional measures in CAP25 therefore no major omissions in these projections.

The EPA Emission Projections Update notes the following key trends:

- Ireland is not on track to meet the 51% emissions reduction target by 2030 (as compared to 2018 levels) based on most up to date EPA projections which include many of Climate Action Plan 2024 measures
- The first two carbon budgets (2021-2030), which aim to support achievement of the 51% emissions reduction goal, are projected to be exceeded by a significant margin
  - Carbon Budget 1 to be exceeded by a margin of 8 to 12 MtCO<sub>2</sub>eq
  - Carbon Budget 2 to be exceeded by a margin of 77 to 114 MtCO<sub>2</sub>eq (with carryover from Carbon Budget 1)
- Sectoral emissions ceilings for 2025 and 2030 are projected to be exceeded by the Buildings, Electricity, Industry and Transport Sectors and met by the Other sector
  - Please note, a direct comparison of emissions in the Agriculture sector against its Sectoral Emission Ceiling is not longer viable due to significant refinement of the Agriculture inventory
- From 21.4 MtCO<sub>2</sub>eq in 2018, total emissions from the Agriculture sector are projected to be between 18.0 and 21.6 MtCO<sub>2</sub>eq in 2030 (a 16% reduction in WAM and 1% increase in WEM)
  - Without full implementation of all planned policies and measures, there will be a net increase in emissions in this sector by 2030.

<sup>48</sup> Regulation (EU) 2018/842 of the European Parliament and of the Council of 30 May 2018 on binding annual greenhouse gas emission reductions by Member States from 2021 to 2030 contributing to climate action to meet commitments under the Paris Agreement. There was a significant drop in emissions from the Energy Industries sector between 2022 and 2023 (down 2.1 Mt CO<sub>2</sub>eq or 21.4%). This reduction in emissions was partly due to a 12-fold increase in the amount of imported electricity (9.5% of electricity supply in 2023), in combination with an increase in the share of renewable energy from 38.6% in 2022 to 40.7% in 2023.

<sup>49</sup> Department of the Environment, Climate and Communications (2025) - Climate Action Plan 2025

<sup>50</sup> EPA (2025) Ireland’s Greenhouse Gas Emissions Projections 2024-2055

- Transport emissions are projected to decrease from 12.3 MtCO<sub>2</sub>eq in 2018 to between 9.7 MtCO<sub>2</sub>eq and 11.2 MtCO<sub>2</sub>eq in 2030 (a 9 to 21% reduction).
- From 10.6 MtCO<sub>2</sub>eq in 2018, emissions from the Energy Industries sector are projected to decrease to between 3.4 and 4.4 MtCO<sub>2</sub>eq in 2030 (a 59 to 68% reduction)
  - Renewable energy generation at the end of the decade is projected to range from 69 to 68% of electricity generation
- Emissions from the Energy Industries sector are projected to decrease by between 57 and 62% over the period 2022 to 2030
  - Renewable energy generation at the end of the decade is projected to range from 69 to 80% of electricity generation
- Total emissions from the LULUCF sector are projected to increase over the period 2018 to 2030 by between 1.5 and 3.8 MtCO<sub>2</sub>eq (an increase of 39 to 95%)
- Ireland is not projected to meet its EU target, set under the Effort Sharing Regulation, of a 42% emissions reduction by 2030 (compared to 2005) even with flexibilities applied
  - Under the WEM Scenario Ireland is projected to receive a 9.5% emission reduction from 2005 levels by 2030
  - Under the WAM Scenario Ireland is projected to achieve a 21.7% emission reduction from 2005 levels by 2030.

### 11.3.3 Summary

As outlined in the preceding sections, Ireland is and will continue to experience climate change in line with global trends, with current projections indicating that these effects will intensify in the coming decades. The design of the Proposed Development considered the potential climate change effects under both the baseline and future environment, and it is considered that the Proposed Development will not be negatively impacted by climate change, nor will it have a negative impact on climate change over its 35-year design horizon.

Further information on the vulnerability of the Proposed Development to major accidents and natural disasters is detailed in Chapter 16 (Major Accidents & Natural Disasters).

## 11.4 Calculating Carbon Losses and Savings from the Proposed Development

### 11.4.1 Background

In addition to the combustion of fossil fuels, greenhouse gases are also released through natural processes such as the decomposition of organic material (which is composed of carbon). Bogs and peatlands are known to store large amounts of carbon. Due to the waterlogged nature of these habitats, stored carbon is not broken down and released into the atmosphere. The construction of wind farms on bog and peat habitats may affect the natural hydrological regime, thus exposing and drying out the peat and allowing the decomposition of carbon. It is therefore necessary to demonstrate that any wind farm constructed on such sites saves more carbon than is released. The Proposed Development is situated on agricultural land and peatland, covered by coniferous forestry and smaller areas of transitional woodland scrub. For this reason, the carbon balance between the use of renewable energy and the loss of carbon stored in the peat will be assessed in this section of the EIAR. Note, in line with the Forest Service's published policy<sup>51</sup> on granting felling licences for wind farm developments, areas cleared of forestry for access roads, and any other wind farm-related uses will be replaced by replanting at an

<sup>51</sup> Department of Agriculture, Food, and the Marine, Tree Felling and Reforestation Policy  
<<https://www.gov.ie/en/publication/19b8d-tree-felling-licences/>>

alternative site or sites. The Forest Service policy requires replacement or replanting on a hectare for hectare basis for the footprint of the infrastructure developments.

CO<sub>2</sub> emissions occur naturally in addition to being released with the burning of fossil fuels. All organic material is composed of carbon, which is released as CO<sub>2</sub> when the material decomposes. Organic material acts as a store of carbon. Peatland habitats have a significant capacity to store organic carbon. The vegetation on a peat bog slowly absorbs CO<sub>2</sub> from the atmosphere when it is alive and converts it to organic carbon. When the vegetation dies, in the acidic waterlogged conditions of bogs and peatlands, the organic material does not decompose fully, and the organic carbon is retained in the ground.

The carbon balance of wind farm developments in peatland habitats has attracted significant attention in recent years. When developments such as wind farms are proposed for peatland areas, there will be direct impacts and loss of peat in the area of the development footprint. There may also be indirect impacts where it is necessary to install drainage in certain areas to facilitate construction, or from the reinstatement of extracted peat. The works can either directly or indirectly allow the peat to dry out, locally, which permits the full decomposition of the stored organic material with the associated release of the stored carbon as CO<sub>2</sub>. It is essential therefore that any wind farm development in a peatland area saves more CO<sub>2</sub> than is released.

The below assessment includes all carbon losses associated with turbine infrastructure lifecycle (manufacture, construction, decommissioning) of the Proposed Development, back up of turbines, reduced carbon fixing potential of the Site, soil organic matter, tree felling activities, traffic generation, embodied carbon of all construction materials, and those emissions associated with carbon savings from the Proposed Development.

#### 11.4.2 Methodology for Calculating Losses

A methodology was published in June 2008 by scientists at the University of Aberdeen and the Macauley Institute with support from the Rural and Environment Research and Analysis Directorate of the Scottish Government, Science Policy and Co-ordination Division. The document, '*Calculating Carbon Savings from Wind Farms on Scottish Peat Lands*', was developed to calculate the impact of wind farm developments on the soil carbon stocks held in peat. This methodology was refined and updated in 2011 based on feedback from users of the initial methodology and further research in the area. The web-based version of the carbon calculator, which supersedes the excel based versions of the tool, was released in 2016. Please note, the web-based version of the carbon calculator is currently not available, the Macauley Institute has supplied a worksheet of the calculator (Version 2.14.0) which has been used to complete the following carbon loss assessment. The tool provides a transparent and easy to follow method for estimating the impacts of wind farms on the carbon dynamics of peatlands. Previously guidance produced by Scottish Natural Heritage in 2003 had been widely employed to determine carbon payback in the absence of any more detailed methods.

Although the loss of carbon fixing potential from plants on peat land is not substantial, it is nonetheless calculated for areas from which peat is extracted and the areas affected by drainage. The development of a wind farm requires the construction of infrastructure, i.e., turbines and associated foundations and hardstands, internal site roads, construction compounds, etc. and, on a site such as the Proposed Development, this requires peat excavation resulting in the loss of the carbon-fixing potential associated with peat. The determination of the carbon losses associated with the carbon-fixing potential of peat is calculated from the area affected by proposed infrastructure of a wind farm development (both directly by removal of peat and indirectly by drainage, the annual gains due to the carbon fixing potential of the peatland, and the time required for habitat restoration). The amount of carbon lost is estimated by the Macauley Institute carbon tool using default values from the IPCC Revised 1996 Guidelines for National Greenhouse Gas Inventories<sup>52</sup> as well as by more site-specific equations derived from the

<sup>52</sup> IPCC (1997) Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories

scientific literature and updated emission factors.<sup>53</sup> Please note, carbon losses associated with the removal of other carbon-fixing vegetation will result in additional carbon losses. These have not been quantified as the lack of consistent national-level field data and methodologies limits the ability to make accurate projections on carbon sequestration potential for other carbon fixing habitat types, i.e., hedgerow, grassland, etc., and therefore carbon loss associated with removal. While it can be assumed that loss of carbon fixing vegetation will occur as part of the Proposed Development due to the removal of these habitat types, the exact carbon loss is not quantifiable. However, to ensure a robust assessment in Section 11.5 below, these carbon losses have been considered; please see Section 11.5.2 and 11.5.3 below for the detailed impact assessment and Appendix 11-2 for further information on assumptions used in this assessment.

Peatlands are essentially unbalanced systems. When flooded, peat soils emit less carbon dioxide but more methane than when drained. In waterlogged soils, carbon dioxide emissions are usually exceeded by plant fixation, so the net exchange of carbon with the atmosphere is negative and soil carbon stocks increase. When soils are aerated, carbon emissions usually exceed plant fixation, so the net exchange of carbon with the atmosphere is positive. In order to calculate the carbon emissions resulting from the removal or drainage of the peat, the Macauley Institute method accounts for emissions occurring if the peat had been left in-situ and subtracts these from the emissions occurring after removal and drainage.

The Macauley Institute methodology states that the total volume of peat impacted by the construction of the wind farm is strongly correlated to the extent of the peatland affected by drainage at the Site.

The drainage of peat soils leads to continual loss of soil carbon until a new steady state is reached, when inputs are approximately equal to losses. For peats, this steady state approximates 0% carbon, so 100% carbon loss from drained peats is assumed if the Site is not restored after decommissioning of the wind farm. The amount of carbon lost is calculated on the basis of the annual emissions of methane and carbon dioxide, the area of drained peat, and the time until the Site is restored. In the case of the Proposed Development, the model has been prepared on the basis that restoration will not occur upon decommissioning (i.e., site roads and hardstands will be left in situ). However, as detailed in Section 4.11, upon decommissioning, all above ground turbine and met mast components will be removed, and foundations and compounds would remain underground and covered with earth and allowed to revegetate. The Decommissioning Plan, included as Appendix 4-6, will be updated prior to the end of the operational period in line with decommissioning methodologies that may exist at the time and will agree with the competent authority at that time.

The effects of drainage may also reduce dissolved and particulate organic carbon retention within the peat. Losses of carbon dioxide due to leaching of dissolved and particulate organic carbon are calculated as a proportion of the gaseous losses of carbon from the peat. The Macauley Institute method assumes that published good practice is employed in relation to avoiding the risk of peat landslides. As detailed in Section 8.3.7 in Chapter 8 (Land Soils and Geology) of this EIAR, the Proposed Development has been the subject of a peat stability risk assessment; further details are contained within Appendix 8-1 of this EIAR.

Tree felling will be required within and around the Proposed Development infrastructure footprint to allow for the construction of the proposed turbines, access roads, underground cabling, and the other ancillary infrastructure. Forestry may be felled earlier than originally planned due to the Proposed Development, so limiting the nature and longevity of the resulting timber produced. If a forestry plantation was due to be felled with no plan to replant, the effect of the land use change is not attributable to the wind farm development and is omitted from the calculation. If, however, the forestry is felled for the development, as is the case for the Proposed Development, the effects are judged to be attributable to the wind farm development. Carbon losses as a result of felling are calculated from the area to be felled, the average carbon sequestered annually, and the lifetime of the wind farm.

<sup>53</sup> *Calculating potential carbon losses and savings from wind farms on Scottish peatlands (2018)* <<https://www.gov.scot/advice-and-guidance/2018/12/carbon-calculator-technical-guidance/documents/calculating-potential-carbon-losses-and-savings-from-wind-farms-on-scottish-peatlands>>

Alterations in soil carbon levels following felling are calculated using the equations for drainage and site restoration already described.

The outputs of the Macauley Institute carbon calculator are included in Appendix 11-2 of this EIAR, ‘Carbon Calculations’.

In addition to the Macauley Institute methodology described above, where possible, carbon emissions or losses associated with embodied carbon of materials used in the construction, operational and decommissioning phase of the Proposed Development have been identified. Embodied carbon refers to the emissions associated with procuring, mining, and harvesting raw materials, the transformation of those materials into construction products, transporting them to the Site, installation of these materials during a construction phase, and the subsequent replacement, removal, and disposal of these materials upon decommissioning.<sup>54</sup>

The full life cycle and embodied carbon of the Proposed Development turbines have been taken account of in the Macauley Institute model. The emissions associated with the embodied carbon, along with the construction phase transport movements, of the remaining features of the Site are considered using the Transport Infrastructure Ireland (TII) Carbon Tool (TII 2022)<sup>55</sup>. The TII Carbon Tool is customised for road and light rail projects in Ireland, using emission factors from recognised sources during the construction, maintenance and operation of TII projects in Ireland.

Section 15.1 in Chapter 15 (Material Assets) of this EIAR outlines traffic generation numbers relative to quantum of materials required for the construction of the Proposed Development, the details of which have been utilised to determine the emissions associated with these activities and are included in Appendix 11-2 ‘Carbon Calculations’.

### 11.4.3 Carbon Losses and Savings Calculations

#### 11.4.3.1 Carbon Losses

The Scottish Government online carbon calculator was used to assess the impacts of the Proposed Development in terms of potential carbon losses taking into account drainage, habitat improvement, forestry felling and site restoration. The online calculator is pre-loaded with information specific to the CO<sub>2</sub> emissions from the United Kingdom’s electricity generation plant, which is used to calculate emissions savings from proposed wind farm projects in the UK. However, due to the availability of Irish specific carbon intensity emission factors for the Irish electricity generation plant, the CO<sub>2</sub> emissions savings from the Proposed Development have been calculated separately from the online carbon calculator as set out in Section 11.4.3.2 below.

In relation to embodied carbon and associated transport movements of all other ancillary elements of the Proposed Development, the TII Carbon Tool has been utilised to assess the impacts of the Proposed Development in terms of potential carbon losses in regards to construction phase transport emissions and embodied carbon.

A copy of the outputs is provided as Appendix 11-2 of this EIAR. Where available and relevant, site-specific information was inserted into the online carbon calculators. Otherwise, default values were used.

The main CO<sub>2</sub> losses due to the Proposed Development are summarised in Table 11-5.

<sup>54</sup> Irish green Building Council – What is embodied carbon? <<https://www.igbc.ie/what-is-embodied-carbon/>>

<sup>55</sup> Transport Infrastructure Ireland Carbon Tool for Road and Light Rail Projects: User Guidance Document <https://www.tiipublications.ie/library/GE-ENV-01106-01.pdf>

Table 11-5 CO<sub>2</sub> Losses from the Proposed Development

| Origin of Losses                                                                                                                    | CO <sub>2</sub> Losses (tonnes CO <sub>2</sub> equivalent) |               |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|---------------|
|                                                                                                                                     | Expected                                                   | Maximum       |
| Losses due to turbine life (e.g., manufacture, construction, decommissioning)                                                       | 12,052                                                     | 12,332        |
| Losses due to backup                                                                                                                | 9,360                                                      | 9,555         |
| Losses from reduced carbon fixing potential                                                                                         | 361                                                        | 615           |
| Losses from soil organic matter and due to leaching of dissolved and particulate organic carbon (CO <sub>2</sub> loss from removed) | 436                                                        | 1,451         |
| Losses associated to forestry felling                                                                                               | 4,066                                                      | 4,203         |
| Losses associated with embodied carbon in construction materials                                                                    | 883                                                        | 883           |
| Losses associated with traffic and transport movements                                                                              | 23                                                         | 23            |
| <b>Total</b>                                                                                                                        | <b>27,181</b>                                              | <b>29,062</b> |

The worksheet models and online tools calculate that the Proposed Development will give rise to 27,181 tonnes of CO<sub>2</sub> equivalent losses over its 35-year life. Of this total figure, the Proposed Development turbines directly account for 12,052 tonnes, or 44%. Losses due to backup account for 9,360 tonnes, or 34%. Losses from reduced carbon fixing potential accounts for 1.3% or 361 tonnes. Losses from soil organic matter, i.e., CO<sub>2</sub> loss from disturbed soil and subsoils, will equate to 436 tonnes, or 1.6%. Losses due to forestry felling account for 4,066 tonnes or 15%. Losses due to embodied carbon accounts for 883 tonnes or 3.2% and losses due to construction phase transport emissions accounts for 0.1% or 23 tonnes.

The figure of 436 tonnes of CO<sub>2</sub> arising from ground activities associated with the Proposed Development is calculated based on the entire Proposed Development footprint being “Acid Bog”, as this is one of only two choices the model allows (the other being Fen). The habitat that will be impacted by the Proposed Development footprint comprises predominantly coniferous forestry and agriculture, with areas of the Site underlain by peat, rather than the acid bog assumed by the model that gives rise to the 436 tonnes and therefore the actual CO<sub>2</sub> losses are expected to be lower than this value.

The values discussed above are based on the assumption that no habitat enhancement or afforestation activities will take place as part of the Proposed Development. As detailed in Section 4.4.3.1.2 of this EIAR, the estimated 8.8ha of forestry that will be permanently felled for the footprint of the Proposed Development infrastructure will be replaced or replanted on a hectare for hectare basis as a condition of any felling licence that will be issued in respect of the Proposed Development. Similarly, as detailed in Appendix 6-5, a Biodiversity Management and Enhancement Plan (BMEP) for the Proposed Development has identified enhancement activities such as enhancement of degraded wet heath habitat and the incorporation of a riparian buffer zone. Taking into account the afforestation and habitat enhancement that will take place, the actual CO<sub>2</sub> losses for forestry felling and reduced carbon fixing potential are expected to be lower than the values detailed in Table 11-6, over the life-time of the Proposed Development.

The figure of 883 tonnes of CO<sub>2</sub> arising from the embodied carbon of construction materials associated with the Proposed Development is calculated based the types of materials available in the TII Carbon tool such as, concrete, steel, cement and granular fill, and assumes that each HGV or LGV will be carrying material at its full capacity. The figure of 23 tonnes of CO<sub>2</sub> arising from transport movements associated with construction activities of the Proposed Development is calculated based on the assumption that material will be imported locally or from a port/city location where applicable. Details on the assumptions made for the modelling of embodied carbon and construction phase transport emissions are included in Appendix 11-2.

The values discussed above are based on the assumption that the hydrology of the Proposed Development and habitats within the Site are not restored on decommissioning of the Proposed Development after its expected 35-year proposed operational life. As detailed in the Decommissioning Plan, Appendix 4-6, the wind turbines and met mast will be dismantled and removed offsite. It is not intended to remove the concrete foundations from the ground as it is considered that its removal will be the least preferred options in terms of having potential effects on the environment. The associated foundations will be backfilled and covered with soil material. If there is usable soil or overburden material on the Site after construction, this material will be used. Alternatively, where material is not readily available on site, soil will be sourced locally and imported to site on heavy good vehicles (HGVs). The imported soil will be spread and graded over the foundation using a tracked excavator and revegetation enhanced by spreading of an appropriate seed mix to assist in revegetation and accelerate the resumption of the natural drainage management that will have existed prior to any construction. The underground electrical cabling connecting the turbines to the existing onsite 38kV substation will be removed from the cable ducts. The cable ducting will be left in-situ as it is considered the most environmentally prudent option, avoiding unnecessary excavation and soil disturbance. The cable materials will be transferred to a suitable recycling or recovery facility. Taking into account the proposals incorporated in the Decommissioning Plan, the actual CO<sub>2</sub> losses are expected to be lower than the values detailed in Table 11-5.

### 11.4.3.2 Carbon Savings

According to the model described above, the Proposed Development will give rise to total losses of 27,681 tonnes of carbon dioxide.

A simple formula can be used to calculate carbon dioxide emissions reductions resulting from the generation of electricity from wind power rather than from carbon-based fuels such as peat, coal, gas and oil. The formula is:

$$\text{CO}_2 \text{ (in tonnes)} = \frac{(A \times B \times C \times D)}{1000}$$

where: A = ..... The rated capacity of the wind energy development in MW

B = ..... The capacity or load factor, which takes into account the intermittent nature of the wind, the availability of wind turbines and array losses etc.

C = ..... The number of hours in a year

D = ..... Carbon load in grams per kWh (kilowatt hour) of electricity generated and distributed via the national grid.

For the purposes of this calculation, the rated capacity of the Proposed Development is assumed to be 14.4 MW (based on 3 No. 4.8 MW turbines).

A capacity factor of 0.37 (or 37%) has been used for the Proposed Development.<sup>56</sup>

The number of hours in a year is 8,760.

A conservative figure for the carbon load of electricity generated by natural gas in Ireland was sourced from Sustainable Energy Authority Ireland's (SEAI) Conversion and Emissions Factors for Publication worksheet.<sup>57</sup> The emission factor for electricity generated in Ireland in 2024 was 204.3 gCO<sub>2</sub>/kWh.<sup>58</sup>

The calculation for carbon savings is therefore as follows:

$$\text{CO}_2 \text{ (in tonnes)} = \frac{(14.4 \times 0.37 \times 8,760 \times 204.3)}{1000}$$

$$= 9,535 \text{ tonnes per annum}$$

Based on this calculation, **9,535** tonnes of carbon dioxide will be displaced per annum from the largely carbon-based traditional energy mix by the Proposed Development. Over the proposed 35-year lifetime of the development, therefore **333,725** tonnes of carbon dioxide will be displaced from traditional carbon-based electricity generation.

Based on the Scottish Government carbon calculator as presented above in Section 11.4.3.1, approximately 27,681 tonnes of CO<sub>2</sub> will be lost to the atmosphere due to changes in the soil and ground conditions and due to the construction and operation of the Proposed Development. This represents **8%** of the total amount of carbon dioxide emissions that will be offset by the Proposed Development. The 27,681 tonnes of CO<sub>2</sub> that will be lost to the atmosphere due to changes in soil and ground conditions and due to the construction and operation of the Proposed Development will be offset by the Proposed Development in approximately **35** months (2.9 years) of operation.

As detailed in Section 11.4.3.1 above, habitat enhancement and afforestation activities will take place as part of the Proposed Development. As detailed in Section 4.4.3 of this EIAR, the estimated 8.8ha of forestry that will be permanently felled for the footprint of the Proposed Development infrastructure will be replaced or replanted on a hectare for hectare basis as a condition of any felling licence that will be issued in respect of the Proposed Development. Similarly, as detailed in Appendix 6-5, a BMEP for the Proposed Development has identified enhancement activities such as enhancement of degraded wet heath habitat and the incorporation of a riparian buffer zone. These activities, over the lifetime of the Proposed Development have the potential to give rise to carbon savings; please note, this potential has not been quantified and therefore is not considered in Section 11.5.3 below. The carbon storage capacity of restored habitats will vary over time as vegetation matures and land use and the baseline environment change. Therefore, while it can be assumed that native woodland replanting and enhancement of wet heath habitat on the Site will result in an increased capacity of carbon storage due to the carbon storage potential that exists within these habitats<sup>59</sup>, to ensure the assessment below is identified under a theoretical precautionary scenario the quantification of these potential carbon savings (via an increase in carbon storage potential) associated with these measures has not been included. Please note, the carbon sequestration potential associated with the replanting of native woodland will be able to be determined in the future via the Teagasc Forest Carbon Tool<sup>60</sup>; currently this is not able to be completed due to Teagasc carrying out further analysis and validation on current data and the sequestration potential not being available in the public domain.

<sup>56</sup> EirGrid, 2022 Enduring Connection Policy 2.3 Solar and Wind Constraints Report: Assumptions and Methodology <<https://cms.eirgrid.ie/sites/default/files/publications/ECP-2.3-Solar-and-Wind-Constraints-Report-Assumptions-and-Methodology-v1.1.pdf>> The Proposed Development is located within the F wind region for Ireland with an associated capacity factor of 37%.

<sup>57</sup> Conversion and Emission Factors for Publication (2023) <https://www.seai.ie/data-and-insights/seai-statistics/conversion-factors/SEAI-conversion-and-emission-factors.xlsx>

<sup>58</sup> SEAI have published the provisional 2023 emission factor for electricity generation in Ireland as 229.9 gCO<sub>2</sub>/kWh. Please note that this is a provisional value that may change.

<sup>59</sup> <https://teagasc.ie/news-events/daily/carbon-stocks-and-sequestration-in-hedgerows/>

<sup>60</sup> <https://interactive.teagasc.ie/Open/ForestryCarbon/ForestryCarbonCalculator>

## 11.5 Likely Significant Effects and Associated Mitigation Measures

### 11.5.1 ‘Do-Nothing’ Scenario

If the Proposed Development were not to proceed, the Site will continue to function as it does at present, with no changes to the current land-use and the opportunity to capture the available renewable energy resource on a historically established and operational wind energy site would be lost.

If the Proposed Development were not to proceed, the opportunity to capture part of Cork’s valuable renewable energy resource would be lost, as would the opportunity to contribute to meeting Government and EU targets for the production and consumption of electricity from renewable resources and the reduction of greenhouse gas emissions. An alternative land use option to developing a renewable energy project at the Site would be to leave the Site as it is, with no changes made to the current land use compromises of commercial forestry, agricultural land and unutilised existing wind farm infrastructure that remains at the Site from the Kealkill Wind Farm. The opportunity to generate local employment and investment and to diversify the local economy would be lost.

### 11.5.2 Construction Phase

#### 11.5.2.1 Greenhouse Gas Emissions

##### Proposed Development Infrastructure

The construction of Proposed Development infrastructure including turbines and associated foundations and hard-standing areas, meteorological mast, access roads and upgrade to existing tracks, temporary construction compound, underground cabling, borrow pit, peat and spoil management, site drainage and all ancillary works and apparatus will require the removal and reinstatement of peat habitat, tree felling, construction materials (such as cement), and the operation of vehicles and plant on and offsite, and the transport of workers to and from the Site. Greenhouse gas emissions, e.g., carbon dioxide (CO<sub>2</sub>), carbon monoxide and nitrogen oxides, associated with the production of construction materials, and operation of vehicles and plant will arise as a result of the construction activities. This effect will be short-term, negative and slight only, which is not significant, given the quantity of greenhouse gases that will be emitted to the atmosphere and will be restricted to the duration of the construction phase. Mitigation measures to reduce this effect are presented below.

Some potential long-term imperceptible negative effects will occur due to the removal of carbon fixing vegetation and habitat, however, that has been avoided where possible by the design and layout of the Proposed Development, which has ensured the utilisation of as much of the existing roads within the Site as possible, to gain access to the proposed turbine locations and minimise the construction of additional roads. This effect will be long-term and imperceptible only and is not significant.

##### Transport to Site

The transport of turbine components, construction materials, waste and workers to and from the Site, (see Section 15.1.4 of this EIAR), which will occur on specified routes only (see Section 4.5 in Chapter 4 (Description of the Proposed Development) of this EIAR), will also give rise to greenhouse gas emissions associated with the transport vehicles and exhaust emissions. This impact will be short-term, negative and slight only, which is not significant, given the quantity of greenhouse gases that will be emitted and will be restricted to the duration of the construction phase. Mitigation measures to reduce this effect are presented below.

## Waste Disposal

Construction waste will arise from the Proposed Development, mainly from excavation and unavoidable construction waste including material surpluses, damaged materials and packaging waste. This potential impact will be short-term, negative and slight only, which is not significant, given the quantity of greenhouse gases associated with the generation and management of these waste streams that will be emitted to the atmosphere and will be restricted to the duration of the construction phase. Waste management will be carried out in accordance with *Best Practice Guidelines on the Preparation of Resource and Waste Management Plans for Construction & Demolition Projects* (2021) produced by the EPA.

Please refer to Section 4.4.5.7 of Chapter 4 (Description of the Proposed Development) of this EIAR and Section 3.8 of the Construction and Environmental Management Plan (CEMP) (Appendix 4-3) for detailed processes on waste management during the construction phase of the Proposed Development.

## Mitigation

- All construction vehicles and plant will be maintained in good operational order while onsite, thereby minimising any emissions that arise.
- When stationary, delivery and on-site vehicles will be required to turn off engines.
- Turbines and construction materials will be transported to the Site on specified routes only unless otherwise agreed with the Planning Authority. Please see Chapter 15 (Material Assets) for details.
- It is intended to obtain the majority of materials for the construction of the Proposed Development from the proposed onsite borrow pit (with some material being imported from local licenced quarries as needed). This will significantly reduce the number of delivery vehicles accessing the Site, thereby reducing the amount of emissions associated with vehicle movements.
- Areas of excavation will be kept to a minimum, and stockpiling will be minimised by coordinating excavation, spreading and compaction.
- A CEMP (Appendix 4-3) will be in place throughout the construction phase.
- The CEMP (Appendix 4-3) includes a Waste Management Plan (WMP) which outlines the best practice procedures that will occur during the construction phase relating to waste material.
  - The WMP outlines the methods of waste prevention and minimisation by recycling, recovery and reuse at each stage of construction of the Proposed Development. Disposal of waste will be seen as a last resort.
  - Section 4.4.5.7 of Chapter 4 (Description of the Proposed Development) for this EIAR refers to the methodology that will be utilised to manage onsite waste. This waste material will be transferred to a licensed /permitted Materials Recovery Facility (MRF) by a fully licensed waste contractor,
  - The MRF facility will be local to the Proposed Development to reduce the amount of emissions associated with vehicle movements.
- Where applicable, low carbon intensive construction materials will be sourced and utilised onsite.

## Residual Effects

Following implementation of the mitigation measures above, residual effects of greenhouse gas emissions arising from the construction phase of the Proposed Development will have a short-term imperceptible negative effect and is not significant. However, once emitted to the atmosphere, the greenhouse gas emissions that will arise from construction phase activities will have a permanent imperceptible negative not significant effect on Climate.

When considering these greenhouse gas emissions within the context of the national Electricity Sector Emissions Ceilings detailed in Section 11.2.2, Carbon Budget 1 (2021-2025) has an Electricity Sector budget of 40 MtCO<sub>2</sub>eq. and Carbon Budget 2 (2026-2030) has an Electricity Sector budget of 20 MtCO<sub>2</sub>eq for large-scale deployment of renewables. As detailed in Section 11.4.3.2, the Proposed Development will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year lifespan of the Proposed Development. Therefore, while there will be greenhouse gas emissions associated with the construction of the Proposed Development, this will take place under the Electricity sector emissions ceiling and will be offset by the operation of the Proposed Development within its operational life.

### Significance of Effects

Based on the assessment above there will be no significant effects.

## 11.5.3 Operational Phase

### 11.5.3.1 Greenhouse Gas Emissions

#### Proposed Development

The Proposed Development will generate energy from a renewable source. As detailed in Section 11.4.3.2 above, the Proposed Development will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year lifespan of the Proposed Development. For the purposes of this EIAR, a rated output of 4.8MW per turbine has been chosen to calculate the anticipated power output of the Proposed Development, which would result in an estimated output of 14.4MW, displacing approximately 9,535 tonnes of carbon dioxide per annum from traditional carbon-based electricity generation. This will have a long-term significant positive impact on climate.

Some potential long-term slight negative impacts, which are not significant, that may occur during the operational phase of the Proposed Development are the release of carbon dioxide to the atmosphere due to maintenance and monitoring activities and the removal of carbon fixing vegetation and habitat, as well as associated drainage. With respect to transport volumes, there will only be an average of approximately 2 trips made to the Site by car or light goods vehicle per day.

#### Transport to and from the Site

In the unlikely event that a turbine blade is damaged and must be replaced during the operational phase, the impacts described in Section 11.5.2.1 will be the same. Emissions resulting from routine maintenance at Proposed Development are included in the section '*Proposed Development*' above.

#### Waste Disposal

Waste is not proposed to be generated on the Site during the operational phase, any waste that does arise will be minimal and any impact will be short-term and imperceptible. Waste management will be carried out in accordance with '*Best Practice Guidelines on the Preparation of Resource and Waste Management Plans for Construction & Demolition Projects*' (2021) produced by the EPA.

#### Mitigation

- Ensure that all maintenance and monitoring vehicles will be maintained in good operational order while onsite, and, when stationary, be required to turn off engines thereby minimising any emissions that arise.

## Residual Effect

Following implementation of the mitigation measures above, residual effects of greenhouse gas emissions arising from the operational phase of the Proposed Development will have potential long-term imperceptible negative not significant effect on Climate.

Please note, as identified above in Section 11.4.3.2, the carbon storage capacity of restored habitats will vary over time as vegetation matures and land use and the baseline environment change. Therefore, while it can be assumed that measures outlined in the BMEP and 8.8ha of afforestation that will occur as part of the Proposed Development will result in an increased capacity of carbon storage due to the carbon storage potential that exists within these habitats<sup>61</sup>, to ensure this assessment is completed under a theoretical precautionary scenario the quantification of these potential carbon savings (via an increase in carbon storage potential) associated with these measures has not been included.

The operational of the Proposed Development will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year operational lifespan due to the provision of clean renewable energy to the national grid. Therefore, while there will be greenhouse gas emissions associated with the operation of the Proposed Development, this will be offset by the operation of the Proposed Development within the 35-year operational life.

Long-term Moderate Positive Effect on Climate as a result of reduced greenhouse gas emissions and not significant.

## Significance of Effects

Based on the assessment above there will be no significant effects.

### 11.5.4 Decommissioning Phase

The wind turbines proposed as part of the Proposed Development are expected to have a lifespan of approximately 35 years. Following the end of their useful life, the equipment may be replaced with a new technology, subject to planning permission being obtained, or the Proposed Development will be decommissioned fully.

Upon decommissioning of the Proposed Development, the wind turbines, meteorological mast, the existing onsite 38kV substation and existing 38kV underground cable would be disassembled. All above ground turbine and mast components would be separated and removed off-site for recycling. Turbine and mast foundations would remain underground and would be covered with earth and allowed to revegetate. Leaving the foundations in-situ is considered a more environmentally prudent option, as to remove that volume of reinforced concrete from the ground could result in significant temporary environment nuisances such as noise, dust and/or vibration.

The onsite 38kV substation will be disconnected from the grid prior to decommissioning. All above ground components and electrical plant will be dismantled. The underground cabling associated with the substation will be cut at either end and pulled from the underground ducting onto a cable drum. All materials will then be segregated and transported off-site to an appropriate facility and will be reconditioned and reused or recycled where possible. Once all above ground structures and equipment have been removed, the foundations and cable ducting will be left in-situ as it is considered the most environmentally prudent option, avoiding unnecessary excavation and soil disturbance for these underground elements. The substation footprint will be covered with earth and reseeded with an appropriate seed mix.

<sup>61</sup> <https://teagasc.ie/news-events/daily/carbon-stocks-and-sequestration-in-hedgerows/>

The underground electrical cabling connecting the turbines to the existing onsite 38kV substation will be removed from the cable ducts. The cabling will be pulled from the cable ducts using a mechanical winch which will extract the cable and re-roll it on to a cable drum. This will be undertaken at the original cable jointing pits which will be excavated using a mechanical excavator and will be fully re-instated once the cables are removed. The cable ducting will be left in-situ as it is considered the most environmentally prudent option, avoiding unnecessary excavation and soil disturbance. The cable materials will be transferred to a suitable recycling or recovery facility.

Any impact and consequential effect that occurs during the decommissioning phase are similar to that which occur during the construction phase, be it of less impact. The mitigation measures prescribed for the construction phase of the Proposed Development will be implemented during the decommissioning phase thereby minimising any potential impacts.

A Decommissioning Plan is included as Appendix 4-6 of this EIAR for the decommissioning of the Proposed Development, the detail of which will be agreed with the local authority prior to any decommissioning. The mitigation measures prescribed for the construction phase of the Proposed Development will be implemented during the decommissioning phase thereby minimising any potential effects. The potential for effects during the decommissioning phase of the Proposed Development has been fully assessed within this EIAR.

## 11.6 Cumulative Assessment

The potential for impact between the Proposed Development, and other relevant developments has been carried out with the purpose of identifying what influence the Proposed Development will have on the surrounding environment when considered cumulatively and in combination with relevant existing permitted or proposed projects and plans in the vicinity of the Site, such as other wind energy developments, extractive industries, battery energy storage systems, forestry etc. Please see Section 2.9 of Chapter 2 (Background to the Proposed Development) for the cumulative assessment methodology used.

During the construction phase of the Proposed Development and the construction of other permitted or proposed projects and plans in the area (please see Section 2.9 in Chapter 2 (Background to the Proposed Development) and Appendix 2-3 of this EIAR), there will be emissions from construction plant and machinery associated with the construction activities. However, once the mitigation proposals, as outlined in the above assessment are implemented during the construction phase of the Proposed Development, there will be no cumulative negative effect on climate.

Exhaust emissions during the operational phase of the Proposed Development will be minimal, relating to the use of maintenance vehicles onsite, and therefore there will be no measurable negative cumulative effect with other developments on climate.

The nature of the Proposed Development is such that, once operational, it will have a long-term, moderate, positive impact on the climate. There will be no measurable negative cumulative effect with other developments on climate.

### 11.6.1 Construction Phase

During the construction phase of the Proposed Development and other permitted or proposed projects and plans in the area as set out in Section 2.9 in Chapter 2 (Background to the Proposed Development) of this EIAR, that are yet to be constructed, there will be greenhouse gas emissions arising from production of construction materials (such as cement), the operation of construction vehicles and plant, and the transport of workers to and from the Site. These will be restricted to the duration of the construction phase, and as such will give rise to emission over a short-term duration. However, once emitted to the atmosphere, the greenhouse gas emissions that will arise from construction phase activities will have a permanent imperceptible negative effect on Climate and is not significant.

## 11.6.2 Operational Phase

The nature of the Proposed Development is such that, once operational, it will have a long-term, moderate, not significant, positive impact on climate. However, as noted above, the Proposed Development will offset the **27,681** tonnes of CO<sub>2</sub> associated with the construction and operational phase that will be lost to the atmosphere (Section 11.4.3.2) in approximately **35** months of operation.

When considering these greenhouse gas emissions within the context of the Electricity Sector Emissions Ceilings detailed in Section 11.3.2.4, Carbon Budget 1 (2021-2025) has an Electricity Sector budget of 40 MtCO<sub>2</sub>eq. and Carbon Budget 2 (2026-2030) has an Electricity Sector budget of 20 MtCO<sub>2</sub>eq for large-scale deployment of renewables. As detailed in Section 11.4.3.2, the Proposed Development will displace carbon dioxide from fossil fuel-based electricity generation, over the proposed 35-year operational lifespan. Therefore, while there will be greenhouse gas emissions associated with the construction of the Proposed Development, this will take place under the Electricity sector emissions ceiling and will be offset by the operation of the Proposed Development within its operational life. Thus, there will be no cumulative effects arising on climate from the Proposed Development and other permitted or proposed projects in the area as set out in Section 2.9 in Chapter 2 (Background to the Proposed Development) of this EIAR.

## 11.6.3 Decommissioning Phase

The works required during the decommissioning phase are described in Section 4.11 in Chapter 4 (Description of the Proposed Development) and described in detail in Appendix 4-6. Any cumulative impact and consequential effect that occurs during the decommissioning phase are similar to that which occur during the construction phase, be it of less impact. The mitigation measures prescribed for the construction phase of the Proposed Development will be implemented during the decommissioning phase thereby minimising any potential cumulative effects.

Previously guidance produced by Scottish Natural Heritage in 2003 had been widely employed to determine carbon payback in the absence of any more detailed methods.

The carbon balance of proposed wind farm developments in peatland habitats has attracted significant attention in recent years. When developments such as wind farms are proposed for peatland areas, there will be direct impacts and loss of peat in the area of the Proposed Development footprint. There may also be indirect impacts where it is necessary to install drainage in certain areas to facilitate construction. The works can either directly or indirectly allow the peat to dry out, locally, which permits the full decomposition of the stored organic material with the associated release of the stored carbon as CO<sub>2</sub>. It is essential therefore that any wind farm development in a peatland area saves more CO<sub>2</sub> than is released. The Proposed Development is situated on agricultural land and peatland, with small sections being covered by coniferous forestry. For this reason, the carbon balance between the use of renewable energy and the loss of carbon stored in the peat are assessed in Section 11.4.3.1 of the EIAR.

The Proposed Development will result in the loss of 27,681tCO<sub>2</sub>e, the details of these carbon losses are provided in Table 11-5 of Chapter 11 (Climate) of the EIAR. Please note, that in completion of these calculations a number of assumptions have been made under theoretical precautionary conditions; all assumptions are detailed in Appendix 11-2 Carbon Calculations. Therefore, it can be determined that the actual carbon losses associated with the Proposed Development will likely be less than the values provided in Table 11-5 of Chapter 11 (Climate).

The Proposed Development will have an export capacity of approximately 14.4MW and therefore will help contribute towards the achievement of national and international emission reduction targets, provide much needed grid infrastructure, and the capacity to offset 9,535tCO<sub>2</sub>e per annum, or 333,725tCO<sub>2</sub>e over the proposed 35 year operational life. Carbon losses to the atmosphere will be offset by the Proposed Development in approximately **35** months of operation. Please see Section 11.4.3.2 for details on carbon savings/offset calculations.

During the operational phase of the Proposed Development, there will be a Permanent Moderate Positive Effect on Climate as a result of reduced greenhouse gas emissions from the operation of the Proposed Development. Decommissioning of the Proposed Development will have a Permanent Imperceptible Negative Effect on climate as a result of traffic and transport emissions and loss of carbon sequestering vegetation and habitat during decommissioning activities.