

ORIEL WIND FARM PROJECT

**Environmental Impact Assessment Report - Addendum
Cover Note - Appendix 7-1 Addendum: Marine Processes Technical
Report - GIS Data**

MDR1520C
EIAR-
Appendix 7-1 Addendum
GIS Data
A1 C01
December 2025

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT –
ADDENDUM – GIS DATA

APPENDIX 7-1 ADDENDUM– MARINE PROCESSES TECHNICAL REPORT GIS DATA

Introduction

This document provides an overview of the GIS datasets provided to accompany appendix 7-1 Addendum: Marine Processes Technical Report (EIAR volume 2B Addendum) in response to RFI 6. The figure reference and title is accompanied by the name of the corresponding GIS files.

All files have been provided at the native model resolution and to the Irish Transverse Mercator ITM (IRENET95) projection.

The files are provided in standardised ESRI format shapefiles (.shp) to allow plotting in spatial analysis software.

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,	
Figure Reference	Associated GIS file/s
Introduction	
Figure 1-1: Numerical model domain used to assess marine processes in context of the Project	Oriel_OWF_Application_Boundary_Offshore
Baseline conditions	
Figure 2-2: Model bathymetry to mean sea level	Oriel_OWF_Bathymetry_msl
Figure 2-5: Baseline tidal flow patterns - mid-flood	Oriel_OWF_Base_Curr_Sp_Flood_Calm
Figure 2-6: Baseline tidal flow patterns - mid-ebb	Oriel_OWF_Base_Curr_Sp_Ebb_Calm
Figure 2A-9: Baseline wave climate 1 in 2 year storm from 015°	Oriel_OWF_Base_Wave_HW_1in2_015
Figure 2A-10: Baseline wave climate 1 in 2 year storm from 090°	Oriel_OWF_Base_Wave_HW_1in2_090
Figure 2A-11: Baseline wave climate 1 in 2 year storm from 165°	Oriel_OWF_Base_Wave_HW_1in2_165
Figure 2A-12: Baseline wave climate 1 in 50 year storm from 015°	Oriel_OWF_Base_Wave_HW_1in50_015
Figure 2A-13: Baseline wave climate 1 in 50 year storm from 090°	Oriel_OWF_Base_Wave_HW_1in50_090
Figure 2A-14: Baseline wave climate 1 in 50 year storm from 165°	Oriel_OWF_Base_Wave_HW_1in50_165
Figure 2A-15: Baseline wave climate 1 in 10 year storm from 165°	Oriel_OWF_Base_Wave_HW_1in10_165
Figure 2A-16: Baseline wave climate 1 in 20 year storm from 165°	Oriel_OWF_Base_Wave_HW_1in20_165
Figure 2A-17: Baseline wave climate 1 in 100 year storm from 165°	Oriel_OWF_Base_Wave_HW_1in100_165
Figure 2A-18: Baseline wave climate 1 in 200 year storm from 165°	Oriel_OWF_Base_Wave_HW_1in200_165
Figure 2A-19: Baseline wave climate 1 in 500 year storm from 165°	Oriel_OWF_Base_Wave_HW_1in500_165
Figure 2A-20: Baseline wave climate 1 in 200 year storm from 165° with sea level rise	Oriel_OWF_Base_Wave_Sp_HW_1in200_165_SLR
Figure 2-21: Baseline littoral current 1:2 year storm from 165° - flood tide	Oriel_OWF_Base_Curr_Sp_Flood_1in2_165
Figure 2-22: Baseline littoral current 1:2 year storm from 165° - ebb tide	Oriel_OWF_Base_Curr_Sp_Ebb_1in2_165
Figure 2A-23: Baseline littoral current 1:200 year storm from 165° - flood tide	Oriel_OWF_Base_Curr_Sp_Flood_1in200_165
Figure 2A-24: Baseline littoral current 1:200 year storm from 165° - ebb tide	Oriel_OWF_Base_Curr_Sp_Ebb_1in200_165

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 2A-25: Baseline littoral current 1:200 year storm from 165° with sea level rise - flood tide	Oriel_OWF_Base_Curr_Sp_Flood_1in200_165_SLR
Figure 2A-26: Baseline littoral current 1:200 year storm from 165° with sea level rise - ebb tide	Oriel_OWF_Base_Curr_Sp_Ebb_1in200_165_SLR
Figure 2-29: Baseline residual current spring tide	Oriel_OWF_Base_Curr_Sp_Resid_Calm
Figure 2-30: Baseline potential net sediment transport - spring tide	Oriel_OWF_Base_Sed_Sp_Calm
Figure 2-31: Baseline residual current spring tide with 1:2 year storm from 165°	Oriel_OWF_Base_Curr_Sp_Resid_1in2_165
Figure 2-32: Baseline potential net sediment transport - spring tide with 1:2 year storm from 165°	Oriel_OWF_Base_Sed_Sp_1in2_165
Figure 2A 33: Baseline change of bed level for one year of tidal currents.	Oriel_OWF_Base_Sed_Yr_Calm
Figure 2A 34: Baseline residual current spring tide with 1:200 year storm from 165°	Oriel_OWF_Base_Curr_Sp_Resid_1in200_165
Figure 2A-35: Baseline potential net sediment transport - spring tide with 1:200 year storm from 165°	Oriel_OWF_Base_Sed_Sp_1in200_165
Figure 2A-36: Baseline residual current spring tide with 1:200 year storm from 165° with sea level rise	Oriel_OWF_Base_Curr_Sp_Resid_1in200_165_SLR
Figure 2A-37: Baseline potential net sediment transport - spring tide with 1:200 year storm from 165° with sea level rise	Oriel_OWF_Base_Sed_Sp_1in200_165_SLR
Potential Effects	
Figure 3-2: WTG and OSS locations within the offshore wind farm area	Oriel_OWF_Representative_WTG_OSP_Layout
Figure 3-3: Post-construction tidal flow patterns - mid-flood	Oriel_OWF_Post_Curr_Sp_Flood_Calm
Figure 3-4: Change in tidal flow (post-construction minus baseline) - mid-flood	Oriel_OWF_Diff_Curr_Sp_Flood_Calm
Figure 3-5: Post-construction tidal flow patterns - mid-ebb	Oriel_OWF_Post_Curr_Sp_Ebb_Calm
Figure 3-6: Change in tidal flow (post-construction minus baseline) - mid-ebb	Oriel_OWF_Diff_Curr_Sp_Ebb_Calm
Figure 3A-7: Post-construction wave climate 1 in 2 year storm 015°	Oriel_OWF_Post_Wave_HW_1in2_015
Figure 3-8: Change in wave climate 1 in 2 year storm 015° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in2_015

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 3A-9: Post-construction wave climate 1 in 2 year storm 090°	Oriel_OWF_Post_Wave_HW_1in2_090
Figure 3-10: Change in wave climate 1 in 2 year storm 090° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in2_090
Figure 3A-11: Post-construction wave climate 1 in 2 year storm 165°	Oriel_OWF_Post_Wave_HW_1in2_165
Figure 3-12: Change in wave climate 1 in 2 year storm 165° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in2_165
Figure 3A-13: Post-construction wave climate 1 in 50 year storm 015°	Oriel_OWF_Post_Wave_HW_1in50_015
Figure 3-14: Change in wave climate 1 in 50 year storm 015° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in50_015
Figure 3A-15: Post-construction wave climate 1 in 50 year storm 090°	Oriel_OWF_Post_Wave_HW_1in50_090
Figure 3-16: Change in wave climate 1 in 50 year storm 090° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in50_090
Figure 3A-17: Post-construction wave climate 1 in 50 year storm 165°	Oriel_OWF_Post_Wave_HW_1in50_165
Figure 3A-18: Change in wave climate 1 in 50 year storm 165° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in50_165
Figure 3A-19: Post-construction wave climate 1 in 10 year storm 165°	Oriel_OWF_Post_Wave_HW_1in10_165
Figure 3A-20: Change in wave climate 1 in 10 year storm 165° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in10_165
Figure 3A-21: Post-construction wave climate 1 in 20 year storm 165°	Oriel_OWF_Post_Wave_HW_1in20_165
Figure 3A-22: Change in wave climate 1 in 20 year storm 165° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in20_165
Figure 3A-23: Post-construction wave climate 1 in 100 year storm 165°	Oriel_OWF_Post_Wave_HW_1in100_165
Figure 3A-24: Change in wave climate 1 in 100 year storm 165° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in100_165
Figure 3A-25: Post-construction wave climate 1 in 200 year storm 165°	Oriel_OWF_Post_Wave_HW_1in200_165
Figure 3A-26: Change in wave climate 1 in 200 year storm 165° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in200_165

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 3A-27: Post-construction wave climate 1 in 500 year storm 165°	Oriel_OWF_Post_Wave_HW_1in500_165
Figure 3A-28: Change in wave climate 1 in 500 year storm 165° (post-construction minus baseline)	Oriel_OWF_Diff_Wave_HW_1in500_165
Figure 3A-29: Post-construction wave climate 1 in 200 year storm 165° with sea level rise	Oriel_OWF_Post_Wave_Sp_HW_1in200_165_SLR
Figure 3A-30: Change in wave climate 1 in 200 year storm 165° with sea level rise(post-construction minus baseline)	Oriel_OWF_Diff_Wave_Sp_HW_1in200_165_SLR
Figure 3-31: Post-construction littoral current 1 in 2 year storm from 165° - flood tide	Oriel_OWF_Post_Curr_Sp_Flood_1in2_165
Figure 3-32: Post-construction littoral current 1 in 2 year storm from 165° - ebb tide	Oriel_OWF_Post_Curr_Sp_Ebb_1in2_165
Figure 3-33: Change in littoral current 1 in 2 year storm from 165° - flood tide (post-construction minus baseline)	Oriel_OWF_Diff_Curr_Sp_Flood_1in2_165
Figure 3A-34: Post-construction littoral current 1 in 200 year storm from 165° - flood tide	Oriel_OWF_Post_Curr_Sp_Flood_1in200_165
Figure 3A-35: Post-construction littoral current 1 in 200 year storm from 165° - ebb tide	Oriel_OWF_Post_Curr_Sp_Ebb_1in200_165
Figure 3A-36: Change in littoral current 1 in 200 year storm from 165° - flood tide (post-construction minus baseline)	Oriel_OWF_Diff_Curr_Sp_Flood_1in200_165
Figure 3A-37: Post-construction littoral current 1 in 200 year storm from 165° with sea level rise - flood tide	Oriel_OWF_Post_Curr_Sp_Flood_1in200_165_SLR
Figure 3A-38: Post-construction littoral current 1 in 200 year storm from 165° with sea level rise - ebb tide	Oriel_OWF_Post_Curr_Sp_Ebb_1in200_165_SLR
Figure 3A-39: Change in littoral current 1 in 200 year storm from 165° with sea level rise - flood tide (post-construction minus baseline)	Oriel_OWF_Diff_Curr_Sp_Flood_1in200_165_SLR
Figure 3-40: Post-construction residual current spring tide	Oriel_OWF_Post_Curr_Sp_Resid_Calm
Figure 3-41: Change in residual current spring tide (post-construction minus baseline)	Oriel_OWF_Diff_Curr_Sp_Resid_Calm
Figure 3-42: Post-construction net sediment transport - spring tide	Oriel_OWF_Post_Sed_Sp_Calm
Figure 3-43: Post-construction residual current 1 in 2 year storm from 165° spring tide	Oriel_OWF_Post_Curr_Sp_Resid_1in2_165
Figure 3-44: Change in residual current 1 in 2 year storm from 165° spring tide (post-construction minus baseline)	Oriel_OWF_Diff_Curr_Sp_Resid_1in2_165

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 3-45: Post-construction net sediment transport - spring tide with 1 in 2 year storm from 165°	Oriel_OWF_Post_Sed_Sp_1in2_165
Figure 3A 46: Post-construction change of bed level for one year of tidal currents.	Oriel_OWF_Post_Sed_Yr_Calm
Figure 3A 47: Difference in change of bed level for one year of tidal currents.	Oriel_OWF_Diff_Sed_Yr_Calm
Figure 3A-48: Post-construction residual current 1 in 200 year storm from 165° spring tide	Oriel_OWF_Post_Curr_Sp_Resid_1in200_165
Figure 3A-49: Change in residual current 1 in 200 year storm from 165° spring tide (post-construction minus baseline)	Oriel_OWF_Diff_Curr_Sp_Resid_1in200_165
Figure 3A-50: Post-construction net sediment transport - spring tide with 1 in 200 year storm from 165°	Oriel_OWF_Post_Sed_Sp_1in200_165
Figure 3A-51: Post-construction residual current 1 in 200 year storm from 165° with sea level rise - spring tide	Oriel_OWF_Post_Curr_Sp_Resid_1in200_165_SLR
Figure 3A-52: Change in residual current 1 in 200 year storm from 165° with sea level rise - spring tide (post-construction minus baseline)	Oriel_OWF_Diff_Curr_Sp_Resid_1in200_165_SLR
Figure 3A-53: Post-construction net sediment transport - spring tide with 1 in 200 year storm from 165° with sea level rise -	Oriel_OWF_Post_Sed_Sp_1in200_165_SLR
Potential Construction Effects	
Figure 3-54: Location of the sediment source term (green line) used to model a representative dredging route	Oriel_OWF_Representative_InterArray_Cables Oriel_OWF_Representative_InterArray_Cables_Modelled Oriel_OWF_Representative_Offshore_Cable_Modelled
Figure 3-55: Overall wind farm layout (left) with the WTG monopiles selected to assess suspended sediments (right)	Oriel_OWF_Representative_WTG OSP_Layout Oriel_OWF_Representative_WTG OSP_Layout_Modelled
Figure 3A-57: Maximum suspended sediment concentration at OR-E04	Oriel_OWF_Construct_SSC_Stat_E04
Figure 3A-58: Average suspended sediment concentration at OR-E04	Oriel_OWF_Construct_SSC_Stat_E04
Figure 3A-59: Final sedimentation at OR-E04	Oriel_OWF_Construct_Sed_Final_E04
Figure 3A-60: Maximum sedimentation at OR-E04	Oriel_OWF_Construct_Sed_Stat_E04

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 3A-61: Average sedimentation at OR-E04	
Figure 3A-62: Maximum suspended sediment concentrations at OR-D05	Oriel_OWF_Construct_SSC_Stat_D05
Figure 3A-63: Average suspended sediment concentrations at OR-D05	
Figure 3A-64: Final sedimentation at OR-D05	Oriel_OWF_Construct_Sed_Final_D05
Figure 3A-65: Maximum sedimentation at OR-D05	
Figure 3A-66: Average sedimentation at OR-D05	Oriel_OWF_Construct_Sed_Stat_D05
Figure 3A-67: Maximum suspended sediment concentrations at OR-E02	Oriel_OWF_Construct_SSC_Stat_E02
Figure 3A-68: Average suspended sediment concentrations at OR-E02	
Figure 3A-69: Final sedimentation at OR-E02	Oriel_OWF_Construct_Sed_Final_E02
Figure 3A-70: Maximum sedimentation at OR-E02	
Figure 3A-71: Average sedimentation at OR-E02	Oriel_OWF_Construct_Sed_Stat_E02
Figure 3A-72: Maximum suspended sediment concentrations at OR-A01	Oriel_OWF_Construct_SSC_Stat_A01
Figure 3A-73: Average suspended sediment concentrations at OR-A01	
Figure 3A-74: Final sedimentation at OR-A01	Oriel_OWF_Construct_Sed_Final_A01
Figure 3A-75: Maximum sedimentation at OR-A01	
Figure 3A-76: Average sedimentation at OR-A01	Oriel_OWF_Construct_Sed_Stat_A01
Figure 3A-77: Maximum suspended sediment concentrations at OR-A04	Oriel_OWF_Construct_SSC_Stat_A04
Figure 3A-78: Average suspended sediment concentrations at OR-A04	
Figure 3A-79: Final sedimentation at OR-A04	Oriel_OWF_Construct_Sed_Final_A04
Figure 3A-80: Maximum sedimentation at OR-A04	
Figure 3A-81: Average sedimentation at OR-A04	Oriel_OWF_Construct_Sed_Stat_A04
Figure 3A-82: Maximum suspended sediment concentration at OR-B05	Oriel_OWF_Construct_SSC_Stat_B05

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 3A-83: Average suspended sediment concentration at OR-B05	
Figure 3A-84: Final sedimentation at OR-B05	Oriel_OWF_Construct_Sed_Final_B05
Figure 3A-85: Maximum sedimentation at OR-B05	Oriel_OWF_Construct_Sed_Stat_B05
Figure 3A-86: Average sedimentation at OR-B05	
Figure 3A-87: Maximum suspended sediment concentration at OR-E04 with flocculation	Oriel_OWF_Construct_SSC_Stat_E04_Flocc
Figure 3A-88: Average suspended sediment concentration at OR-E04 with flocculation	
Figure 3A-89: Final sedimentation at OR-E04 with flocculation	Oriel_OWF_Construct_Sed_Final_E04_Flocc
Figure 3A-90: Maximum sedimentation at OR-E04 with flocculation	Oriel_OWF_Construct_Sed_Stat_E04_Flocc
Figure 3A-91: Average sedimentation at OR-E04 with flocculation	
Figure 3A-92: Maximum suspended sediment concentrations at OR-D05 with flocculation	Oriel_OWF_Construct_SSC_Stat_D05_Flocc
Figure 3A-93: Average suspended sediment concentrations at OR-D05 with flocculation	
Figure 3A-94: Final sedimentation at OR-D05 with flocculation	Oriel_OWF_Construct_Sed_Final_D05_Flocc
Figure 3A-95: Maximum sedimentation at OR-D05 with flocculation	Oriel_OWF_Construct_Sed_Stat_D05_Flocc
Figure 3A-96: Average sedimentation at OR-D05 with flocculation	
Figure 3A-97: Maximum suspended sediment concentrations at OR-E02 with flocculation	Oriel_OWF_Construct_SSC_Stat_E02_Flocc
Figure 3A-98: Average suspended sediment concentrations at OR-E02 with flocculation	
Figure 3A-99: Final sedimentation at OR-E02 with flocculation	Oriel_OWF_Construct_Sed_Final_E02_Flocc
Figure 3A-100: Maximum sedimentation at OR-E02 with flocculation	Oriel_OWF_Construct_Sed_Stat_E02_Flocc
Figure 3A-101: Average sedimentation at OR-E02 with flocculation	
Figure 3A-102: Maximum suspended sediment concentrations at OR-AO1 with flocculation	Oriel_OWF_Construct_SSC_Stat_A01_Flocc
Figure 3A-103: Average suspended sediment concentrations at OR-AO1 with flocculation	
Figure 3A-104: Final sedimentation at OR-AO1 with flocculation	Oriel_OWF_Construct_Sed_Final_A01_Flocc

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 3A-105: Maximum sedimentation at OR-AO1 with flocculation	Oriel_OWF_Construct_Sed_Stat_A01_Flocc
Figure 3A-106: Average sedimentation at OR-AO1 with flocculation	
Figure 3A-107: Maximum suspended sediment concentrations at OR-A04 with flocculation	Oriel_OWF_Construct_SSC_Stat_A04_Flocc
Figure 3A-108: Average suspended sediment concentrations at OR-A04 with flocculation	
Figure 3A-109: Final sedimentation at OR-A04 with flocculation	Oriel_OWF_Construct_Sed_Final_A04_Flocc
Figure 3A-110: Maximum sedimentation at OR-A04 with flocculation	Oriel_OWF_Construct_Sed_Stat_A04_Flocc
Figure 3A-111: Average sedimentation at OR-A04 with flocculation	
Figure 3A-112: Maximum suspended sediment concentration at OR-B05 with flocculation	Oriel_OWF_Construct_SSC_Stat_B05_Flocc
Figure 3A-113: Average suspended sediment concentration at OR-B05 with flocculation	
Figure 3A-114: Final sedimentation at OR-B05 with flocculation	Oriel_OWF_Construct_Sed_Final_B05_Flocc
Figure 3A-115: Maximum sedimentation at OR-B05 with flocculation	Oriel_OWF_Construct_Sed_Stat_B05_Flocc
Figure 3A-116: Average sedimentation at OR-B05 with flocculation	
Figure 3-117: Location of the sediment source term (pink line) used to model a representative dredging route for the inter-array cables	Oriel_OWF_Representative_InterArray_Cables_Modelled
Figure 3A-118: Maximum suspended sediment concentration for inter-array cable trench	Oriel_OWF_Construct_SSC_Stat_Inter
Figure 3A-119: Average suspended sediment concentration for inter-array cable trench	
Figure 3A-120: Final sedimentation for inter-array cable trench	Oriel_OWF_Construct_Sed_Final_Inter
Figure 3A-121: Maximum sedimentation for inter-array cable trench	Oriel_OWF_Construct_Sed_Stat_Inter
Figure 3A-122: Average sedimentation for inter-array cable trench	
Figure 3-123: Location of modelled offshore cable corridor	Oriel_OWF_Representative_Offshore_Cable_Modelled
Figure 3A-124: Maximum suspended sediment concentration for offshore export cable jetting	Oriel_OWF_Construct_SSC_Stat_Export

ORIEL WIND FARM PROJECT – COVER NOTE - MARINE PROCESSES TECHNICAL REPORT – ADDENDUM – GIS DATA

Appendix 7-1 Addendum: Marine Processes Technical Report,

Figure Reference	Associated GIS file/s
Figure 3A-125: Average suspended sediment concentration for offshore export cable jetting	
Figure 3A-126: Final sedimentation for offshore export cable jetting	Oriel_OWF_Construct_Sed_Final_Export
Figure 3A-127: Maximum sedimentation for offshore export cable jetting	Oriel_OWF_Construct_Sed_Stat_Export
Figure 3A-128: Average sedimentation for offshore export cable jetting	
Figure 3A-129: Maximum suspended sediment concentration for offshore export cable jetting with flocculation	Oriel_OWF_Construct_SSC_Stat_Export_Flocc
Figure 3A-130: Average suspended sediment concentration for offshore export cable jetting with flocculation	
Figure 3A-131: Final sedimentation for offshore export cable jetting with flocculation	Oriel_OWF_Construct_Sed_Final_Export_Flocc
Figure 3A-132: Maximum sedimentation for offshore export cable jetting with flocculation	Oriel_OWF_Construct_Sed_Stat_Export_Flocc
Figure 3A-133: Average sedimentation for offshore cable jetting with flocculation	