



# Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation

**Project code:** RH7669

**Client:** Atmos Consulting

**Date:** November 2025

**By:** Zachary Hinckley and Rachel Morgan-James

**Document Status:** Final



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabudodge Wind Farm Planning Observation				Page i

1.	INTRODUCTION .....	3
1.1	Summary of Required Services .....	3
1.1.1	Definitions.....	3
1.2	Proposed development and Site Location .....	3
1.3	Geology.....	3
1.4	Archaeological Findings.....	3
1.5	Role of Project Archaeologist.....	4
1.6	Aims and Objectives .....	4
1.7	Provisional Programme.....	4
2	LICENCE REQUIREMENTS.....	4
2.1	Detection Licence.....	4
2.2	Geophysical Survey Method Statement .....	5
3	GEOPHYSICAL SURVEY SCOPE.....	6
3.1	Geophysical Magnetometer Survey.....	6
3.2	'Setting Out' Surveys.....	6
3.3	Excluded Areas.....	7
3.3.1	General considerations.....	7
3.4	Liaison.....	7
3.5	Access to Lands.....	7
3.5.1	Access to or entry on lands and/or private property .....	7
3.6	Fencing.....	8
3.7	Survey Control.....	8
3.8	Statutory Undertakers .....	9
3.9	Geophysical Survey – Reporting.....	9
3.9.1	Geophysical survey report.....	9
3.9.2	Approval of draft reports.....	11
3.10	Geophysical Survey – Digital Data Deliverables.....	12
4	PROGRAMME.....	12
4.1.	Archaeological Consultant’s Detailed Programme.....	13
4.2	Avoidance of Delay.....	13
4.3	Revisions to Programme.....	13



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page ii

5	ARCHAEOLOGICAL STAFF.....	14
5.1	Staffing Levels .....	14
5.2	Archaeological Staff Grades .....	14
5.2.1	Survey Director/ Project Manager .....	14
5.2.2	Geophysical Surveyor .....	15
5.2.3	Topographical Surveyor .....	16
5.2.4	Landowner Liaison Officer.....	16
5.3	Working Hours .....	16
5.4	Remuneration.....	16
5.5	Temporary Accommodation .....	16
5.5.1	Temporary Accommodation for the Archaeological Consultant .....	16
5.6	Parking Facilities.....	17
5.5	Working in Wet Weather .....	17
5.6	Plant, Survey Instruments and Additional Survey Instruments.....	17
6	SAFETY, HEALTH AND WELFARE .....	18
6.1	Safety Planning.....	18
6.2	Work Involving Particular Risks .....	18
6.3	Prevention of Animal Disease.....	19
7	TENDER AWARD.....	20
7.1	Pricing .....	20



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page 3

## 1. INTRODUCTION

### 1.1 Summary of Required Archaeological Services

Cummeennabuddoge Wind Farm consists of the construction of 17 wind turbines and associated infrastructure. Advance geophysical survey is required to be carried out (where practical) by a suitably qualified archaeologist under licence, along the proposed grid connection cable route and at any other accessible and susceptible locations within the footprint of the proposed development where ground disturbance will take place.

#### 1.1.1 Definitions

'Project Archaeologist' means the individual appointed to oversee the archaeological elements of the contract.

'Archaeological consultant' means the person or persons, firm or company appointed to undertake the archaeological consultancy services contract (geophysical survey).

### 1.2 Proposed Development and Site Location

The Proposed Development will involve the wind farm consisting of 17 no. Wind Turbines with a total tip height in the range of 199.5 m to 200 m maximum inclusive, a permanent meteorological met mast with a height of 110 m (AGL) and associated infrastructure including hardstanding's, cabling, and access roads. The Proposed Development will consist of a 110 kV grid connection to Ballyvouskill and related works in the townlands of Cummeenabuddoge, Clydaghroe, Glashacormick, Cummeenavrick, in Co. Kerry, and Caherdowney, Co. Cork.

### 1.3 Geology

Based on the GSI database mapping *Bedrock Geology 100 k*, the geophysical survey areas are located over multiple bedrocks comprised of metamorphic formations suitable for magnetometry surveys:

- Glenflesk Chloritic Sandstone Formation — green sandstone and purple siltstone
- Gun Point Formation — green-grey sandstone and purple siltstone
- Toe Head Formation — cross-bedded sandstone and minor mudstone
- Castlehaven Formation — purple mudstone and siltstone
- Caha Mountain Formation — purple and green sandstone and siltstone

### 1.4 Archaeological Findings

An EIAR has been undertaken of the proposed development, which included the examination of the available archaeological and historical sources, a site visit, an interrogation of local knowledge, and a thorough examination of cartographic sources in order to identify any potentially sensitive sites. It identified no likely significant direct effects (negative) from the proposed development on the receiving environment, given the layout and design of the proposed development and the mitigation measures recommended.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabudoge Wind Farm Planning Observation				Page 4

## 1.5 Role of Project Archaeologist

Rubicon Archaeology Limited are acting as 'Project Archaeologist' to oversee the archaeological elements of this contract. The Project Archaeologist will provide advice to the client or the client's representative (as required) in all archaeological matters and, in particular, in ensuring that the work of the archaeological consultant is conducted in accordance with the terms of the detection licence, all agreed method statements and within the agreed timescales. The archaeological consultant will liaise with the Project Archaeologist and client's representative in relation to all archaeological requirements and allow the Project Archaeologist to inspect at all times, any works associated with the contract.

## 1.6 Aims and Objectives

Geophysical survey is required at any areas of the proposed development which are accessible and susceptible. The aim of the geophysical survey is to:

- Identify any geophysical anomalies of possible archaeological origin within the specified survey area which are accessible and susceptible
- Accurately locate the anomalies and present the findings in map form
- Describe the anomalies and discuss their likely provenance
- Incorporate all of the above into a written and illustrated report

These surveys are being carried out to determine the requirement for any subsequent archaeological work (i.e. preservation *in situ*, test trenching archaeological excavation and or archaeological monitoring. Detailed specifications for the required services are set out in the relevant sections below.

## 1.7 Provisional Programme

Geophysical survey services shall only commence upon instruction by the Project Archaeologist and client's representative.

The geophysical surveys are to be completed within a 10-week period. This 10-week period includes 3 weeks for mobilisation/ application for licences, and 1 week for carrying out the on-site survey. The draft geophysical survey reports shall be prepared and submitted to the client within 2 weeks of the completion of all on-site services. a 1-week period is allowed for review of the draft report by the Project Archaeologist and a further 1-week period for submission of the final geophysical survey reports. A further 1 week is allowed for archiving and submission of the archive to the appropriate bodies.

## 2 LICENCE REQUIREMENTS

### 2.1 Detection Licence

In accordance with the *National Monuments Act 1987 (Amendment)* and in advance of site works commencing, the archaeological consultant will be required to apply for a Section 2(2)(a) detection licence from the Minister for Housing, Local Government and Heritage (DoHLGH) for the site. The archaeological consultant will submit a copy of the draft licence application and accompanying method statement to the client's representative for the Project Archaeologist's review and approval in advance of submission to DoHLGH. It is anticipated that archaeological licences will be issued by the DoHLGH



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddege Wind Farm Planning Observation				Page 5

within 3 to 4 weeks of receipt of application. The survey works will not commence on site until the appropriate licence has been granted by the DoHLGH.

## 2.2 Geophysical Survey Method Statement

The method statement and application form shall be prepared by the archaeological consultant immediately upon award of the contract and shall be submitted to the Project Archaeologist, client's representative, and County Archaeologist for approval. The archaeological consultant shall make any reasonable changes requested by the Project Archaeologist/client's representative in order to meet the requirements of these services requirements. After written instruction from the Project Archaeologist/client's representative, the archaeological consultant shall submit the application to the National Monuments Service (Department of Housing, Local Government and Heritage).

The Geophysical Survey Method Statement shall include, at a minimum:

- A non-technical summary of 500 words or less
- A brief description of the proposed development
- A description of the aims of the survey
- A description of the specific areas of the survey and supporting maps
- An outline of any statutory protections in place
- An outline of the *Health and Safety and Welfare at Work* requirements (including liaison with statutory bodies)
- A description of the survey methodology, including details of the geophysical survey instruments and DGPS equipment to be used
- A description of data recording methods to be used, including data back-up and storage procedures
- An outline of any anticipated constraints on methods
- A description of reporting requirements
- Details of the survey team, including experience and qualifications
- A programme for the completion of on-site services and reporting
- A description of the landowner liaison procedures that will be implemented
- A description of liaison with procedures that will be implemented with the Project Archaeologist, resident archaeologist, engineer and third parties
- Supporting documentation, including technical specifications of the geophysical survey instruments and DGPS equipment to be used and confirmation that valid Manufacturer's Calibration Certificates are available and evidence of the operator's previous experience and training
- Site location map (c. 1:10,000)
- Plans of the proposed survey locations, adjacent topographic features (including LiDAR and aerial anomalies), recorded monuments and known cultural heritage sites and development boundary, at an appropriate scale.

The client will supply an ESRI shapefile or similar of the survey areas for the geophysical surveys upon award of the contract.

Notwithstanding any interim or other arrangements required by the National Monuments Service regarding licence applications and submission of reports, the archaeological consultant shall provide digital copies in high resolution of all approved method statements and associated applications for licence(s).



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddege Wind Farm Planning Observation				Page 6

In the event that there is any significant change proposed to the methodology for delivering the archaeological works, an updated archaeological method statement must be produced.

### 3 GEOPHYSICAL SURVEY SCOPE

Magnetometer survey is required along the proposed grid connection cable route and at any other suitable locations within the footprint of the proposed development where ground disturbance will take place.

#### 3.1 Geophysical Magnetometer Survey

A geophysical survey will be conducted by transversing the site on foot and following predefined grid lines or transects spaced at c. 1–5 m. Handheld GPS instruments will log transects, data points and feature locations with visual observations of surface features such as depressions, manhole covers and changes in vegetation also recorded. Furthermore, anomalies or obstructions which affect data collection such as fences, unmarked boundaries etc will also be documented. The works will be done for areas which are accessible and susceptible.

Tenderers should price for the required Stage Services on the basis of the following specifications:

- The survey will be based on a detailed recorded magnetometer survey. Data can be recorded using either magnetic total field or vertical gradient measurements. All instruments shall achieve a sensitivity of 0.1 nT or better
- Total field measurements shall correct for diurnal variation by either: using a second (standalone), magnetometer base station, or by configuring in the gradient formation or by removing long wavelengths of diurnal variations using a time-based high-pass filter. If a base station is used, it should be set up within the local survey area
- Gradient measurements shall be carried out using fluxgate gradiometers or equivalent gradiometric sensors and an appropriate digital data-logger
- The spatial resolution applied shall be a 0.5 m line spacing and a 0.25 m sample interval
- Data acquired in a gridless fashion shall be capable of achieving a spatial resolution of 0.1 m accuracy using an RTK GPS
- Each instrument shall be calibrated and/or zeroed following the manufacturer's guidelines before each series of readings is taken
- The field survey shall follow, in general, best practice EAC Guidelines (Schmidt *et al.* 2016).
- The location of survey grids shall be georeferenced to sub-metre accuracy (e.g. <1 m) or better, using DGPS equipment or equivalent means of achieving the required level of accuracy
- The base map and survey grids shall use Irish Transverse Mercator
- Data shall be downloaded from all the dataloggers onto a separate computer at appropriate intervals, and at least daily, to achieve a secure record of the data

#### 3.2 'Setting Out' Surveys

Neither the scheme boundaries nor the survey areas will have been 'set out' in advance of this contract for the benefit of the archaeological consultant. It will be the responsibility of the archaeological consultant to establish the scheme boundaries and survey areas in the field and to establish reference points for all of the surveys described by this specification.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddege Wind Farm Planning Observation				Page 7

### 3.3 Excluded Areas

Some areas within the footprint of the scheme may have to be excluded (either temporarily or permanently) from on-site surveys in the current contract. These may include areas that cannot be disturbed because they are especially sensitive in ecological terms.

#### 3.3.1 General considerations

The archaeological consultant shall take care to avoid damaging any ground in the accessing or use of the survey areas. The use of quad bikes or other forms of mechanically towed/propelled geophysical survey instruments in areas of extant tillage are not permitted until after the crop is harvested. If such damage occurs it shall be reinstated by the archaeological/ geophysical consultant at their own cost to the satisfaction of the landowner and the client's representative. If necessary, this shall include the provision of suitable topsoil and seeding. This provision shall also apply to the locations of all temporary accommodation, car parking areas, storage areas or routes or tracks thereto and any access over lands to or on the sites of survey work.

### 3.4 Liaison

The archaeological consultant shall operate under the general supervision, control and direction of the Project Archaeologist on all matters as directed. In general, the Project Archaeologist will ensure that the work of the archaeological consultant is conducted in accordance with the agreed method statements and within the agreed timescales, and that reports are of the highest quality. The survey director shall act as senior representative and project manager for the archaeological consultant. They must have the authority to make on-site decisions on behalf of the archaeological consultant, and shall receive, on behalf of the archaeological consultant, directions and instructions from the Project Archaeologist, in consultation with the client's representative.

### 3.5 Access to Lands

#### 3.5.1 Access to or entry on lands and/or private property

Upon the award of the contract, the archaeological consultant shall nominate a person to liaise with landowners affected by the scheme when seeking entry onto their land or to answer any landowners' queries that may arise. The nominated person shall consult with the Project Archaeologist and client's representative prior to seeking entry onto land.

The archaeological consultant shall provide a minimum of three days prior notice to entry to any lands and provide the Project Archaeologist and clients representative with a map and list of all areas where access is required and a list of the vehicles, plant and other machinery to be taken onto such areas.

The archaeological consultant shall also confirm to the Project Archaeologist and client's representative that affected landowners have been advised of proposed entry onto their lands and shall advise the Project Archaeologist and client's representative of any arrangements for entry or agreements with landowners concerning access. Land entry arrangements will include removal of all livestock from areas where surveys are proposed, for the duration of the work, including pre-excavation surveys, and fencing, and also reinstatement (if necessary).



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddege Wind Farm Planning Observation				Page 8

The surveys shall be strictly confined within the Lands Made Available, as detailed on the Contract Drawings. No archaeological investigations are to be carried out outside the Lands Made Available unless expressly agreed with the Project Archaeologist and client's representative.

The archaeological consultant shall carry out the work with the least possible damage to lands or disturbance to landowners whose property borders the land-take for the scheme. Any routes or tracks to areas of archaeological investigations must be agreed with the affected landowners and in addition, the archaeological consultant shall comply with any reasonable requests made by affected landowners with respect to investigations on their property.

The archaeological consultant shall carry out any necessary surveys with due consideration for neighbouring landowners and householders. Noise and other disturbance shall be minimised.

The operation of plant or movement of vehicles within 100 m of an occupied house shall be limited to the hours set out in Table 1 unless otherwise instructed in writing by the Project Archaeologist and client's representative.

Table 1 – Permitted hours of operation

Day	Hours
Monday to Friday	08:00 to 18:00 hours
Saturday	08:00 to 16:00 hours

### 3.6 Fencing

Where the boundary survey area passes through a field or where there is no hedge or fence existing, the archaeological consultant shall liaise with the landowners to ensure all livestock are removed from the field or fields in question and are kept away from the area of the works for the duration of the works and provide adequate temporary electric fencing and/or post-and-wire fencing, as appropriate, so as to ensure clear and safe separation of any livestock from the Lands Made Available to the satisfaction of the clients representative.

The archaeological consultant shall patrol all temporary fencing and shall repair any fence or barrier breached or otherwise disturbed during the execution of the archaeological services.

### 3.7 Survey Control

The Project Archaeologist/client's representative will supply the archaeological consultant with a suitable location plan, including topographical data and spatial data in GIS shapefile format from which the archaeological consultant shall set out each area of investigation. Thereafter, the archaeological consultant shall relate the position of the excavation to a geometric grid established from this control data and tied to the national grid (ITM).

Any errors in setting out the areas to be investigated leading to extra work shall be at the archaeological consultant's own expense and the cost will not be reimbursed by the client. The archaeological consultant shall establish the elevation of the ground at each area of archaeological survey relative to the Ordnance Survey datum point at Malin. Elevations quoted shall be accurate to  $\pm 25$  mm.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page 9

### 3.8 Statutory Undertakers

The archaeological consultant shall liaise with statutory undertakers and public authorities and satisfy him/herself as to the exact position of any plant or utilities or services in the vicinity of each site and the depth, size and gradient thereof. The archaeological consultant shall also satisfy themselves as to the exact location of any privately owned services or land drains where these are known to exist.

### 3.9 Geophysical Survey – Reporting

The required geophysical survey reporting outputs are:

- One geophysical survey report

#### 3.9.1 Geophysical survey report

The results of the geophysical survey shall be described in an illustrated technical and interpretative report. It shall include the following information at a minimum:

Table 2 – Contents of geophysical report

Report Section	Contents
1. Title page	<ul style="list-style-type: none"><li>– Project name</li><li>– Archaeological Licence/ Detection Licence No</li><li>– Townland Name</li><li>– National Grid references (ITM)</li><li>– Archaeological Consultant</li><li>– Survey Director</li><li>– Report author(s)</li><li>– Report status (draft/final)</li><li>– Date of issue</li></ul>
2. Contents	<ul style="list-style-type: none"><li>– List of contents</li><li>– List of illustrations</li></ul>
3. Summary	– A non-technical summary of less than 500 words.
4. Introduction	<ul style="list-style-type: none"><li>– Brief description of the Proposed Development</li><li>- Aims of the survey</li><li>– Outline of relevant statutory protections</li><li>– Natural topography, geology, hydrology, soils and land-use of the development area and its environs</li><li>– Cultural landscape of the development area and its environs, including route-ways, archaeological finds and monuments</li><li>– Previous archaeological investigations undertaken for the proposed development e.g. summary findings of the EIAR</li></ul>
5. Methodology	<ul style="list-style-type: none"><li>– Survey methodology, including details of the geophysical survey instruments and DGPS equipment used</li><li>– Data recording methods</li><li>– Constraints on methods (e.g. weather, land access, land-use, vegetation, ground conditions etc.) and any consequent changes to the locations and/or extents of the survey areas</li><li>– Data processing methods, including clipping range for display and details of software used data visualisation methods, including details of software used</li></ul>



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page 10

Report Section	Contents
	<ul style="list-style-type: none"><li>- Details of any known errors in the geophysical data and/or data acquisition process</li></ul>
6. Results	<ul style="list-style-type: none"><li>- Overview of survey results, including total number and size (hectares) of the areas surveyed</li><li>- Description of survey areas in tabular format, including survey area number, townland, ITM coordinates, relevant heritage constraint refs (e.g. SMR number/CH constraint number etc), land-use, ground conditions and vegetation cover, height OD, survey type (magnetometer/resistivity/electromagnetic/ground penetrating radar), area of survey achieved (hectares), dates of fieldwork, significant archaeological features identified (Y/N)</li><li>- Description of significant geophysical anomalies identified in tabular format, including unique identifier number, survey area number, townland, ITM coordinates, relevant heritage constraint refs (e.g. SMR number/CH constraint number etc.), form of anomaly, dimensions of anomaly, possible source(s) of anomaly, interpretation of anomaly and any other relevant information</li><li>- Survey methodology, including details of the geophysical survey instruments and DGPS equipment used</li></ul>
7. Discussion	<ul style="list-style-type: none"><li>- Interpretative discussion of the survey results, including an assessment of the robustness of the geophysical anomaly interpretations in light of the underlying geology and soils, the survey method(s) used and any other constraints encountered. Alternative possible interpretations should be considered where appropriate</li></ul>
8. Bibliography	<ul style="list-style-type: none"><li>- References to all maps and published/printed/online/manuscript sources referred to in the report</li></ul>
9. Appendices	<ul style="list-style-type: none"><li>- Classification criteria used to interpret geophysical anomalies for each survey type (magnetometer/resistivity/electromagnetic/GPR)</li><li>- Technical specifications of the geophysical survey instruments and DGPS equipment used</li></ul>
10. Illustrations	<ul style="list-style-type: none"><li>- Survey location map(s) showing the survey areas in their regional and local settings at an appropriate scale and with appropriate background mapping, including the boundary of the Proposed Development</li><li>- Processed greyscale (to minimise background noise levels and emphasise potential features) images of each survey area at an appropriate scale (1:1000 or 1:500 or similar), with the boundary of the proposed development, national grid lines and all background topographical detail such as roads, watercourses, field boundaries, townland boundaries, buildings etc., as well as SMR/RMP and archaeological constraints identified in the <i>Option Selection Report</i> and/or <i>Environmental Impact Assessment Report</i>. The clipping range and units of measurement (e.g. black = 2 nT and white = -2 nT) shall be included on each image</li><li>- Interpretative plans/drawings based on the above (i.e. at identical scale and with the same background information), with significant anomalies highlighted in colour and with textbox annotations/descriptive legend providing a brief interpretative description for each anomaly or group of anomalies</li></ul>



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabudoge Wind Farm Planning Observation				Page 11

Report Section	Contents
	<ul style="list-style-type: none"><li>- Interpretative plans/drawings of significant anomalies overlain on extracts from early or historic maps, orthographic photos and/or LiDAR-derived Digital Terrain Model or visualisation(s)</li><li>- Each greyscale/plan/drawing shall include a minimum of three points georeferenced to the Irish Transverse Mercator (ITM) grid system</li><li>- Photograph(s) of each survey area taken on the day of the survey</li><li>- General photographic views of the progress and setting of the work</li></ul>

The archaeological consultant is advised that the report arising from the programme of archaeological investigations described by these services requirements is the property of the client.

The archaeological consultant shall provide one (1) printed and bound copies of each geophysical survey report as well as digital copies in high resolution .pdf (illustrations and report) and .dwg or similar (illustrations only) formats. All illustrations must be fit for publication with reference points tied into the Irish Grid (ITM).

A draft copy of the preliminary report shall be submitted in digital format by the archaeological consultant to the client's representative for the Project Archaeologist's review. The finalised reports which will incorporate observations from the Project Archaeologist will be resubmitted to the client's representative no later than five (5) working days after receipt of objections and/or observations from the client's representative and Project Archaeologist.

It will be the responsibility of the archaeological consultant to issue the finalised report in digital (.pdf) and hard-copy format to the National Monuments Section of the Department of the Housing, Local Government and Heritage and the National Museum of Ireland. The archaeological consultant will note that client may publish reports on archaeological surveys and investigations and upload reports onto the client's website.

### 3.9.2 Approval of draft reports

The archaeological consultant will be required to submit a fully illustrated draft copy of all reports (excluding progress reports) to the Project Archaeologist for approval and shall be prepared to amend the reports in line with any reasonable suggestions by the Project Archaeologist or where this is required in order to achieve the standard, content and organisation of reporting described above and set by the statutory authorities.

All reports shall be supplied in draft in the first instance to the Project Archaeologist and clients representative and the archaeological consultant will be required to make any reasonable changes that may be requested.

The Project Archaeologist, at that time, reserves the right to request (in whole or in part) an amended report. The Project Archaeologist will exercise this right where the Project Archaeologist forms the opinion that the draft report fails to address the survey aims and/or fails to achieve the standard, content and organisation of reports set out in these Services Requirements and/or contains significant errors of fact. The archaeological consultant shall prepare a revised report addressing the issues raised by the Project Archaeologist. Revised reports will only be approved and accepted when the issues raised have been addressed to the satisfaction of the Project Archaeologist.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabudoge Wind Farm Planning Observation				Page 12

The archaeological consultant will be required to supply final versions of all approved reports. These should be delivered in hardcopy (1 copy) and digital Microsoft Word and .pdf formats, on CD or similar portable medium, incorporating any amendments agreed at draft stage.

The client shall strive to turnaround draft report(s)/outputs within two weeks of receipt with any comments and/or approval.

### 3.10 Geophysical Survey – Digital Data Deliverables

The geophysical survey digital data deliverables are:

- Mapping of the geophysical anomalies identified by the surveys in shapefile or geodatabase format. The schema of this map file(s) should generally correspond with the information presented in the table of significant anomalies presented in the geophysical survey report.
- All greyscale illustrations generated as part of geophysical survey in georectified, industry standard, GIS compatible, raster format
- All unprocessed/raw geophysical data acquired as part of geophysical survey in .xyz format
- All processed geophysical data prepared as part of geophysical survey in .xyz format

The digital data deliverables shall be organised in folders, and the filename of each individual file shall clearly identify the file contents. The digital data deliverables shall have embedded metadata or, where appropriate, be accompanied by metadata in tabular format detailing, at a minimum, the data contents, spatial extents, date the data was collected, processing undertaken and the persons who collected and processed the data.

All data shall be in the Irish Transverse Mercator (ITM) coordinate system. All levels shall be in terms of the Ordnance Survey of Ireland - Malin Head Vertical Datum.

The archaeological consultant shall supply the data via a suitable data transfer medium. If the files are too large to fit onto one media volume, then the information can be split into individual files spanning several volumes with the media sequentially numbered.

Where multiple media are supplied, the archaeological consultant shall supply a list of all media, stating individual contents. Each media item shall be individually labelled with the project title, site (1–12), reference number, and date.

## 4 PROGRAMME

The archaeological consultant's proposed programme for geophysical survey services shall state the earliest date on which the works will commence.

The programme shall identify:

- any lead in time
- the Start and End dates for Geophysical Survey Services
- the various grades of staff to be employed
- the types of plant and facilities used
- dates for completion of the report(s) and date for submission to the client



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddege Wind Farm Planning Observation				Page 13

If geophysical survey services are being divided into different geographical areas, the programme shall address all of the above points for each area.

#### 4.1. Archaeological Consultant's Detailed Programme

The archaeological consultant will be required to provide a detailed programme in advance of commencement of each stage showing how the required work is to be completed within the summary provisional programme of archaeological services (Table 3) and to review and update this as instructed by the Project Archaeologist and clients representative.

Table 3 – Detailed programme

Programme	Weeks
Application for geophysical survey licence(s). Mobilisation, landowner liaison, setting out.	Weeks 1-3 (3 weeks)
License approval from NMS.	Week 4-8 (4 weeks)
Geophysical fieldwork. Fieldwork should commence as soon as practical after the license is approved.	Week 9 (1 week)
Preparation and submission of draft report	Weeks 10-11 (2 weeks)
Review of draft report by Project Archaeologist	Week 12 (1 week)
Preparation of final report	Week 13 (1 week)
Review of final report by Project Archaeologist	Week 14 (1 week)
Archiving	Week 15 (1 week)

#### 4.2. Avoidance of Delay

It is essential that all stage services are completed within the time periods according to the timescales contained within the contract (Table 3).

The actual commencement time for each stage may vary according to timing of any necessary statutory consents and for this reason the contract is a floating programme.

**The time periods for the completion contractual obligations and the programmes submitted must be in accordance with these and all relevant personnel to meet these contractual stages must be supplied.**

It will be the responsibility of the archaeological consultant to ensure that the programme of work is adequately resourced and properly managed in order to complete the work in the time allowed.

#### 4.3. Revisions to Programme

If for any reason the work falls significantly behind the stated programme or be otherwise varied from the stated programme, the client's representative, in consultation with the Project Archaeologist, may request an updated programme and this will state the means and resources by which any delay can be recovered.

Any such revised programme that may be requested by the engineer shall be provided in writing by the archaeological consultant within three days of receiving the request.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page 14

## 5. ARCHAEOLOGICAL STAFF

### 5.1 Staffing Levels

The archaeological consultant will provide at least the minimum number of archaeological staff required to complete all of the required investigations, excavations, analyses and reports within the required timescale.

For purposes of the present contract the following grades of archaeological staff are recognised:

- Survey director/project manager
- Geophysical surveyor
- Topographical surveyor
- Landowner liaison officer

The on-site archaeological team must include a survey director and geophysicist as a minimum. It will be acceptable for the survey director to undertake the role of landowner liaison officer and for the geophysicist to carry out the duties of the topographical surveyor.

The archaeological consultant shall give written notice of any intention to increase or decrease the number of staff employed on the archaeological programme during the on-site services and/or during post-excavation stage.

The client will at any time seek Curriculum Vitae to satisfy itself as to the appropriate qualification of personnel to be assigned by the archaeological consultant to the respective grade.

### 5.2 Archaeological Staff Grades

#### 5.2.1 Survey director/project manager

The individual acting as survey director/project manager shall as a minimum requirement:

- Have a Level 8 qualification in Archaeology recognised by Quality and Qualifications Ireland (QQI).
- Be eligible to receive a detection licence (for archaeological geophysical survey) from the Minister for Housing, Local Government and Heritage.
- Have at least three full years' supervised postgraduate experience in archaeological geophysical survey and reporting.
- Have at least five years' relevant postgraduate experience in leading and reporting on geophysical projects of a similar scale.
- Have held at least 10 detection licences (for archaeological geophysical survey) in their own name and completed all reporting obligations arising from same.
- Be competent in basic metric survey procedure.

Note: If the proposed survey director/project manager's experience was gained in another jurisdiction and they have not held detecting licences for geophysical survey in Ireland, they may still be considered acceptable to fulfil this position on this contract providing the tender submission clearly demonstrates that they have the equivalent qualifications and experience to those set out above.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page 15

If the proposed survey director/project manager is not eligible to receive a detecting licence in Ireland, the tender submission must clearly identify the proposed licence-eligible team member who it is intended will obtain the detecting licence(s) required for this contract.

The survey director/ project manager

- Will act as senior representative and project manager for the archaeological consultant and will be included in the list of licence-eligible persons shown on the list of senior staff in the tender documents.
- Must have the authority to make on-site decisions on behalf of the archaeological consultant and will receive, on behalf of the archaeological consultant, directions and instructions from the engineer in consultation with the Project Archaeologist.
- Must have the authority to make decisions on behalf of the archaeological consultant regarding all contractual and financial issues relevant to the implementation of the contract and must have the authority to enter into substantive discussions on such issues with the engineer and the Project Archaeologist.
- Shall attend all progress meetings and any other meetings requested by the engineer or Project Archaeologist.
- Will be on site constantly during the on-site work unless otherwise agreed with the engineer and the Project Archaeologist.
- Will be approved in writing by the engineer in consultation with the Project Archaeologist.
- Will notify the engineer and the Project Archaeologist without delay when the in-field survey indicates the presence of a previously unknown, significant archaeological site.
- Will ensure that all work is carried out with full regard to health and safety and staff welfare considerations and guidelines and legislation.
- Will be responsible for carrying out geophysical survey in accordance with the agreed methodology and best professional practice, and for the day-to-day management of the survey team(s), ensuring the orderly conduct of all aspects of the survey.
- Will be responsible for all survey data management (including data checking and data security) in the course of survey preparation, data capture, data processing and data presentation.
- Will be responsible for co-ordinating and overseeing the preparation and submission of summary results and the preparation and submission of the *Stage (i) Geophysical Report*.
- Will ensure that all investigations under his/her direction are carried out with full regard to health and safety considerations, legislation and guidelines.
- Where the absence of the survey director/project manager has been agreed by the engineer, the archaeological consultant shall have delegated authority to such other authorised person (approved by the Project Archaeologist) of equivalent qualifications and equivalent experience, to liaise with the engineer and Project Archaeologist and to make on-site decisions.

### 5.2.2 *Geophysical Surveyor*

- The individual(s) acting as geophysical surveyor shall as a minimum requirement:
- Have a Level 8 qualification in Archaeology or a related discipline, recognised by Quality and Qualifications Ireland (QQI)
- Have at least one year's relevant supervised post-graduate experience in geophysical survey and reporting
- Have experience in a supervised capacity of a minimum of 10 different archaeological site geophysical surveys or a postgraduate degree in an appropriate science
- Be competent in basic metric survey procedure



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddege Wind Farm Planning Observation				Page 16

### 5.2.3 *Topographical surveyor*

The topographical surveyor will be a competent surveyor capable of carrying out all tasks required in topographical surveying for archaeological excavations or for the production of related maps, plans and other drawings, for reporting purposes.

### 5.2.4 *Landowner liaison officer*

The landowner liaison officer shall be a competent person capable of carrying out all tasks required in liaising with affected landowners before and during on-site services and maintaining records as required by the client. This person:

- Shall consult with the engineer and the project liaison officer, appointed by the client, prior to seeking entry onto land
- Shall liaise with landowners when seeking entry onto their land and shall respond in a timely fashion to landowners' queries regarding the on-site geophysical survey services
- Shall maintain records of entry onto lands in a format to be agreed with the Project Archaeologist and client's representative
- Shall attend all progress meetings and any other meetings requested by the Project Archaeologist and client's representative
- Shall be on site constantly during the on-site work, unless otherwise agreed with the Project Archaeologist and client's representative
- Will be approved in writing by the Project Archaeologist and client's representative

## 5.3 **Working Hours**

In the course of the required fieldwork services (i.e. geophysical survey) archaeological staff may work within the prescribed hours set out in Table 1, unless otherwise agreed in writing by the Project Archaeologist and clients representative.

## 5.4 **Remuneration**

Geophysical services shall be carried out for a total fixed price lump sum, as tendered.

Prices should include all reasonable expenses, accommodation, and welfare.

At any time, the client may use the change order mechanism to reduce or increase the scope of any stage service and the corresponding fee.

The archaeological consultant will not be paid for the following:

- Periods when the work is suspended on the instruction of the Project Archaeologist and client's representative:
  - for the improper execution of the work or,
  - for any reason relating to health and safety.
- Standing time due to adverse weather conditions.

## 5.5 **Temporary Accommodation**

### 5.5.1 *Temporary accommodation for the archaeological consultant*

Site accommodation for staff should be provided where necessary in accordance with the requirements of the *Safety, Health and Welfare at Work (Construction) Regulations 2013 Part 14 Construction Site Welfare*



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabudoge Wind Farm Planning Observation				Page 17

*Facilities.* Site accommodation includes access to changing facilities, secure storage, drying rooms, segregated portable toilets, and a cabin with food preparation and dining facilities. This should be factored into any tender submission.

The facilities (including portable on-site staff welfare facilities) to be provided by the archaeological consultant shall be determined by the archaeological consultant to suit their operations. The facilities and equipment provided shall be appropriate for the number of personnel employed by the archaeological consultant to carry out the services within the contractual programmes. They shall comply in every respect with Health and Safety Regulations and local government sanitary regulations.

The archaeological consultant is responsible for their storage needs for their plant, tools and equipment.

Adequate on-site portable staff welfare facilities must be provided as necessary. Such field accommodation should be adequate in accordance with Health, Safety and Welfare Regulations and resource requirements.

#### 5.5.2 *Parking facilities*

The archaeological consultant shall determine and provide their own parking requirements.

**NOTE: Under no circumstances will vehicles be allowed to park on public roads or hard shoulders in a manner that compromises the safety of other road users or pedestrians. Any cars parked adjacent to or on private property must have the prior consent of the relevant landowner. Parking provision on adjacent public roads will not be permitted without the approval of the client.**

#### 5.6 **Working in Wet Weather**

In order to adhere to the project programme, and in so far as best geophysical survey practice and Health and Safety Regulations allow, the consultant shall make all reasonable measures to facilitate the continuance of survey work during unfavourable and inclement weather conditions.

#### 5.7 **Plant, Survey Instruments and Additional Survey Instruments**

The archaeological consultant shall provide all survey instruments, tools, equipment and operators required for carrying out the required survey services within the required periods.

The pricing of all plant/tools and equipment and operators for same shall be included in the contract rates and prices, in accordance with the general directions to the preamble to the pricing schedule.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page 18

## 6. SAFETY, HEALTH AND WELFARE

### 6.1 Safety Planning

The archaeological consultant shall comply with the *Safety, Health and Welfare at Work Act 2005 (as Amended)*, the *Safety, Health and Welfare at Work (Construction) Regulations 2013 (Amended 2021)*, the *Safety, Health and Welfare at Work (General Application) Regulations 2007 to 2023 (as Amended)* or any amendment thereof. The archaeological consultant shall ensure that all personnel involved in geophysical survey are made aware of the need to comply with safe working practices.

Upon award of the tender, the archaeological consultant will submit a copy of their Company Health and Safety Statement. Prior to the commencement of the survey fieldwork, the archaeological consultant shall submit RAMS for each site. The archaeological consultant's RAMS shall include the following information, at a minimum:

- Procedures for briefing all personnel on health and safety matters
- List of protective equipment and clothing to be provided
- List, with locations, of health and safety notices and posters to be displayed
- Description of staff welfare and accommodation provisions, including portable on-site staff welfare facilities
- Precautions to be taken against specific risks in the archaeological investigations
- List of telephone numbers for all local emergency services including doctors, hospitals, An Garda Síochána and the fire authority
- Procedures for recording in a register all incidents relating to health and safety in the course of the archaeological investigations.

#### 6.1.1 Work involving particular risks

This is a non-exhaustive list of particular risks. It should be noted that many of the risks on the project may arise out of working methods which are at the discretion of the archaeological consultant and as such cannot be determined by the Project Archaeologist and/ or clients representative.

- Engulfment/earthfalls especially in soft ground
- Working in or adjacent to wetland/bogland/soft ground
- Exposure to hazardous chemical or biological substances
- Weil's disease and Lyme's disease and other infectious diseases harboured by soil, water, vegetation or animals
- Overhead power lines
- Underground power cables and other services
- Investigations adjacent to watercourses that may involve risk to the archaeological consultant of persons falling in and/or drowning (this risk applies to workers and other persons entering on the site, and will require effective measures to secure the works at all times)
- Statutory authority plant and equipment crossing areas of the site, above, below and overground
- Working in densely vegetated areas
- Working on steep slopes
- Falling from a height
- Working in close proximity to livestock
- Investigations on or adjacent to farmyards and farm access tracks requiring a suitable safety management system to be implemented
- Disease outbreak or contamination on farms



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddege Wind Farm Planning Observation				Page 19

- Diseased wild animals
- Unauthorised access to the site by members of the public
- Contamination of watercourses or groundwater
- Work close to occupied residential properties and trafficked public roadways
- Work on trafficked public roadways
- Investigations on and adjacent to the public road requiring a suitable traffic arrangement system (including a traffic management plan) to be implemented
- Investigations on or adjacent to a pedestrian right of way requiring a suitable safety management system to be implemented
- Work involving exposure of workers to excessive noise (e.g. working close to excavators)
- Working in confined spaces
- Materials or equipment falling onto trafficked carriageways
- Illegal/illicit dumping
- Working in proximity to other contractors and/or service providers

**NOTE: Health and safety provisions on the site apply not only to employees, agents and subcontractors of the archaeological consultant and the client, but to members of the public and all other visitors.**

## 6.2 Prevention of Animal Disease

The following requirements for the prevention of the spread of animal disease should be adopted in the archaeological consultant's safety plan for the work:

- Section 10(1) of the *Animal Health and Welfare Act 2013* shall apply, namely that a person shall not wilfully, recklessly or negligently transmit a disease or introduce a disease agent, or cause or permit another person to transmit a disease or introduce a disease agent, to an animal or onto land or premises.
- The archaeological consultant shall seek to prevent the spread of animal disease in the course of site work undertaken with respect to this national road project. All personnel involved in such work will be required to comply with these requirements.
- All equipment coming from outside the state will be cleaned and disinfected on entry to the country.
- On first arrival on site all machines/vehicles will be sprayed with appropriate disinfectant. The archaeological consultant will verify to the local authority that this has been done, and the local authority may carry out spot checks, as appropriate.
- The Project Archaeologist and clients representative will liaise with the local District Veterinary Office (DVO) to establish the location of any restricted herds along the route of the investigation work. The liaison will continue on a regular basis throughout the site works. Where any landholder becomes aware that his/her herd has become infected, it is his/her responsibility to inform the Project Archaeologist and clients representative as a matter of urgency.
- Where the Project Archaeologist and clients representative has been informed of a restricted herd along the route of the road scheme, it will require the archaeological consultant to disinfect machinery, vehicles and personnel before leaving the land concerned. The number of accesses across the working strip will be reduced to one in the case of lands having restricted herd status. The archaeological consultant will arrange for disinfectant mats/baths to be replenished with disinfectants, as required.



No:	SF-164	Version:	1.0	Effective Date:	20/03/2026
Title:	Specification for Geophysical Survey for Cummeennabuddoge Wind Farm Planning Observation				Page 20

- Persons working for or on behalf of the client in connection with the roads scheme who may have to call to landowners of restricted herds will ensure that their footwear and clothing are disinfected on leaving the property (or land) concerned.
- In the event of an outbreak of a serious Class A disease, the local authority in the area concerned will be subject to such operational restrictions as are imposed by the Department of Agriculture and Food.

The client will require the archaeological consultant or their agents to confine access to the working area to road crossings unless otherwise agreed with the landowner.

## 7. TENDER AWARD

### 7.1 Pricing

The service contract shall be awarded based on the most competitive tender returned and will be calculated on an assessment of the fixed price lump sum bid. Candidates should ensure that their Lump Sum Fixed Price submitted includes for all elements necessary to provide the defined services.

On award of tender the successful tenderer will be required to submit:

- evidence that the required insurances are in place (including Professional Indemnity Insurance)
- Copy of Company Safety and Health Statement
- RAMS for the site