

Sorcha Skelly

From: Colin D'Arcy <colin.darcy@greenlink.ie>
Sent: Wednesday 30 September 2020 11:56
To: Sorcha Skelly
Subject: RE: Greenlink Project
Attachments: PCI 0004 - Greenlink Public Participation 30.09.2020.pdf

Dear Sorcha,

Further to our conversation this morning please find attached letter.

Kind Regards,

Colin D'Arcy
Commercial Director

M: +353 (0) 866779390
Greenlink Interconnector Limited

colin.darcy@greenlink.ie
www.greenlink.ie
[@greenlink_IC](#)



Greenlink Interconnector Limited
Registered in Ireland with company number 536954
Registered office: 6th Floor South Bank House, Barrow Street, Dublin 4, Ireland

From: Sorcha Skelly <s.skelly@pleanala.ie>
Sent: Tuesday 29 September 2020 12:49
To: Paul Hickey <Paul.Hickey@greenlink.ie>; Colin D'Arcy <colin.darcy@greenlink.ie>
Subject: Greenlink Project

Dear Paul/Colin,

Please find attached letter issued to you today in relation to the project.

Kind Regards,

Sorcha
PCI Unit
PH: 01 8737164

Sorcha Skelly
Executive Officer
Processing
An Bord Pleanála
64 Marlborough Street
Dublin 1

D01 V902
Teil: 01-8737164
Facs: 01-8722684

Smaoinigh ar an timpeallacht sula ndéanann tú an ríomhphost seo a phriontáil. Please consider the Environment before printing this mail.

Fógra Rúin: Tá an ríomhphost seo agus aon chomhaid atá nasctha leis faoi rún agus dírithe amháin don seolaí. Má bhfuair tú an ríomhphost seo trí earráid, déan teagmháil le bainisteoir an chórais.

Tabhair faoi deara led thoil: aon tuairimí nochtaithe san ríomhphost seo is iad tuairimí an tseoltóra féin agus níl sé intuigthe gurb iad tuairimí An Bhoird Pleanála nó go gcloíonn siad le polasaithe ráite an Bhoird.

Confidentiality Notice: This email and any files transmitted with it are confidential and intended solely for the addressee. If you have received this email in error please notify the system manager.

Please Note: any views expressed in this email are those of the individual sender and may not necessarily reflect the views or accord with the stated policies of An Bord Pleanála.

Smaoinigh ar an timpeallacht sula ndéanann tú an ríomhphost seo a phriontáil. Please consider the Environment before printing this mail.

The contents of this email are confidential. This email and any attachments are strictly intended solely for the addressee. It may contain information which is privileged. If you are not the intended recipient, please erase the entire message, its contents, all attachments and any copies from your computer and network. Please consider the environment before printing this email.

PCI Unit
An Bord Pleanála
64 Marlborough Street
Dublin 1
D01 V902

Greenlink Interconnector Ltd
c/o Mason Hayes & Curran Ltd
South Bank House
Barrow Street
Dublin 4
D04 TR29
Ireland
T +353 (1) 571 0773

www.greenlink.ie

30th Sept 2020

Re: PCI 0004 (Article 9.4 of Regulation (EU) no. 347/2013.)

Dear Sir / Madam,

Thank you for bringing this to our attention; we believe the documentation we have submitted (as outlined below) satisfies the requirements of Article 9.4 of Regulation (EU) no. 347/2013.

Appendix A of the 'Greenlink Planning Report Ireland Onshore' contains the Greenlink 'Consultation Report (Ireland)' as required pursuant to Article 9(4) of the TEN-E Regulation.

It sets out Greenlink's approach to consultation and the steps it took to ensure public participation. It also sets out the results of activities related to consultation with the public prior to the submission of the application file, including those activities that took place before the start of the permit granting process.

As noted within this report in section 3.2.4, 'The first public consultation in Wales and Ireland took place within a period of one month of each other (during May 2018 and June 2018 respectively) and satisfied the requirement of Article 9(5) of the TEN-E Regulation.

Yours faithfully,



Colin D'Arcy
Commercial Director

