

An  
Bord  
Pleanála

Our Ref: PCI 0004

Mr. Paul Hickey,  
Greenlink Interconnector Limited,  
South Bank House,  
Barrow Street,  
Grand Canal Dock,  
Dublin 4.

13<sup>th</sup> August 2020

Dear Mr. Hickey,

An Bord Pleanála (PCI Unit) issued a letter to the authorities concerned in relation to the draft application file and missing information in the context of Article 10 of Regulation (EU) No. 347/2013.

Responses have been received from An Bord Pleanála and CRU (2 responses). These responses are attached for your information.

I refer you to Section 4.2.3 of the Project of Common Interest Manual of Permit Granting Process Procedures and the information of missing information procedures. You will note that the Manual refers to the prospective applicant addressing the missing information. ABP (PCI Unit) has no difficulty with you contacting the concerned authorities directly in relation to missing information.

In relation to any material that might be considered by you to be commercially sensitive, if this material is being submitted to ABP (PCI Unit), please clearly identify this material and state why it is considered commercially sensitive. Also, no information that might be considered as personal information should be forwarded to us without the consent of the persons involved; refer to Section 4.2.1 of Manual of Permit Granting Procedures.

Teil  
Glaó Áitiúil  
Facs  
Láithreán Gréasáin  
Ríomhphost

Tel  
LoCall  
Fax  
Website  
Email


(01) 858 8100  
1890 275 175  
(01) 872 2684  
www.pleanala.ie  
bord@pleanala.ie

64 Sráid Maoilbhríde  
Baile Átha Cliath 1  
D01 V902

64 Marlborough Street  
Dublin 1  
D01 V902

We await hearing from you.

Yours sincerely,

A handwritten signature in cursive script, reading "Sorcha Skelly", is written over a horizontal line. The signature is fluid and extends slightly below the line.

Sorcha Skelly  
Executive Officer  
PCI Unit