

# Cathairle Contae Chorcaí Cork County Council

An Rannóg um Rialú Tógála & Dóiteáin,  
Stáisiún Dóiteáin Mhainistir na Corann,  
Faiche an Mhargaidh,  
Mainistir na Corann,  
Co. Chorcaí. P25 FP21  
Fón/Tel: (021) 4635500 • Facs/Fax: (021) 4635507  
Suíomh Gréasáin/Web: www.corkcoco.ie



Seamus Grant,  
Executive Officer,  
An Bord Pleanála,  
Projects of Common Interest Unit,  
64 Marlborough Street,  
Dublin 1.

**AN BORD PLEANÁLA**  
LDG- 133  
ABP- \_\_\_\_\_  
Middleton Fire Station,  
Market Green,  
Middleton,  
Co. Cork. P25 FP21  
01 FEB 2019  
Fee: € \_\_\_\_\_ Type: N/A  
Time: 12:00 By: P37

Your Ref: PCI0003

31/01/2019

## Re: PCI 1.6 'Celtic Interconnector' Project

Dear Seamus,

I refer to your letter dated January 4<sup>th</sup> 2019 and your request for a response as to whether the notification for the project should be acknowledged or rejected.

We confirm that this Department considers the project mature enough to enter the PCI permit process and has no objection to the PCI application proceeding.

In relation to the Commencement Notice, not more than 28 days and not less than 14 days notice must be given to the Building Control Authority before the actual commencement of works on site(s).

The Commencement Notice and the relevant additional documentation should be submitted online by using Building Control Management System (BCMS).

Please note that in advance of submitting the Commencement Notice the developer must apply for a Fire Safety Certificate (FSC) to Cork County Council Building Control Authority for each of the new buildings and this must be granted and referenced on the online BCMS application. Similarly a Disability Access Certificate (DAC) may be required.

Please note the FSC(s) and DAC(s) required for such buildings cannot be dealt with until detailed designs are completed.

If you have any queries, please contact the Middleton Office on 021-4635500.

Yours Sincerely,

*John Sheehan ACFO*

**John Sheehan,**  
Assistant Chief Fire Officer  
Fire Prevention

*Paul Cunningham ACFO*

**Paul Cunningham**  
Assistant Chief Fire Officer  
Building Control

