Our Case Number: ABP-317742-23



Teresa Deering 24 Sycamore Road Mount Merrion Co. Dublin

Date: 16 October 2023

Re: BusConnects Bray to City Centre Core Bus Corridor Scheme

Bray to Dublin City Centre.

Dear Sir / Madam,

An Bord Pleanála has received your recent submission in relation to the above-mentioned proposed road development and will take it into consideration in its determination of the matter. Please accept this letter as a receipt for the fee of €50 that you have paid.

Please note that the proposed road development shall not be carried out unless the Board has approved it or approved it with modifications.

The Board has also received an application for confirmation of a compulsory purchase order which relates to this proposed road development. The Board has absolute discretion to hold an oral hearing in respect of any application before it, in accordance with section 218 of the Planning and Development Act 2000, as amended. Accordingly, the Board will inform you in due course on this matter. The Board shall also make a decision on both applications at the same time.

If you have any queries in relation to this matter please contact the undersigned officer of the Board at laps@pleanala.ie

Please quote the above-mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,

Sarah Caulfield **Executive Officer**

Direct Line: 01-8737287

HA02A

Teil Glao Áitiúil Facs

LoCall Fax Láithreán Gréasáin Website Ríomhphost Email

Tel

(01) 858 8100 1800 275 175 (01) 872 2684 www.pleanala.ie bord@pleanala.ie

64 Sráid Maoilbhride Baile Átha Cliath 1

64 Marlborough Street Dublin 1 D01 V902

24 Sycamore Road Mount Merrion G. Dublin. 1st. October 2023

an Bord PLeanala Strategic Infrastructure Division 64 Marlborough 5-treet Dublin 2.

2 10 mg

Re. Compulsory Order No. 2023 (a Chara,

I wish to place a submission in relation to CP.D. No. 2023.

I think that removing this green were would add to Carbon emissions as green areas/shrubbery/bushes are effective in absorbing (arbon.

It would have little impact in reducing bus times as there is a bus Lane thereof (already.

of public bus users as there would the a visual impact of less greenery to look it. This lack of greenery would make the is journey feel briger. Trusting the points raised above in relation to

the disachantage of removing this green area

vill be considered

Yours faithfully Teresa Deering

lee of \$50.00 attached.)

LDG 067/36-7 LDG-06726-73 ABP-317742-23

Fee: € _ / > Type: Cuey u