

Daniel O'Connor

From: Communications
Sent: Monday 1 December 2025 08:36
To: Appeals2
Subject: FW: ACP-322985-25 HSA:0292000000148
Attachments: LUP9 ACP.322985.25.pdf

Kind regards,
Shane

Shane Larkin
Communications Department
An Coimisiún Pleanála

From: Michael Boylan <michael_boylan@hsa.ie>
Sent: Friday, November 28, 2025 4:17 PM
To: Communications <communications@pleanala.ie>
Subject: ACP-322985-25 HSA:0292000000148

Caution: This is an **External Email** and may have malicious content. Please take care when clicking links or opening attachments. When in doubt, contact the ICT Helpdesk.

To Whom it Concerns

Please see attached the HSA advice in respect of Application ACP-322985-25.

Regards

Mick Boylan

Inspector

Chemical & Industrial Products Division

+353 86 8057226

+353 1 7997883

michael_boylan@hsa.ie

www.hsa.ie

Health and Safety Authority
1A South Mall
Cork
Republic of Ireland
T12 R7WC

An tÚdarás Sláinte agus
Sábháilteachta
1A An Meal Theas
Corcaigh
Poblacht na hÉireann
T12 R7WC

Ár bhFís: Saolta agus fiontair shláintiúla, shábháilte agus tháirgiúla

Our Vision: Healthy, safe and productive lives and enterprises



[HSA Twitter](#)
[HSA Facebook](#)
[HSA YouTube](#)

An tÚdarás Sláinte agus Sábháilteachta
Health and Safety Authority

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager.

The Health and Safety Authority, its servants or agents, accept no liability for any errors or omissions in the information provided in this correspondence or for any loss or damage occasioned to any person as a result of using the information provided.

This footnote also confirms that this email message has been swept for the presence of computer viruses.



An tÚdarás Sláinte agus Sábháilteachta
Health and Safety Authority

☎ 0818 289 389 ✉ landuseplanning@hsa.ie 🌐 www.hsa.ie

An Coimisiun Pleanála
64 Marlborough Street
Dublin 1

Our Ref: CAS-86696-R0S9

28/11/2025

Re: Application for substitute consent [ref. ACP-322985-25] for a camping/camp site enterprise at Clonmines, Wellingtonbridge, Co. Wexford and your letter of the 27/11/2025

The Health and Safety Authority (the Authority), acting as the Central Competent Authority under the Chemicals Act (Control of Major Accident Hazards Involving Dangerous Substances) Regulations 2015 (S.I. 209 of 2015) gives technical advice to the Planning Authority when requested, under regulation 24(2) in relation to:

- (a) the siting and development of new establishments;
- (b) modifications to establishments of the type described in Regulation 12(1);
- (c) new developments including transport routes, locations of public use and residential areas in the vicinity of establishments, where the siting, modifications or developments may be the source of, or increase the risk or consequences of, a major accident.

Since the above-referenced application appears to be outside the scope of the Regulations, the Authority has no observations to forward.

If you have any queries please contact the undersigned.

Yours sincerely

Michael Boylan
Inspector,
COMAH, Chemical Production & Storage (CCPS)

11
12
13
14