

EIA Pre-screening – EIAR Not Submitted

An Bord Pleanála Case Reference	ABR-313122-22		
Development Summary	<p>Whether excavation of land to create a lagoon system, including associated pipe work and mounding to facilitate ground water lowering and discharge of water from the quarry lands at Lismaine, Jenkinstown, Co. Kilkenny is or is not development and is or is not exempted development.</p> <p>2. Whether the operation of the quarry at Lismaine (which is an established use under the P&D Act 2000 as amended) with discharge of water from the quarry to land outside the site ownership boundary at lands at Lismaine, Jenkinstown, Co. Kilkenny with hydrological connection to the River Barrow.River Nore SAC and Inchbeg pNHA is or is not development and is or is not exempted development.</p>		
Development Address	Lands at Lismaine, Jenkinstown, Co. Kilkenny		
1. Does the proposed development constitute an EIA project? (that is involving construction works, demolition, or interventions in the natural surroundings)		Yes	
		No	
2. If YES, does the proposed development, or any part of it, fall within a class of development set out in Part 1 or Part 2, Schedule 5 of the Planning and Development Regulations?			
	Tick	Threshold	Comment (if relevant)
		N/A	
Yes		If YES, tick one of the following:	
		Exceeds / Is equal to / No Threshold	EIAR required
		Sub threshold	Preliminary Examination required (Issue letter to EPA if IED/ IPC/ Waste licence)
3. If Preliminary Examination is required, has Schedule 7A information been submitted?		Yes	
		No	
		N/A	

EOI ~~820~~

[Signature]

Date: 4/5/2022